

6457.1


82 d. 83 d.

1723 24.



GIVEN BY

Mass. Secretary of
the Commonwealth.



The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY
DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1924

PREPARED BY
THE SECRETARY OF THE COMMONWEALTH

EDITED BY
EDGAR A. BOWERS
STATE REGISTRAR OF VITAL STATISTICS



PUBLICATION OF THIS DOCUMENT
APPROVED BY THE
COMMISSION ON ADMINISTRATION AND FINANCE

CONTENTS.

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1924.

PART I. MORTALITY STATISTICS.

	PAGE
INTRODUCTION	3-11
General mortality	3-6
Death registration	3
Purpose	3
Mortality statistics	3, 4
Source of data	4
Death rates and their comparability	4
Number of deaths and death rates	4, 5
Sex	5
Age	5
Sex and age	5
Marital condition	5
Centenarians	5
Nativity	5
Seasonable distribution of deaths	5, 6
Infant mortality	6, 7
Causes of death	7-9
Sources of error in mortality statistics	7
Principal causes of death	7-9
Deaths investigated by medical examiners	9-11
Source of data	9, 10
Number of deaths investigated	10
Autopsies	10
Cause of death	10, 11
STATISTICAL TABLES	12-115
General mortality	12-87
TABLE 1.—Deaths, by sex and nativity, population, and death rates in each county and city: 1924	12-17
TABLE 2.—Deaths, by sex and age, in each county: 1924	18, 19
TABLE 3.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants in 1920: 1924	20-25
TABLE 4.—Population, deaths, and death rates per 1,000 population: 1900 to 1924	26
TABLE 5.—Mortality of males and females: 1900 to 1924	26
TABLE 6.—Deaths at specified ages: census years 1900 to 1920	27
TABLE 7.—Per cent of deaths at specified ages—both sexes: 1900 to 1924	27
TABLE 8.—Male deaths per 1,000 female deaths at specified ages: 1921 to 1924	27
TABLE 9.—Deaths of males and females at specified ages: 1915 to 1924	28
TABLE 10.—Deaths of persons 100 years of age and over, by age, sex, place of death, place of birth, marital condition, date of death and name of decedent: 1924	29
TABLE 11.—Deaths of persons 100 years of age and over, by sex, nativity, marital condition, and age of oldest decedent: 1900 to 1924	29
TABLE 12.—Deaths by sex, age, and marital condition: 1924	30
TABLE 13.—Deaths in counties, and in cities having over 50,000 inhabitants, in 1920, by months: 1924	31
TABLE 14.—Deaths from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1924	32-57
TABLE 15.—Deaths from important causes in each municipality: 1924	58-82
TABLE 16.—Deaths from important causes: 1900 to 1924	83
TABLE 17.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the abridged International List: 1918 to 1924	84, 85
TABLE 18.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1900 to 1920	86
TABLE 19.—Deaths produced by external causes: 1902 to 1924	86
TABLE 20.—Deaths from cancer, by sex, age, and marital condition: 1924	87
Infant mortality	88-107
TABLE 21.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1924	88-90
TABLE 22.—Live births, deaths under 1 year, infant mortality rates, and per cent of deaths under 1 year to deaths at all ages: 1900 to 1924	91
TABLE 23.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1920: 1917 to 1924	91
TABLE 24.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1920: 1924	92
TABLE 25.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1910 to 1924	92
TABLE 26.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1900 to 1924	93
TABLE 27.—Infant deaths per 1,000 live births, by causes: 1917 to 1924	93
TABLE 28.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1917 to 1924	93
TABLE 29.—Deaths from important causes for certain subdivisions of the first year of life for the State and for cities having 50,000 inhabitants or more in 1920: 1924	94-107
Maternal mortality	108, 109
TABLE 30.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1901 to 1924	108

STATISTICAL TABLES—*Concluded.*General mortality—*Concluded.*

	PAGE
TABLE 31.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1901 to 1924	109
Deaths investigated by medical examiners	108-115
TABLE 32.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number and per cent of deaths autopsied in each county: 1924	108, 109
TABLE 33.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1924	110-115
TABLE 34.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1915 to 1924	114, 115

PART II A.

BIRTH STATISTICS.

INTRODUCTION	116-118
Birth registration	116, 117
Live births	117
Birth rate	117
Changes in the birth rate	117
Stillbirths	117
Birth rates of the principal cities	117, 118
Sex proportions at birth	118
Nativity of parents	118
Plural births	118
Natural increase	118
STATISTICAL TABLES	119-126
TABLE 35.—Live births, by sex and parent nativity; and birth rates in each county and city: 1924	119-123
TABLE 36.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants in 1920: 1924	124
TABLE 37.—Plural births, by sex, and stillbirths, in counties and in cities having over 50,000 inhabitants in 1920: 1924	124
TABLE 38.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1920: 1900 to 1924	125
TABLE 39.—Live births, by sex and parent nativity, and sex proportions at birth: 1900 to 1924	125
TABLE 40.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1900 to 1924	126

PART II B.

MARRIAGE STATISTICS.

INTRODUCTION	127, 128
Marriage registration	127
Accuracy	127, 128
Source of data	127
Purpose, marriage requirements	127, 128
STATISTICAL TABLES	129-139
TABLE 41.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1924	129-133
TABLE 42.—Marriages by sex, age, and marital condition: 1924	133
TABLE 43.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1920: 1924	134, 135
TABLE 44.—Marriages in each county, by sex and age: 1924	134, 135
TABLE 45.—Marriages, by sex and age: 1924	136
TABLE 46.—First marriages, by sex and age: 1924	136
TABLE 47.—First marriages of grooms and remarriages of brides, by age: 1924	136
TABLE 48.—Remarriages of grooms and first marriages of brides, by age: 1924	137
TABLE 49.—Remarriages of both parties, by age: 1924	137
TABLE 50.—First marriages and remarriages: 1924	137
TABLE 51.—Marriages, marriage rates, and nativity of persons married: 1900 to 1924	138
TABLE 52.—Proportions of first marriages and remarriages per 1,000 marriages: 1900 to 1924	138
TABLE 53.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1920: 1900 to 1924	139

PART II C.

DIVORCE STATISTICS.

INTRODUCTION	140, 141
Causes for divorce	140
Source of data	140
Applications for divorce	140
Contested cases	140
Number of divorces	140
Divorce rates	141
Party to which granted	141
Divorces classified by causes, 1900 to 1924	141
Annulment classified as divorce	141
Duration of marriages	141
STATISTICAL TABLES	142-160
TABLE 54.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1924	142
A. Barnstable County	143
B. Berkshire County	144
C. Bristol County	145
D. Dukes County	146
E. Essex County	147

STATISTICAL TABLES—*Concluded.*

	PAGE
F. Franklin County	148
G. Hampden County	149
H. Hampshire County	150
I. Middlesex County	151
J. Nantucket County	152
K. Norfolk County	153
L. Plymouth County	154
M. Suffolk County	155
N. Worcester County	156
TABLE 55.—Number and per cent of divorces granted to husbands and to wives: 1900 to 1924	157
TABLE 56.—Divorces granted, number and per cent increase in each five-year period over preceding five-year period, and per cent increase in total population over preceding census: 1900 to 1924	157
TABLE 57.—Comparison of increase in divorces and divorce rates with increase in population: 1900 to 1920	157
TABLE 58.—Divorce rates based on total population and on married population: census years, 1900 to 1920	157
TABLE 59.—Annual average number of divorces in the State and in each county: census years 1900 to 1920	158
TABLE 60.—Divorces granted for specified causes for 25 years: 1900 to 1924	158
TABLE 61.—Statutory causes of divorce: 1900 to 1924	158
TABLE 62.—Applications for divorce: 1900 to 1924	159
TABLE 63.—Divorces granted, classified by cause and party to which granted: 1924	159
TABLE 64.—Libels for divorce granted and not granted, contested and not contested, classified by party to which granted: 1924	159
TABLE 65.—Number of years libellants were married at time of application for divorce: 1900 to 1924	160

PART II D.

POPULATION STATISTICS.

Introductory	161
Estimated population	161
TABLE 66.—Census population of municipalities having over 15,000 inhabitants in 1920: 1900 to 1920	162

APPENDIX.

International classification of causes of death	163-167
1. Detailed International List	163-166
2. Abridged International List	167

LETTER OF SUBMITTAL.

THE COMMONWEALTH OF MASSACHUSETTS,
OFFICE OF THE SECRETARY,
DIVISION OF VITAL STATISTICS, BOSTON, April 10, 1925.

To the Honorable Senate and House of Representatives.

I have the honor to submit herewith, as required by chapter 46, section 21 and chapter 208, section 47 of the General Laws, the eighty-third annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1924 in two parts: Part I, Mortality Statistics; Part II, Statistics of Births, Marriages, and Divorces. The fact that deaths are reported monthly, while births, marriages, and statistics of divorce are not reportable until the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.


The editorial review and the method of presentation of the statistical data were prepared by Edgar A. Bowers, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Agnes E. Kimball, chief clerk of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

FREDERIC W. COOK,
Secretary of the Commonwealth.

MASSACHUSETTS

GENERAL DEATH RATE 1851 - 1924 PER 1000 POPULATION



1863-1864 CIVIL WAR PERIOD. 2264 deaths Diphtheria and Group.

1872-1873 Small Pox. 1029 deaths 1872; 668 Deaths 1873.

1875 Diphtheria and Group. 1880 deaths.

1891 Influenza

Editorial Review of the Vital Statistics of Massachusetts, 1924

BY EDGAR A. BOWERS, STATE REGISTRAR OF VITAL STATISTICS.

I

MORTALITY STATISTICS

	PAGE
Introduction	3-11
General mortality	3-6
Death registration	3
Purpose	3
Mortality statistics	3, 4
Source of data	4
Death rates and their comparability	4
Number of deaths and death rates	4, 5
Sex	5
Age	5
Sex and age	5
Marital condition	5
Centenarians	5
Nativity	5
Seasonal distribution of deaths	5, 6
Infant mortality	6, 7
Cause of death	7-9
Sources of error in mortality statistics	7
Principal causes of death	7-9
Deaths investigated by medical examiners	9-11
Source of data	9, 10
Number of deaths investigated	10
Autopsies	10
Cause of death	10, 11
Statistical tables	12-115

INTRODUCTION.

History.

Death Registration.—There has been a registration law in Massachusetts since 1639. By Chapter 3 of the Acts of 1639 of the laws of the Colony and Province of Massachusetts Bay the registration of births, marriages and deaths was required. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i. e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1924, inclusive, 3,041,002 deaths have been reported, recorded, and tabulated in the Division of Vital Statistics.

These records are not only on file in the cities and towns in which they occurred, and in the city and town given as the residence of the deceased at the time of death, but also at the State House.

Purpose.—Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for both sentimental and legal reasons.

Mortality Statistics.—Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths, the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health adminis-

tration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data.—Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the use of a blank or schedule known as the standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed with the local board of health rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove the body from the city or town in which the death occurred, or to bury the body. The local board of health is required to transmit the death certificate to the city or town clerk, who in turn records the death and transmits a certified copy to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the death occurred. Hospitals and other institutions are required to obtain, when a person is received, the facts which would be required for record in the event of the death of such person.

Death Rates and Their Comparability.—The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate, and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) the location of hospitals and institutions; (5) migration; and (6) the birth rate.

The rates given in this report, as well as those in all the preceding registration reports, are based on the inclusion of all deaths, both resident and non-resident, occurring in each city or town. Deaths in the asylums for the insane and in other State institutions are enumerated with those of the town where they are located, and while for certain localities nonresident deaths are given (see footnote, page 12), no plan has yet been devised for charging nonresidents back to the towns from which they come. The popularity of city hospitals also affects local statistics. Many victims of diseases, contracted in the country, are carried to the city hospitals and some die there. This requires their deaths to be recorded in the city where they die. Obviously, this is an injustice which is especially apparent in some instances.

In addition to the erroneous and unwarranted conclusions sometimes arrived at by attempting to compare data which are not comparable, such as death rates of different communities of varying sex and age composition, another possible source of error in mortality statistics is the original data, which are sometimes given by persons not fully cognizant of the true facts.

Number of Deaths and Death Rates.—There was a decrease in the mortality of 1924 as compared with that of 1923, the number of deaths occurring during the calendar year 1924 being 49,466, a decrease, as compared with 1923, of 2,914. Based on the estimated population of 1924 of 4,003,016 these deaths correspond to a rate of 12.4 per 1,000 population, as compared with 13.2 in 1923. The rate for 1921, 12.3, is the lowest ever recorded in Massachusetts.

During the ten-year periods, from 1900 to 1909, inclusive, the average death rate of the Commonwealth was 16.6, and 1910 to 1919, inclusive, 15.4.

This remarkable decrease in mortality has been the rule rather than the excep-

tion in the experiences of the other States. Since 1900 the average death rate for Massachusetts has been 15.5 per 1,000 living. During the period 1871 to 1875 this rate stood at 20.7 and as recently as the period 1896 to 1900, at 18.1, while the decade from 1910-1919 shows an average rate of 15.4, a decided decrease.

Table 4, on page 26, shows the number of deaths and the death rates per 1,000 population for the census years and per 1,000 estimated population for the intercensal years from 1900 to 1924.

Sex.—Of the 49,466 deaths in 1924, 25,390, or 51.3 per cent, were males, as compared with 50.1 per cent in 1923. The proportion of males in the living population, as shown by the United States Census of 1920, was 49.1 per cent. Expressed as a ratio there were 1,055 deaths of males per 1,000 deaths of females in 1924, as compared with 1,006 in 1923, 1,010 in 1922, 1,005 in 1921, and 986 in 1920.

Table 5, on page 26, shows that the death rate for males has been consistently greater than the death rate for females. In 1924 the rate for males exceeded that for females by 1.1 per 1,000. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age.—Of the 49,466 deaths in 1924, 6,191, or 12.5 per cent, were of infants under 1 year of age, as compared with 13.3 per cent in 1923, and an average of 15.9 for the five years from 1915 to 1919 and 19.6 for the five years from 1910 to 1914. A more detailed discussion of infant mortality may be found on pages 6 and 7.

Sex and Age.—The death rate of adult males we should naturally expect would be greater than the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 6,191 decedents under 1 year of age in 1924, 3,525, or 57 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 65 to 69 years, with the exception of the 25 to 29 year age period, in which the number of female deaths was larger than the number of male deaths. From the age of 70 years and upward the number of deaths of females exceeded the deaths of males. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1921 to 1924 are shown in Table 8, on page 27.

The excess of females in the population 65 years of age and over is so great that, even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 25,390 male decedents in 1924, 3,525, or 13.9 per cent, were under 1 year of age; among the 24,076 female decedents, 2,666, or 11.1 per cent, were under 1 year; and among the decedents of both sexes 12.5 per cent were under 1 year (see Table 9, page 28).

Marital Condition.—Not quite one half (48.0 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1924, were married, 19.7 per cent were single, 30.9 per cent were widowed, 1.0 per cent was divorced, and .4 per cent was unknown. Among the male decedents 55.5 per cent were married, 20.9 per cent were single, 21.8 per cent were widowed, 1.1 per cent was divorced, and .7 per cent was unknown. Among the female decedents 40.5 per cent were married, 18.6 per cent were single, 40.1 per cent were widowed, .8 per cent was divorced, and less than one tenth of 1 per cent was unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 12, on page 30, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Centenarians.—Among the deaths registered during 1924 there were 18 of reputed centenarians, 15 of whom were females; 12 were native and 6 were foreign born, 17 were widowed, and 1 was single. Table 11, on page 29, presents data concerning the deaths of centenarians by sex, nativity, marital condition, and maximum age at death for the twenty-five years 1900 to 1924.

Nativity.—Over two thirds (64.9 per cent) of the decedents whose nativity was reported on the death certificates in 1924 were native, and 34.5 per cent were foreign. There was .6 per cent decedents whose nativity was not reported.

Seasonal Distribution of Deaths.—The largest number of deaths during any

month occurred in March (4,698), and the next largest number in January (4,640). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1924 was 135. The months showing a higher average than that for the year were February (152), March and April (151), January (150), December (142), and May (140). Table 13, on page 31, shows the number of deaths in each month of 1924 in the State, in counties, and in cities having over 50,000 inhabitants in 1920.

Infant Mortality.

The infant mortality for the State in 1924 was 67.7 per 1,000 live births as compared with 78.1 in 1923. This constitutes the lowest rate ever recorded in the Commonwealth. But a still better statistical proof of the reduction in infant mortality is shown by the fact that while there has been a steady increase in the number of live births, interrupted only by slight decreases in the years 1894, 1898, 1899, 1901, 1902, 1909, 1919 and 1920, the actual number of infant deaths under one year of age, 6,191, was the lowest recorded since 1879. Reference to Table 22, on page 91, shows in striking manner this remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

The greatest infant mortality occurred in 1896 (11,765 deaths); and the next greatest actual number of infant deaths occurred twelve years later, 1908 (11,606).

The figures from 1908 to 1924 are shown in the following table:

YEARS.	Number of deaths under one year of age.	Infant mortality rates.
1908	11,606	133.5
1909	10,693	127.2
1910	11,499	132.9
1911	10,513	119.4
1912	10,472	116.5
1913	10,086	110.1
1914	9,894	105.9
1915	9,490	101.9
1916	9,334	99.8
1917	9,325	97.4
1918	10,820	113.2
1919	7,769	88.5
1920	8,382	91.2
1921	7,005	75.9
1922	7,129	81.3
1923	6,968	78.1
1924	6,191	67.7



In the ten years from 1915 to 1924 there has been a decrease of 1.8 per cent in the number of live births registered, and in the actual number of deaths under one year of 34.8 per cent. In 1924 deaths in Boston under 1 year of age numbered 1,468 or 74.2 per 1,000 live births, as compared with 82.4 in 1923, 92.3 in 1922, 77.2 in 1921, and 100.2 in 1920. In the ten years from 1915 to 1924 there has been an increase of .3 per cent in the number of live births registered, and a decrease in the actual number of deaths under 1 year of 28.3 per cent. For the remainder of the State the number of births registered decreased 2.4 per cent during this period, while the number of deaths under 1 year decreased 36.5 per cent. The infant mortality rates for the State, exclusive of Boston, decreased from 134.3 in 1910 to 65.9 in 1924, as compared with a decrease in Boston from 127.4 in 1910 to 74.2 in 1924. (See Table 25 on page 92.)

Deaths under one month and also under one year of age in each municipality are shown in Table 21 on pages 88 to 90.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1920 are shown for the years 1917 to 1924 in Table 23 on page 91.

A careful analysis of the returns of cities and towns in which children's hospitals are located would probably show lower infant mortality rates than appear in Table 23.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1924, 2,645 deaths occurred in the first week, constituting 42.7 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (21.3) was higher than on any other day. In the first



month of life there were 3,469 deaths, or 56.0 per cent of all infant deaths. In the first three months there were 4,302 deaths, or 69.5 per cent of all infant deaths. Over three fourths (81.7 per cent) of the infant deaths occurred in the first half of the year.

Over three fourths (78.5 per cent) of the 2,645 babies who died less than one week after birth died of prematurity, congenital debility, malformations, or injuries received at birth. Of the 2,870 babies who died from these causes before reaching the age of 1 year, 38.9 per cent died in less than one day, 72.4 per cent died in less than one week, and 87.2 per cent died in less than one month. The second most important cause of infant deaths—gastric and intestinal diseases—claimed 739, or 11.9 per cent of the babies who died before reaching 1 year of age. Twelve and nine tenths per cent of the babies who died from this cause died in less than one month after birth, 15.1 per cent within one but less than two months after birth, and 12.7 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases,* and the figures indicate a reduction in infant mortality due to these causes,—from 31.5 deaths per 1,000 live births in 1917, to 26.7 in 1924. Respiratory diseases also caused a considerable number of deaths. The number of deaths from bronchopneumonia* has changed but little since 1917 when there were 809 infant deaths from this cause; 1,221 in 1918; 917 in 1919; 1,114 in 1920; 790 in 1921; 1,039 in 1922; 1,073 in 1923; and 770 in 1924. The principal causes of infant deaths for the years 1917 to 1924 are shown in Table 27 on page 93.

Causes of Death.¹

Sources of Error in Mortality Statistics.—The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness, or who may, at the request of the family of the decedent, withhold a statement of the true cause of death, as when the condition is some reportable disease. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. It is also probable that there are many unavoidable errors of mistaken diagnosis.

It should also be borne in mind that the process of classifying the thousands of different terms—some of them of a very indefinite or unsatisfactory character—under the 205 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death out of the 49,466 received during 1924 at the Division of Vital Statistics of the office of the Secretary of the Commonwealth bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. As a result it is evident that there may be a margin of error, because in a considerable number of certificates only one of the contributory causes may be shown. Each definite cause of death as compiled, therefore, represents a minimum number, which would be increased if deaths from such causes that were not properly reported, and hence were classified under various ill-defined titles, could be included.

Principal Causes of Death.—Nearly one-third of the 49,466 deaths reported in 1924 were caused by organic heart disease* (including pericarditis), pneumonia (including bronchopneumonia), and tuberculosis in all forms. These diseases, together with apoplexy,* cancer, Bright's disease* and nephritis, external causes, malformations* and the diseases of early infancy, caused 71.6 per cent of the deaths for the year.

Pneumonia (including bronchopneumonia) caused 4,362 deaths in 1924 or

¹ In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

109 per 100,000 population. It was responsible for 5,835 deaths, or 147 per 100,000 population in 1923 as compared with 139.6 in 1922, 108.1 in 1921, and 164.8 in 1920. The deaths from *heart disease* * (organic diseases of the heart * and endocarditis *) in 1924 numbered 8,032, or 16.2 per cent of all deaths, or 200.6 per 100,000 population, as compared with 8,438, or 16.1 per cent of all deaths, or 212.6 per 100,000 population in 1923. In 1918 deaths from this cause increased 10.5 per cent over 1917, while the death rate per 100,000 population increased to 205.4 for 1917, or 8.5 per cent over the rate of 189.4 in 1916, and 53.6 per cent over the average rate (133.7) for the five years from 1911 to 1915.

Tuberculosis in its various forms claimed 3,530 victims in 1924, of whom 2,953 died from tuberculosis of the respiratory system.* Deaths due to the latter cause constituted 6 per cent of all deaths during the year, as compared with 8.1 per cent for the five years 1912 to 1916. In the six years from 1910 to 1915 the death rate from tuberculosis of the lungs * fell from 133.2 to 116 per 100,000 population, a drop of 17.2 per cent, the decline being continuous from year to year. In 1918, however, there was an increase in the death rate to 130, but in 1919 there was a decline to 108.1, 94.6 in 1920, 84.2 in 1921, 80.5 in 1922, 77.1 in 1923, and 73.8 in 1924.

Apoplexy * was the cause of 4,712 deaths, or 117.7 per 100,000 population. The death rate from this disease has fluctuated somewhat from 103.9 in 1917, 105.7 in 1918, 111 in 1919, 108.4 in 1920, 109.7 in 1921, 116.7 in 1922, and 118 in 1923.

Cancer and other malignant tumors caused 5,074 deaths in 1924 corresponding to a death rate of 126.8, as compared with 120.3 in 1923. Of the deaths from cancer 31.8 per cent resulted from cancers of the stomach and liver. The death rate from cancer has risen from 89.9 in 1910 to 126.8 in 1924. The increase has been continuous. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Bright's disease * and *nephritis* were the causes of 3,227 deaths in 1924, corresponding to a rate of 80.6 per 100,000 population, as compared with 84.3 in 1923, and an average rate of 92.3 for the five years from 1917 to 1921. There were 3,020 deaths caused by Bright's disease,* and 207 by acute nephritis.

Congenital debility * and *malformations* * caused 2,492 deaths in 1924, corresponding to a rate of 62.3 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2).

Diarrhea and enteritis * caused 971 deaths in 1924, or 24.2 per 100,000 population. With the exception of 1918 this rate has shown a marked decline. Seventy-nine per cent of the total number of deaths charged to these causes in 1924 were of infants under 2 years of age. The rates from this cause have declined steadily from 110.9 in 1910 to 68.7 in 1915, 43.3 in 1920, 34.3 in 1921, 25.9 in 1922, 19.9 in 1923, and 24.2 in 1924. The decline is due largely to the successful campaigns waged against infant mortality.

The fatal cases of *diphtheria and croup* *— which are classed together in the statistics, but practically all of which are of diphtheria— number 534, or 13.3 per 100,000 population in 1924, as compared with 14.6 in 1923, 15.4 in 1922, 15.6 in 1921, and 15.3 in 1920.


The mortality from *typhoid fever* * has shown a steady decline since 1910, having dropped from 12.2 in that year to 1.7 in 1924. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1924 was 68, as compared with 70 in 1923, 86 in 1922, 119 in 1921, 95 in 1920, 246 in 1915, and 411 in 1910.

Alcoholism caused 287 deaths in 1924, an increase of 4 over those in 1923, and corresponding to a rate of 7.2 per 100,000 population. In 1922 there were 238 deaths from this cause; in 1921, 97; in 1920, 59; in 1919, 68; in 1918, 111; and in 1915, 186.

Influenza was responsible for 277 deaths, or 6.9 per 100,000 inhabitants, as compared with 352.7 in 1918, 74.9 in 1919, 42.1 in 1920, 3.9 in 1921, 14.5 in 1922, and 18.7 in 1923.

MASSACHUSETTS
CANCER DEATHS, ALL FORMS, PER 100,000 POPULATION

1900 - 1924



E.A.B. July 1925

The principal epidemic maladies of childhood—*whooping cough*,* *measles*,* and *scarlet fever**—were together responsible for 470 deaths of both adults and children, or 11.7 per 100,000 population in 1924, the rates for the three diseases separately being 3.7, 4.1, and 3.9 respectively. The mortality rates for all three of these diseases have changed greatly from year to year.

Death rates from *violence* during the past five years per 100,000 population were 76.3 in 1920, 77.1 in 1921, 79.8 in 1922, 85.5 in 1923, and 86.8 in 1924.

Deaths due to *railroad accidents and injuries* * totaled 89 in 1924, or 2.2 per 100,000 population. The rates for previous years were 3 in 1923, 2.6 in 1922, 2.8 in 1921, and 4.2 in 1920.

Deaths resulting from *street car accidents and injuries* * numbered 55 or 1.3 per 100,000 population.

Automobile accidents and injuries * caused 705 deaths in 1924, or 17.6 per 100,000 population. There has been an increase in this rate from year to year until 1920, 12.7 in 1918, 13.9 in 1919, 11.9 in 1920, 13.5 in 1921, 12.7 in 1922, and 16.1 in 1923. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Deaths caused by *machinery accidents* * in 1924 numbered 50, or 1.2 per 100,000 population. The corresponding figures for previous years were 1.1 in 1920 and 1921, 1.7 in 1922, and 1.6 in 1923.

The number of *suicides* * reported for 1924 was 486, or 12.1 per 100,000 population. The rates since 1920 have been: 1920, 10.1; 1921, 12.1; 1922, 11.6, and 1923, 11.4.

Deaths caused by *firearms* numbered 196 in 1924, corresponding to a rate of 4.9 per 100,000 population. Of these deaths 115 were suicides, 50 were homicides, and 31 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt).

Deaths from *homicide* * numbered 109 in 1924, or 2.7 per 100,000 population. The rates for homicide in recent years are 2 in 1920, 3 in 1921, 2.6 in 1922, and 2.7 in 1923.

The causes of death of males and females for each month and at seventeen age periods for the Commonwealth for the full International List of Causes of Death with certain subdivisions are shown in Table 14, on pages 32 to 57. The causes denoted by letters, shown separately in indented type, Table 14, are a part of the total cause shown on the International List. In Table 15, on pages 58 to 82, the deaths are shown for 50 causes and groups of causes for each municipality. For the Commonwealth as a whole the deaths and death rates for the six years 1919 to 1924 are shown for the 38 causes and groups of causes in the Abridged International List in Table 17 on pages 84 and 85. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of deaths are presented on pages 86 and 87.

Deaths Investigated by Medical Examiners.

Source of Data.—The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associate medical examiners to the Secretary of the Commonwealth of abstracts of the records of deaths supposably due to violence, the cause and manner of which have been investigated during the year. Deaths supposably due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs or poisons), thermal, or electrical agents, and deaths following abortion, but also deaths due from disease resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.), but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners

are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Discrepancies will be found in comparing deaths based upon certificates returned to the city and town clerks and those contained in the reports of medical examiners. The causes when certified on the death certificates are more nearly accurate, because the reports received from the medical examiners after they themselves have certified in many instances to the cause shown do not contain all of the facts that led to death. Both the reports and certificates should compare and efforts are now being directed toward a uniformity in this regard.

Number of Deaths Investigated.—The number of deaths investigated by the medical examiners in 1924 was 7,341, or 14.8 per cent of the total number of deaths which occurred during the year, as compared with 7,549 deaths in 1923, or 14.4 per cent of the total number of deaths. Nearly two-thirds (64.6 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,127 or 42.6 per cent were reported as due to violence, while among the deaths returned to the registrars, 3,474 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1924 was in Suffolk County, 1,909, as compared with 2,142 in 1923. Of the deaths investigated in Suffolk County, 852, or 44.6 per cent, were reported as due to violence. (See Table 32, pages 108 and 109.)

Autopsies.—Autopsies were made in 655, or 8.9 per cent of the cases investigated by the medical examiners in 1924 as compared with 9.7 per cent in 1923, 10 per cent in 1922, and 9.7 in 1921.

The highest proportion of autopsies was in Suffolk County, where 22.4 per cent of the views were autopsied, as compared with 24.2 per cent in 1923. Table 34, on pages 114 and 115, shows the number of views and the number of autopsies in each county in each year from 1915 to 1924, and the number and per cent of views autopsied for the ten-year period, 1915 to 1924.

Cause of Death.—More than one-half (55.8 per cent) of the deaths viewed by medical examiners in 1924 were from causes not due to violence, 40 per cent were due to violence, and 1.5 per cent were stillbirths. Six hundred forty-five or 8.8 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 4,103 of which 3,028 were from natural causes and 325 were due to alcoholism.

Deaths due to violence numbered 3,127 of which 2,540 were due to accident or negligence, 481 were suicides, and 106 were homicides.

Of the 2,540 deaths due to accident or negligence, 634 were due to falls and blows, 687 were due to automobile accidents, 362 resulted from drowning, 84 were due to railroad accidents, and 773 to other causes.

The number of deaths due to automobile accidents in the last ten years is shown in the following table:—

YEARS.	Deaths from automobile accidents.	YEARS.	Deaths from automobile accidents.
1915	260	1920	451
1916	298	1921	506
1917	380	1922	494
1918	475	1923	619
1919	503	1924	687

Suicides numbered 481, or 15.4 per cent, of the deaths due to violence. Suicides committed with firearms (112) and by the use of illuminating and other gases (139) constituted about one-half (52.2 per cent) of the total number. The number of suicides by poisons was (49), by hanging or strangulation (86), by drowning (50) and other methods (45). Almost three-fourths (74.8 per cent) of the suicides were males.

Of the 481 persons committing suicide, 105 were 50 to 59 years of age, 100 were 40 to 49 years of age, 83 were 30 to 39 years of age, 51 were 20 to 29 years of age, 133 were over 60 years of age, 9 were under 20 years of age. Among the male suicides the largest numbers were from 50 to 59 years of age (76) and from 40 to 49

years (73), while among the female suicides the largest numbers were from 50 to 59 years of age (29) and from 40 to 49 years (27). The most common method of committing suicide was by illuminating or other gases.

Homicide numbered 106, of which 50 were by firearms, 12 were by cutting or piercing instruments, 36 by other means, and 8 were cases of infanticide. Of the 106 homicides, 77, or 72.6 per cent were males.

STATISTICAL TABLES.

GENERAL MORTALITY.

Table 1

DEATHS,² BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1924.

COUNTIES AND MUNICIPALITIES. ¹	Total number.	SEX.			NATIVITY.			DEATH RATE ³ PER 1,000 POPULATION.		
		Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Estimated July 1, 1924.	Including non-residents.	Excluding non-residents.
The State.	49,466	23,590	24,076	-	32,076	17,084	306	4,003.016	12.4	-
Barnstable County . . .	465	246	219	-	377	80	8	26,670	17.4	-
Berkshire County . . .	1,401	666	735	-	1,016	378	7	113,033	12.4	-
Bristol County . . .	4,556	2,332	2,224	-	2,801	1,736	19	370,399	12.3	-
Dukes County . . .	94	47	47	-	79	15	-	4,372	21.5	-
Essex County . . .	5,951	2,959	3,002	-	3,920	2,020	21	499,652	11.9	-
Franklin County . . .	555	297	258	-	440	114	1	50,387	11.0	-
Hampden County . . .	3,721	1,896	1,825	-	2,494	1,214	13	335,675	11.1	-
Hampshire County . . .	882	445	437	-	626	256	-	69,653	12.7	-
Middlesex County . . .	9,563	4,726	4,837	-	6,101	3,427	35	820,742	11.7	-
Nantucket County . . .	50	27	23	-	45	4	1	2,797	17.9	-
Norfolk County . . .	2,574	1,261	1,313	-	1,758	804	12	235,335	10.9	-
Plymouth County . . .	1,982	1,074	908	-	1,454	516	12	156,968	12.6	-
Suffolk County . . .	11,863	6,327	5,536	-	7,137	4,570	156	843,784	14.1	-
Worcester County . . .	5,799	3,087	2,712	-	3,828	1,950	21	478,301	12.1	-
MUNICIPALITIES.¹										
Abington . . .	62	31	31	-	51	11	-	-	-	-
Acton . . .	24	12	12	-	16	7	1	-	-	-
Acushnet . . .	67	32	35	-	50	17	-	-	-	-
Adams . . .	127	56	71	-	65	62	-	12,967	9.8	-
Agawam . . .	41	19	22	-	29	12	-	-	-	-
Alford . . .	1	-	1	-	1	-	-	-	-	-
Amesbury . . .	116	63	53	-	86	28	2	11,440	10.1	-
Amherst . . .	63	33	30	-	56	7	-	-	-	-
Andover . . .	100	54	46	-	63	37	-	-	-	-
Arlington . . .	253	103	150	-	155	97	1	22,229	11.4	-
Ashburnham . . .	16	11	5	-	12	4	-	-	-	-
Ashby . . .	12	6	6	-	7	5	-	-	-	-
Ashfield . . .	9	4	5	-	8	1	-	-	-	-
Ashland . . .	23	10	13	-	17	6	-	-	-	-
Athol . . .	97	52	45	-	76	21	-	-	-	-
ATTLEBORO . . .	254 ⁴	123	131	-	191	63	-	20,919	12.1	9.6
Auburn . . .	27	16	11	-	14	13	-	-	-	-
Avon . . .	24	11	13	-	17	17	-	-	-	-
Ayer . . .	38	26	12	-	29	9	-	-	-	-
Barnstable . . .	107	67	40	-	89	16	2	-	-	-
Barre . . .	25	13	12	-	20	5	-	-	-	-
Becket . . .	11	4	7	-	10	1	-	-	-	-
Bedford . . .	11	7	4	-	6	5	-	-	-	-
Belchertown . . .	34	19	15	-	28	6	-	-	-	-
Bellingham . . .	29	15	14	-	17	12	-	-	-	-
Belmont . . .	115	47	68	-	82	33	-	13,287	8.7	-
Berkley . . .	10	5	5	-	4	6	-	-	-	-
Berlin . . .	14	6	8	-	12	2	-	-	-	-
Bernardston . . .	8	2	6	-	5	3	-	-	-	-
BEVERLY . . .	267 ⁵	132	135	-	189	76	2	22,561	11.8	9.9
Billerica . . .	52	25	27	-	36	16	-	-	-	-
Blackstone . . .	38	22	16	-	19	19	-	-	-	-
Blandford . . .	6	5	1	-	6	-	-	-	-	-
Bolton . . .	9	7	2	-	8	1	-	-	-	-
BOSTON . . .	10,937 ⁶	5,761	5,176	-	6,580	4,210	147	750,544	14.6	12.1
Bourne . . .	43	19	24	-	34	9	-	-	-	-
Boxborough . . .	3	2	1	-	2	1	-	-	-	-
Boxford . . .	5	4	1	-	5	-	-	-	-	-
Boylston . . .	5	1	4	-	5	-	-	-	-	-
Braintree . . .	159	86	73	-	102	56	1	11,768	13.5	-
Brewster . . .	13	9	4	-	10	3	-	-	-	-
Bridgewater . . .	143 ⁷	119	24	-	82	60	1	-	-	-
Brimfield . . .	7	1	6	-	7	-	-	-	-	-
BROCKTON . . .	721 ⁸	364	357	-	529	188	4	70,034	10.3	8.9
Brookfield . . .	19	10	9	-	17	2	-	-	-	-
Brookline . . .	444 ⁹	186	258	-	332	111	1	41,798	10.6	7.3
Buckland . . .	19	12	7	-	15	4	-	-	-	-
Burlington . . .	3	1	2	-	1	2	-	-	-	-
CAMBRIDGE . . .	1,436 ¹⁰	698	738	-	847	584	5	110,504	13.0	10.4

¹ Cities are printed in small capitals.² Exclusive of stillbirths.³ The rates shown in this column are based on the total population, and make no allowance for differences in the sex and age distribution of the population. The rates for certain localities are materially affected by deaths of nonresidents who may be attracted to those localities by their superior hospital facilities, or may resort to certain localities for treatment of tuberculosis, mental defects, or other diseases. The death rate, both including and excluding non-residents, is shown.⁴ 54 nonresidents.⁵ 43 nonresidents.⁶ 1,859 nonresidents.⁷ 99 nonresidents.⁸ 96 nonresidents.⁹ 139 nonresidents.¹⁰ 291 nonresidents.

Table 1

DEATHS,² BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1924.

MUNICIPALITIES. ¹	Total number.	SEX.			NATIVITY.			DEATH RATE ³ PER 1,000 POPULATION.		
		Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Estimated July 1, 1924.	Including non-residents.	Excluding non-residents.
Canton	81	40	41	-	58	23	-	-	-	-
Carlisle	5	5	-	-	5	-	-	-	-	-
Carver	10	6	4	-	7	3	-	-	-	-
Charlemont	14	10	4	-	13	1	-	-	-	-
Charlton	29	18	11	-	23	6	-	-	-	-
Chatham	15	5	10	-	15	-	-	-	-	-
Chelmsford	55	31	24	-	32	23	-	-	-	-
CHELSEA	568 ⁴	391	177	-	336	226	6	43,184	13.2	7.9
Cheshire	17	8	9	-	15	2	-	-	-	-
Chester	14	11	3	-	10	4	-	-	-	-
Chesterfield	2	2	-	-	2	-	-	-	-	-
CHICOPEE	352 ⁵	178	174	-	204	147	1	41,992	8.4	8.1
Chilmark	5	5	-	-	-	-	-	-	-	-
Clarksburg	7	4	3	-	4	3	-	-	-	-
Clinton	158	82	76	-	101	57	-	12,979	12.2	-
Cohasset	30	14	16	-	22	8	-	-	-	-
Colrain	11	3	8	-	9	2	-	-	-	-
Concord	74	34	40	-	52	22	-	-	-	-
Conway	17	6	11	-	14	2	1	-	-	-
Cummington	3	1	2	-	2	1	-	-	-	-
Dalton	47	25	22	-	32	14	1	-	-	-
Dana	11	6	5	-	10	1	-	-	-	-
Danvers	294 ⁶	144	150	-	179	114	1	11,108	26.5	7.7
Dartmouth	94	58	36	-	55	38	1	-	-	-
Dedham	110	49	61	-	72	38	-	10,792	10.2	-
Deerfield	19	15	4	-	14	5	-	-	-	-
Dennis	30	15	15	-	27	2	1	-	-	-
Dighton	23	12	11	-	15	7	1	-	-	-
Douglas	26	13	13	-	21	5	-	-	-	-
Dover	6	2	4	-	4	2	-	-	-	-
Dracut	81	43	38	-	47	33	1	-	-	-
Dudley	32	16	16	-	19	13	-	-	-	-
Dunstable	3	3	-	-	3	-	-	-	-	-
Duxbury	30	18	12	-	27	3	-	-	-	-
East Bridgewater	47	27	20	-	38	9	-	-	-	-
East Brookfield	9	4	5	-	6	3	-	-	-	-
East Longmeadow	26	10	16	-	21	5	-	-	-	-
Eastham	9	5	4	-	8	1	-	-	-	-
Easthampton	101	50	51	-	67	34	-	12,611	8.0	-
Easton	47	25	22	-	33	14	-	-	-	-
Edgartown	25	7	18	-	23	2	-	-	-	-
Egremont	5	3	2	-	4	1	-	-	-	-
Enfield	10	4	6	-	7	3	-	-	-	-
Erving	5	-	5	-	2	3	-	-	-	-
Essex	15	4	11	-	14	1	-	-	-	-
EVERETT	325 ⁷	160	165	-	189	136	-	42,388	7.7	7.4
Fairhaven	111	54	57	-	87	24	-	-	-	-
FALL RIVER	1,602 ⁸	801	801	-	891	705	6	120,485	13.3	12.6
Falmouth	52	30	22	-	41	11	-	-	-	-
FITCHBURG	503 ⁹	261	242	-	322	180	1	42,325	11.9	11.1
Florida	1	-	1	-	1	-	-	-	-	-
Foxborough	95 ¹⁰	50	45	-	61	31	3	-	-	-
Frammingham	268 ¹¹	144	124	-	190	76	2	18,167	14.8	10.9
Franklin	72	35	37	-	48	24	-	-	-	-
Freetown	21	8	13	-	19	2	-	-	-	-
GARDNER	241 ¹²	124	117	-	157	83	1	17,511	13.8	9.8
Gay Head	-	-	-	-	-	-	-	-	-	-
Georgetown	18	8	10	-	15	3	-	-	-	-
Gill	10	7	3	-	8	2	-	-	-	-
GLOUCESTER	300 ¹³	130	170	-	216	83	1	22,947	13.1	12.2
Goshen	4	4	-	-	4	-	-	-	-	-
Gosnold	-	-	-	-	-	-	-	-	-	-
Grafton	114 ¹⁴	59	55	-	59	55	-	-	-	-
Granby	6	3	3	-	5	1	-	-	-	-
Granville	3	1	2	-	1	2	-	-	-	-
Great Barrington	88	41	47	-	75	13	-	-	-	-
Greenfield	163	93	70	-	131	32	-	18,162	9.0	-
Greenwich	9	5	4	-	8	1	-	-	-	-
Groton	24	9	15	-	20	3	1	-	-	-
Groveland	41	21	20	-	29	11	1	-	-	-

See footnotes 1-3, on page 12.

⁴ 226 nonresidents.⁵ 11 nonresidents.⁶ 209 nonresidents.⁷ 13 nonresidents.⁸ 80 nonresidents.⁹ 35 nonresidents.¹⁰ 52 nonresidents.¹¹ 70 nonresidents.¹² 69 nonresidents.¹³ 19 nonresidents.¹⁴ 60 nonresidents.

Table 1

DEATHS,² BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY
AND CITY: 1924.

MUNICIPALITIES. ¹	Total num- ber.	SEX.			NATIVITY.			DEATH RATE ³ PER 1,000 POPULATION.		
		Male.	Fe- male.	Un- known.	Na- tive.	For- eign- born.	Un- known.	Esti- mated July 1, 1924.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.
Hadley	23	12	11	-	16	7	-	-	-	-
Halifax	6	4	2	-	3	3	-	-	-	-
Hamilton	13	7	6	-	11	2	-	-	-	-
Hampden	4	2	2	-	3	1	-	-	-	-
Hancock	5	4	1	-	5	-	-	-	-	-
Hanover	28	9	19	-	26	2	-	-	-	-
Hanson	67	35	32	-	45	22	-	-	-	-
Hardwick	19	8	11	-	13	6	-	-	-	-
Harvard	11	2	9	-	8	3	-	-	-	-
Harwich	36	15	21	-	32	4	-	-	-	-
Hatfield	21	13	18	-	12	9	-	-	-	-
HAVERHILL	643 ⁴	328	315	-	471	169	3	58,096	11.1	10.2
Hawley	5	2	3	-	5	-	-	-	-	-
Heath	6	2	4	-	6	-	-	-	-	-
Hingham	55	27	28	-	47	8	-	-	-	-
Hinsdale	8	4	4	-	5	3	-	-	-	-
Holbrook	41	24	17	-	27	14	-	-	-	-
Holden	50	29	21	-	34	16	-	-	-	-
Holland	3	2	1	-	3	-	-	-	-	-
Holliston	27	18	9	-	22	5	-	-	-	-
HOLYOKE	804 ⁵	393	411	-	456	347	1	60,203	13.4	11.4
Hopedale	32	15	17	-	26	6	-	-	-	-
Hopkinton	39	13	26	-	32	6	1	-	-	-
Hubbardston	14	9	5	-	11	3	-	-	-	-
Hudson	76	40	36	-	56	20	-	-	-	-
Hull	47	26	21	-	34	10	3	-	-	-
Huntington	12	7	5	-	9	3	-	-	-	-
Ipswich	70	35	35	-	55	15	-	-	-	-
Kingston	28	20	8	-	19	9	-	-	-	-
Lakeville	86 ⁶	58	28	-	40	46	-	-	-	-
Lancaster	9	2	7	-	7	2	-	-	-	-
Lanesborough	7	5	2	-	6	1	-	-	-	-
LAWRENCE	1,054 ⁷	549	505	-	516	533	5	98,050	10.7	10.2
Lee	45	19	26	-	33	11	1	-	-	-
Leicester	41	23	18	-	29	11	1	-	-	-
Lenox	18	10	8	-	12	6	-	-	-	-
LEOMINSTER	256 ⁸	128	128	-	190	66	-	21,742	11.8	11.0
Leverett	4	2	2	-	4	-	-	-	-	-
Lexington	62	27	35	-	40	22	-	-	-	-
Leyden	3	2	1	-	3	-	-	-	-	-
Lincoln	6	4	2	-	4	1	1	-	-	-
Littleton	15	5	10	-	12	3	-	-	-	-
Longmeadow	19	10	9	-	14	5	-	-	-	-
LOWELL	1,545 ⁹	789	756	-	894	644	7	117,295	13.2	12.6
Ludlow	98	57	41	-	64	34	-	-	-	-
Lunenburg	22	15	7	-	17	5	-	-	-	-
LYNN	1,159 ¹⁰	576	583	-	780	376	3	102,334	11.3	10.5
Lynnfield	14	7	7	-	12	2	-	-	-	-
MALDEN	511 ¹¹	238	273	-	338	171	2	49,265	10.4	9.2
Manchester	25	12	13	-	17	8	-	-	-	-
Mansfield	68	31	37	-	50	18	-	-	-	-
Marblehead	127	54	73	-	99	28	-	-	-	-
Marion	17	8	9	-	16	1	-	-	-	-
MARLBOROUGH	168 ¹²	84	84	-	112	56	-	15,028	11.2	9.9
Marshfield	32	19	13	-	27	5	-	-	-	-
Mashpee	6	3	3	-	6	-	-	-	-	-
Mattapoisett	23	15	8	-	20	3	-	-	-	-
Maynard	51	34	17	-	29	22	-	-	-	-
Medfield	106 ¹³	49	57	-	64	42	-	-	-	-
MEDFORD	438 ¹⁴	206	232	-	294	142	2	47,138	9.3	8.4
Medway	35	20	15	-	28	7	-	-	-	-
MELROSE	232 ¹⁵	107	125	-	167	65	-	19,446	11.9	9.4
Mendon	11	6	5	-	5	6	-	-	-	-
Merrimac	27	15	12	-	20	7	-	-	-	-
Methuen	210 ¹⁶	97	113	-	108	102	-	16,323	12.9	11.3
Middleborough	106	56	50	-	82	24	-	-	-	-
Middlefield	1	1	-	-	1	-	-	-	-	-
Middleton	79	56	23	-	60	19	-	-	-	-
Milford	192	117	75	-	125	67	-	13,471	14.3	-
Millbury	50	28	22	-	35	15	-	-	-	-

See footnotes 1-3, on page 12.

⁴ 52 nonresidents.⁶ 82 nonresidents.⁷ 57 nonresidents.⁸ 17 nonresidents.⁹ 68 nonresidents.⁵ 120 nonresidents.¹⁰ 85 nonresidents.¹¹ 57 nonresidents.¹² 19 nonresidents.¹³ 88 nonresidents.¹⁴ 44 nonresidents.¹⁵ 49 nonresidents.¹⁶ 26 nonresidents.

Table 1

DEATHS,² BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1924.

MUNICIPALITIES. ¹	Total number.	SEX.			NATIVITY.			DEATH RATE ³ PER 1,000 POPULATION.		
		Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Estimated July 1, 1924.	Including non-residents.	Excluding non-residents.
Millis	13	6	7	-	8	5	-	-	-	-
Millville	15	8	7	-	10	5	-	-	-	-
Milton	100	45	55	-	77	23	-	-	-	-
Monroe	1	-	1	-	1	-	-	-	-	-
Monson	126 ⁴	72	54	-	97	28	1	-	-	-
Montague	118	66	52	-	79	39	-	-	-	-
Monterey	3	2	1	-	3	-	-	-	-	-
Montgomery	1	-	1	-	1	-	-	-	-	-
Mount Washington	2	1	1	-	1	1	-	-	-	-
Nahant	19	8	11	-	11	8	-	-	-	-
Nantucket	50	27	23	-	45	4	1	-	-	-
Natick	161	84	77	-	124	36	1	10,907	14.8	-
Needham	80	42	38	-	53	27	-	-	-	-
New Ashford	1	1	-	-	1	-	-	-	-	-
NEW BEDFORD	1,350 ⁵	697	653	-	785	561	4	132,533	10.2	9.6
New Bedford	8	3	5	-	6	2	-	-	-	-
New Marlborough	7	4	3	-	6	1	-	-	-	-
New Salem	2	1	1	-	2	-	-	-	-	-
Newbury	21	11	10	-	20	1	-	-	-	-
NEWBURYPORT	247 ⁶	104	143	-	192	55	-	15,888	15.5	13.0
NEWTON	510 ⁷	224	286	-	370	140	-	48,862	10.4	9.1
Norfolk	7	5	2	-	6	1	-	-	-	-
NORTH ADAMS	285 ⁸	139	146	-	190	95	-	22,498	12.7	11.6
North Andover	57	32	25	-	33	24	-	-	-	-
North Attleborough	99	48	51	-	62	37	-	-	-	-
North Brookfield	42	22	20	-	30	12	-	-	-	-
North Reading	62 ⁹	40	22	-	35	25	2	-	-	-
NORTHAMPTON	400 ¹⁰	209	191	-	276	124	-	22,221	18.0	8.7
Northborough	28	12	16	-	26	2	-	-	-	-
Northbridge	89	44	45	-	54	35	-	11,038	8.1	-
Northfield	16	7	9	-	16	-	-	-	-	-
Norton	24	16	8	-	18	5	1	-	-	-
Norwell	17	7	10	-	15	2	-	-	-	-
Norwood	134	70	64	-	80	53	1	14,193	9.4	-
Oak Bluffs	22	12	10	-	17	5	-	-	-	-
Oakham	3	-	3	-	2	1	-	-	-	-
Orange	64	33	31	-	52	12	-	-	-	-
Orleans	21	10	11	-	20	1	-	-	-	-
Otis	4	3	1	-	4	-	-	-	-	-
Oxford	36	12	24	-	28	8	-	-	-	-
Palmer	90	49	41	-	68	22	-	-	-	-
Paxton	3	2	1	-	3	-	-	-	-	-
PEABODY	240 ¹¹	135	105	-	161	78	1	20,416	11.8	10.7
Pelham	5	3	2	-	4	1	-	-	-	-
Pembroke	17	7	10	-	15	2	-	-	-	-
Pepperell	33	19	14	-	23	9	1	-	-	-
Peru	3	1	2	-	2	-	1	-	-	-
Petersham	8	6	2	-	7	1	-	-	-	-
Phillipston	3	3	-	-	3	-	-	-	-	-
PITTSFIELD	574 ¹²	273	301	-	429	141	4	43,815	13.1	10.6
Plainfield	6	5	1	-	6	-	-	-	-	-
Plainville	21	9	21	-	19	2	-	-	-	-
Plymouth	161	81	80	-	108	51	2	13,153	12.2	-
Plympton	7	4	3	-	6	1	-	-	-	-
Prescott	4	1	3	-	4	-	-	-	-	-
Princeton	13	7	6	-	11	2	-	-	-	-
Provincetown	60	31	29	-	39	20	1	-	-	-
QUINCY	484 ¹³	252	232	-	280	200	4	54,680	8.9	8.3
Randolph	41	21	20	-	28	13	-	-	-	-
Raynham	25	12	13	-	20	5	-	-	-	-
Reading	86	42	44	-	69	17	-	-	-	-
Rehoboth	23	14	9	-	16	7	-	-	-	-
REVERE	192 ¹⁴	93	99	-	110	82	-	32,279	5.9	5.5
Richmond	14	5	9	-	10	4	-	-	-	-
Rochester	16	6	10	-	14	2	-	-	-	-
Rockland	55	30	25	-	43	12	-	-	-	-
Rockport	29	14	15	-	19	10	-	-	-	-
Rowe	4	3	1	-	4	-	-	-	-	-
Rowley	8	3	5	-	7	1	-	-	-	-
Royalston	13	9	4	-	11	2	-	-	-	-
Russell	6	-	6	-	5	1	-	-	-	-

See footnotes 1-3, on page 12.

⁴ 79 nonresidents.⁵ 75 nonresidents.⁶ 40 nonresidents.⁷ 65 nonresidents.⁸ 24 nonresidents.⁹ 51 nonresidents.¹⁰ 207 nonresidents.¹¹ 22 nonresidents.¹² 109 nonresidents.¹³ 32 nonresidents.¹⁴ 16 nonresidents.

Table 1

DEATHS,² BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY
AND CITY: 1924.

MUNICIPALITIES. ¹	Total num- ber.	SEX.			NATIVITY.			DEATH RATE ³ PER 1,000 POPULATION.		
		Male.	Fe- male.	Un- known.	Na- tive.	For- eign- born.	Un- known.	Esti- mated July 1, 1924.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.
Rutland	118 ⁴	83	35	-	91	27	-	-	-	-
SALEM	516 ⁵	239	277	-	342	172	2	47,551	10.9	9.5
Salisbury	20	13	7	-	12	8	-	-	-	-
Sandisfield	7	4	3	-	7	-	-	-	-	-
Sandwich	15	7	8	-	12	3	-	-	-	-
Saugus	98	43	55	-	72	26	-	11,468	8.5	-
Savoy	4	-	4	-	3	1	-	-	-	-
Scituate	34	11	23	-	27	7	-	-	-	-
Seekonk	39	22	17	-	26	12	1	-	-	-
Sharon	37	19	18	-	29	8	-	-	-	-
Sheffield	17	8	9	-	14	3	-	-	-	-
Shelburne	27	9	18	-	25	2	-	-	-	-
Sherborn	6	4	2	-	4	2	-	-	-	-
Shirley	24	15	9	-	21	2	1	-	-	-
Shrewsbury	48	21	27	-	37	11	-	-	-	-
Shutesbury	3	3	-	-	3	-	-	-	-	-
Somerset	44	20	24	-	31	13	-	-	-	-
SOMERVILLE	979 ⁶	439	540	-	606	370	3	98,977	9.9	9.3
South Hadley	45	18	27	-	34	11	-	-	-	-
Southampton	7	-	7	-	4	3	-	-	-	-
Southborough	16	8	8	-	8	7	1	-	-	-
Southbridge	135	68	67	-	82	52	1	14,299	9.4	-
Southwick	15	11	4	-	14	1	-	-	-	-
Spencer	70	38	32	-	43	27	-	-	-	-
SPRINGFIELD	1,691 ⁷	851	840	-	1,187	498	6	154,832	10.9	9.3
Sterling	16	8	8	-	15	1	-	-	-	-
Stockbridge	26	10	16	-	21	5	-	-	-	-
Stoneham	96	39	57	-	72	23	1	-	-	-
Stoughton	89	47	42	-	63	26	-	-	-	-
Stow	14	7	7	-	10	4	-	-	-	-
Sturbridge	28	16	12	-	22	6	-	-	-	-
Sudbury	14	6	8	-	12	2	-	-	-	-
Sunderland	9	4	5	-	7	2	-	-	-	-
Sutton	21	12	9	-	15	6	-	-	-	-
Swampscott	80	38	42	-	63	17	-	-	-	-
Swansea	35	16	19	-	20	15	-	-	-	-
TAUNTON	581 ⁸	323	258	-	396	180	5	38,055	15.3	11.0
Templeton	49	22	27	-	38	11	-	-	-	-
Tewksbury	37	17	20	-	25	12	-	-	-	-
State Infirmary	429	314	115	-	190	238	1	-	-	-
Tisbury	32	17	15	-	26	6	-	-	-	-
Tolland	1	1	-	-	1	-	-	-	-	-
Topsfield	13	8	5	-	12	1	-	-	-	-
Townsend	31	17	14	-	29	2	-	-	-	-
Truro	11	7	4	-	7	4	-	-	-	-
Tyngsborough	13	11	2	-	8	5	-	-	-	-
Tyringham	3	-	3	-	2	1	-	-	-	-
Upton	21	12	9	-	20	1	-	-	-	-
Uxbridge	47	25	22	-	30	17	-	-	-	-
Wakefield	137	56	81	-	98	39	-	13,241	10.3	-
Wales	6	3	3	-	5	1	-	-	-	-
Walpole	45	29	16	-	29	16	-	-	-	-
WALTHAM	388 ⁹	203	185	-	286	102	-	31,617	12.3	9.9
Ware	103	45	58	-	63	40	-	-	-	-
Wareham	82	45	37	-	67	14	1	-	-	-
Warren	33	22	11	-	22	11	-	-	-	-
Warwick	3	2	1	-	3	-	-	-	-	-
Washington	1	-	1	-	-	1	-	-	-	-
Watertown	143 ¹⁰	69	74	-	93	50	-	26,155	5.5	5.2
Wayland	28	12	16	-	19	9	-	-	-	-
Webster	93	55	38	-	55	37	1	13,906	6.7	-
Wellesley	66	31	35	-	53	13	-	-	-	-
Wellfleet	21	12	9	-	16	3	2	-	-	-
Wendell	6	2	4	-	5	1	-	-	-	-
Wenham	12	4	8	-	10	2	-	-	-	-
West Boylston	12	9	3	-	11	1	-	-	-	-
West Bridgewater	21	12	9	-	13	8	-	-	-	-
West Brookfield	18	8	10	-	18	-	-	-	-	-
West Newbury	24	11	13	-	21	3	-	-	-	-
West Springfield	126	71	55	-	83	41	2	15,441	8.2	-
West Stockbridge	13	4	9	-	10	3	-	-	-	-
West Tisbury	10	6	4	-	8	2	-	-	-	-

See footnotes 1-3, on page 12.

⁴ 108 nonresidents.⁵ 62 nonresidents.⁶ 61 nonresidents.⁷ 250 nonresidents.⁸ 163 nonresidents.⁹ 76 nonresidents.¹⁰ 7 nonresidents.

Table 1

DEATHS,² BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY
AND CITY: 1924.

MUNICIPALITIES. ¹	Total num- ber.	SEX.			NATIVITY.			DEATH RATE ³ PER 1,000 POPULATION.		
		Male.	Fe- male.	Un- known.	Na- tive.	For- eign- born.	Un- known.	Esti- mated July 1, 1924.	In- cluding non- resi- dents.	Ex- cluding non- resi- dents.
Westborough . . .	174 ⁴	91	83	-	116	55	3	-	-	-
Westfield . . .	256 ⁵	137	119	-	197	57	2	18,766	13.6	11.6
Westford . . .	30	17	13	-	17	13	-	-	-	-
Westhampton . . .	4	2	2	-	4	-	-	-	-	-
Westminster . . .	13	7	6	-	11	2	-	-	-	-
Weston . . .	17	8	9	-	12	5	-	-	-	-
Westport . . .	39	15	24	-	32	7	-	-	-	-
Westwood . . .	16	5	11	-	9	7	-	-	-	-
Weymouth . . .	168	77	91	-	138	28	2	16,083	10.4	-
Whately . . .	9	7	2	-	6	3	-	-	-	-
Whitman . . .	64	29	35	-	53	10	1	-	-	-
Wilbraham . . .	26	12	14	-	18	8	-	-	-	-
Williamsburg . . .	17	7	10	-	12	5	-	-	-	-
Williamstown . . .	46	26	20	-	41	5	-	-	-	-
Wilmington . . .	29	15	14	-	21	8	-	-	-	-
Winchendon . . .	81	44	37	-	63	18	-	-	-	-
Winchester . . .	122	49	73	-	89	33	-	10,917	11.2	-
Windsor . . .	4	2	2	-	4	-	-	-	-	-
Winthrop . . .	166	82	84	-	111	52	3	17,993	9.2	-
Woburn . . .	199 ⁶	88	111	-	132	66	1	16,736	11.9	11.1
Worcester . . .	2,465 ⁷	1,307	1,158	-	1,539	914	12	195,900	12.6	10.4
Worthington . . .	2	1	1	-	2	-	-	-	-	-
Wrentham . . .	41 ⁸	22	19	-	34	7	-	-	-	-
Yarmouth . . .	26	11	15	-	21	3	2	-	-	-

See footnotes 1-3, on page 12.

⁴ 133 nonresidents.⁵ 39 nonresidents.⁶ 14 nonresidents.⁷ 430 nonresidents.⁸ 15 nonresidents.

Line No.	Table 2 COUNTIES AND SEX.	DEATHS, ¹ BY SEX AND											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	The State.	49,466	8,350	6,191	984	497	353	325	957	591	841	1,138	1,312
2	Males	25,390	4,698	3,525	533	273	191	176	556	307	447	571	616
3	Females	24,076	3,652	2,666	451	224	162	149	401	284	394	567	696
4	BARNSTABLE.	465											
5	Males	246	18	12	2	2	2	-	5	6	2	7	4
6	Females	219	15	9	1	3	1	1	3	2	1	2	3
7	BERKSHIRE.	1,401											
8	Males	666	109	78	14	8	5	4	17	8	21	16	8
9	Females	735	125	92	9	11	10	3	10	8	7	18	19
10	BRISTOL.	4,556											
11	Males	2,332	612	463	81	29	19	20	42	27	40	51	42
12	Females	2,224	454	341	55	19	19	20	32	23	45	50	58
13	DUKES.	94											
14	Males	47	4	4	-	-	-	-	1	-	1	1	-
15	Females	47	1	1	-	-	-	-	1	1	1	-	-
16	ESSEX.	5,961											
17	Males	2,959	485	355	59	30	22	19	62	33	54	77	47
18	Females	3,002	437	300	57	30	26	24	35	36	37	60	92
19	FRANKLIN.	555											
20	Males	297	48	37	4	3	2	2	9	4	5	6	6
21	Females	258	39	26	6	6	1	-	5	1	3	5	5
22	HAMPDEN.	3,721											
23	Males	1,896	434	333	48	23	18	12	49	28	36	39	62
24	Females	1,825	353	249	47	16	25	16	28	30	43	46	63
25	HAMPSHIRE.	882											
26	Males	445	79	58	8	3	4	6	10	4	9	5	8
27	Females	437	52	44	3	3	-	2	7	4	4	10	8
28	MIDDLESEX.	9,563											
29	Males	4,726	828	639	87	47	33	22	108	45	79	103	96
30	Females	4,837	648	492	76	36	22	22	81	51	79	107	136
31	NANTUCKET.	50											
32	Males	27	2	2	-	-	-	-	1	-	-	-	1
33	Females	23	1	1	-	-	-	-	1	-	-	-	1
34	NORFOLK.	2,574											
35	Males	1,261	160	122	18	12	3	5	27	17	21	33	33
36	Females	1,313	115	85	12	7	7	4	19	10	19	15	32
37	PLYMOUTH.	1,982											
38	Males	1,074	127	97	11	10	4	5	18	9	13	27	25
39	Females	908	88	69	11	4	3	1	17	13	14	26	26
40	SUFFOLK.	11,863											
41	Males	6,327	1,225	890	149	73	58	55	133	96	103	141	182
42	Females	5,536	927	660	126	69	35	37	123	70	96	158	182
43	WORCESTER.	5,799											
44	Males	3,087	567	435	52	33	21	26	74	30	63	65	102
45	Females	2,712	397	297	48	20	13	19	39	35	45	70	71

¹ Exclusive of stillbirths.

AGE,² IN EACH COUNTY: 1924.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	1,460	1,730	2,035	2,405	3,085	3,474	4,101	4,448	4,367	3,866	2,897	1,620	633	126	18	12
2	736	936	1,125	1,304	1,661	1,893	2,223	2,274	2,144	1,812	1,203	610	223	36	3	12
3	724	794	910	1,101	1,424	1,581	1,878	2,174	2,223	2,054	1,694	1,010	410	90	15	-
4																
5	5	7	3	9	9	14	26	21	28	34	31	10	6	-	-	1
6	3	2	2	7	13	9	20	23	25	34	22	19	12	2	-	-
7																
8	14	18	23	29	39	40	59	63	73	57	47	20	3	1	-	1
9	21	24	31	40	43	48	51	71	66	55	48	35	9	5	1	-
10																
11	64	76	104	115	148	150	177	192	161	177	96	43	14	1	-	-
12	66	78	87	95	132	132	170	183	187	162	146	79	38	5	2	-
13																
14	1	-	-	1	1	4	8	7	9	5	1	1	1	1	-	-
15	1	1	-	2	2	1	3	6	6	5	4	6	5	1	-	-
16																
17	74	119	125	143	171	226	244	302	283	240	151	86	31	4	-	2
18	81	88	94	146	159	201	244	287	284	269	246	144	51	10	1	-
19																
20	11	5	13	15	19	10	26	33	29	24	20	10	4	-	-	-
21	7	9	3	6	12	6	17	32	23	28	32	14	8	1	2	-
22																
23	59	90	84	99	122	142	128	124	145	115	91	38	10	1	-	-
24	54	65	62	86	110	113	126	146	138	143	133	56	22	7	1	-
25																
26	12	19	14	15	30	31	36	46	47	34	31	12	3	-	-	-
27	14	15	10	17	19	26	40	41	45	42	40	25	11	6	1	-
28																
29	114	154	186	220	289	362	447	500	448	342	233	108	52	10	1	1
30	141	141	165	193	282	311	387	479	486	468	349	223	83	23	4	-
31																
32	-	1	1	-	3	3	3	3	3	4	1	-	-	-	-	-
33	-	-	2	-	-	1	2	4	-	4	2	4	1	-	-	-
34																
35	37	43	47	52	88	85	137	113	126	102	78	46	11	1	1	3
36	28	45	46	60	86	85	101	104	162	148	121	71	37	9	-	-
37																
38	35	33	40	52	73	81	100	114	117	76	74	38	14	4	1	3
39	26	33	25	41	46	48	67	82	94	89	80	59	27	5	2	-
40																
41	217	268	346	385	471	542	582	498	415	349	209	117	41	6	-	1
42	199	217	284	282	365	423	446	468	435	370	272	164	46	9	-	-
43																
44	93	103	139	169	198	203	250	258	260	253	140	80	33	7	-	-
45	83	76	99	126	155	177	204	248	272	237	199	111	60	7	1	-

² Age at last birthday.

Line No.	Table 3 MUNICIPALITIES AND SEX.	DEATHS, ¹ BY SEX AND AGE, ² IN MUNICIPALITIES												
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
1	ADAMS (TOWN).	127												
2	Males	56	7	6	-	1	-	-	1	-	2	3	-	
3	Females	71	14	13	-	1	-	-	1	-	2	4	3	
4	AMESBURY (TOWN).	116												
5	Males	63	14	10	2	-	1	1	4	-	1	3	-	
6	Females	53	5	2	2	-	1	-	2	1	1	1	1	
7	ARLINGTON (TOWN).	253												
8	Males	103	14	9	1	4	-	-	2	-	2	2	3	
9	Females	150	13	10	-	2	1	-	1	-	5	3	6	
10	ATTLEBORO.	254												
11	Males	123	23	15	5	2	-	1	6	1	2	6	2	
12	Females	131	22	18	2	1	-	1	5	1	6	5	8	
13	BELMONT (TOWN).	115												
14	Males	47	4	3	-	-	-	1	-	-	1	1	1	
15	Females	68	6	6	-	-	-	-	-	1	1	3	1	
16	BEVERLY.	267												
17	Males	132	15	12	1	2	-	-	-	2	-	2	-	
18	Females	135	16	8	2	2	-	4	-	4	-	2	6	
19	BOSTON.	10,937												
20	Males	5,761	1,166	846	144	70	55	51	129	91	94	123	160	
21	Females	5,176	866	622	115	61	33	35	115	63	88	145	172	
22	BRAINTREE (TOWN).	159												
23	Males	86	9	5	4	-	-	-	1	2	4	4	4	
24	Females	73	3	2	-	-	1	-	-	-	2	2	5	
25	BROCKTON.	721												
26	Males	364	68	49	7	6	3	3	11	3	6	8	6	
27	Females	357	47	38	5	1	2	1	7	7	7	6	10	
28	BROOKLINE (TOWN).	444												
29	Males	186	11	9	1	-	-	1	-	2	1	3	6	
30	Females	258	3	2	1	-	-	-	4	2	2	2	5	
31	CAMBRIDGE.	1,436												
32	Males	698	126	102	6	7	7	4	17	10	14	22	16	
33	Females	738	88	67	13	4	1	3	21	11	13	20	26	
34	CHELSEA.	568												
35	Males	391	34	26	3	2	-	3	2	4	4	12	15	
36	Females	177	39	26	7	4	1	1	5	4	3	7	9	
37	CHICOPEE.	352												
38	Males	178	56	38	10	2	4	2	4	3	2	2	2	
39	Females	174	58	41	8	4	4	1	2	1	3	5	6	
40	CLINTON (TOWN).	158												
41	Males	82	25	16	4	1	2	2	1	1	-	-	1	
42	Females	76	16	11	3	-	1	1	3	-	-	1	4	
43	DANVERS (TOWN).	294												
44	Males	144	6	5	-	1	-	-	-	-	-	2	5	
45	Females	150	2	2	-	-	-	-	1	1	1	3	6	
46	DEDHAM (TOWN).	110												
47	Males	49	5	3	1	-	-	1	1	1	2	2	3	
48	Females	61	8	5	2	1	-	-	-	1	1	-	1	
49	EASTHAMPTON (TOWN).	101												
50	Males	50	20	14	2	2	2	-	1	-	1	-	2	
51	Females	51	10	10	-	-	-	-	1	1	1	-	-	
52	EVERETT.	325												
53	Males	160	37	32	4	-	-	1	3	2	2	5	2	
54	Females	165	18	14	1	2	-	1	3	2	3	3	1	
55	FALL RIVER.	1,602												
56	Males	801	241	184	32	10	8	7	15	13	16	23	13	
57	Females	801	209	153	28	8	11	9	14	7	14	23	15	
58	FITCHBURG.	503												
59	Males	261	70	54	7	3	2	4	6	4	6	3	9	
60	Females	242	41	29	5	-	2	5	5	2	3	8	8	
61	FRAMINGHAM (TOWN.)	268												
62	Males	144	28	22	2	2	1	1	8	1	3	1	1	
63	Females	124	22	17	1	3	-	1	1	2	1	4	2	
64	GARDNER.	241												
65	Males	124	21	19	1	-	1	-	2	3	2	3	6	
66	Females	117	22	17	1	2	2	-	1	1	1	6	-	
67	GLOUCESTER.	300												
68	Males	130	21	13	6	-	2	-	4	3	2	1	2	
69	Females	170	24	14	5	1	1	3	4	-	3	4	6	
70	GREENFIELD (TOWN).	163												
71	Males	93	15	14	-	-	1	-	5	-	3	2	1	
72	Females	70	13	9	3	1	-	-	2	-	2	-	2	
73	HAVERHILL.	643												
74	Males	328	38	30	4	3	1	-	5	3	4	8	4	
75	Females	315	36	28	3	2	1	2	5	2	1	7	8	
76	HOLYOKE.	804												
77	Males	393	99	73	12	9	3	2	10	4	5	7	15	
78	Females	411	88	55	13	6	8	6	11	5	9	9	13	
79	LAWRENCE.	1,054												
80	Males	549	146	106	20	9	3	8	15	6	9	14	11	
81	Females	505	122	74	20	8	11	8	5	11	11	11	15	

¹ Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1924.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	2	4	1	3	3	2	12	1	7	2	4	1	1	-	-	-
3	2		7	1	4	5	7	8	5	1	3	1	1	-	-	-
4																
5	-	1	-	1	2	5	5	7	8	7	1	1	2	-	-	1
6	-	-	1	1	3	1	3	6	5	7	9	3	2	1	-	-
7																
8	1	1	4	6	9	10	8	14	8	7	7	3	2	1	-	-
9	5	2	8	8	9	8	9	17	12	16	16	8	3	1	-	-
10																
11	6	6	4	8	9	7	8	5	12	10	3	3	2	-	-	-
12	7	4	3	5	8	8	10	10	11	7	1	5	5	-	-	-
13																
14	1	1	-	3	-	5	6	3	6	3	5	5	1	-	-	-
15	-	4	1	1	6	2	4	13	6	5	9	4	2	-	-	-
16																
17	3	8	4	2	5	10	15	19	13	13	9	7	3	2	-	-
18	3	3	3	3	8	6	8	13	23	13	11	9	3	1	-	-
19																
20	192	245	315	346	440	514	548	455	378	285	156	87	32	5	-	-
21	192	204	268	268	343	397	426	430	404	343	248	154	42	8	-	-
22																
23	8	5	3	4	10	1	10	6	4	5	3	2	-	-	-	1
24	1	4	2	4	6	4	7	2	8	6	10	1	6	-	-	-
25																
26	10	14	18	17	23	29	32	36	29	24	16	11	1	2	-	-
27	7	16	12	17	26	26	26	35	34	30	25	15	4	-	-	-
28																
29	5	5	7	7	12	23	26	18	20	12	13	11	4	-	-	-
30	5	10	13	17	24	18	21	23	32	26	25	16	7	3	-	-
31																
32	19	24	22	46	42	64	64	64	49	50	30	13	5	-	1	-
33	24	29	20	37	55	44	57	70	69	69	46	27	8	3	1	-
34																
35	19	15	26	34	25	15	15	24	19	46	45	27	8	1	-	1
36	4	9	9	6	14	10	9	15	12	12	5	3	1	1	-	-
37																
38	7	7	12	11	16	9	11	8	12	10	3	3	-	-	-	-
39	4	7	5	5	15	9	10	12	12	6	8	3	3	-	-	-
40																
41	1	2	2	3	4	1	11	8	9	3	4	1	1	-	-	-
42	1	2	-	4	7	6	5	7	9	5	5	-	-	-	-	-
43																
44	4	9	4	13	10	12	15	17	17	15	8	4	3	-	-	-
45	6	6	10	18	8	10	13	15	16	13	13	6	2	-	-	-
46																
47	-	2	2	-	4	2	6	3	4	3	8	1	-	-	-	-
48	-	1	2	1	4	4	5	4	11	4	7	5	2	-	-	-
49																
50	1	1	1	2	2	-	3	3	6	4	3	-	-	-	-	-
51	2	4	1	3	5	3	3	3	5	5	4	-	-	-	-	-
52																
53	4	4	8	5	9	13	8	16	16	12	10	3	-	1	-	-
54	8	3	3	2	12	12	17	19	22	11	14	10	1	1	-	-
55																
56	12	32	32	33	54	57	68	63	47	49	23	8	2	-	-	-
57	19	30	34	34	50	46	65	70	62	38	41	20	8	2	-	-
58																
59	8	12	14	8	13	12	21	22	19	18	9	5	2	-	-	-
60	6	8	11	22	15	12	18	26	17	10	14	10	6	-	-	-
61																
62	4	6	9	5	11	10	12	10	15	9	4	6	1	-	-	-
63	3	5	4	5	4	10	12	11	12	11	9	4	2	-	-	-
64																
65	4	5	4	8	13	9	8	10	11	10	3	1	1	-	-	-
66	6	3	2	4	5	8	12	10	15	10	6	4	1	-	-	-
67																
68	2	5	10	5	9	4	14	11	14	11	7	3	2	-	-	-
69	3	4	5	6	8	14	19	9	17	17	17	8	2	-	-	-
70																
71	3	2	5	3	7	4	7	11	9	5	8	2	1	-	-	-
72	3	2	1	3	3	4	5	10	6	6	3	5	-	-	-	-
73																
74	8	14	15	13	23	27	35	42	31	22	24	9	2	1	-	-
75	11	11	11	15	19	17	26	36	36	28	24	13	7	2	-	-
76																
77	11	20	22	21	18	36	23	19	30	25	20	4	4	-	-	-
78	11	13	12	22	25	28	38	42	26	18	24	12	3	2	-	-
79																
80	14	25	30	33	28	37	39	38	43	32	20	6	3	-	-	-
81	17	14	15	32	25	41	48	46	31	28	16	14	4	-	-	-

2 Age at last birthday.

Table 3

DEATHS,¹ BY SEX AND AGE,² IN MUNICIPALITIES

Line No.	MUNICIPALITIES AND SEX.	All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	LEOMINSTER.	256											
2	Males	128	29	25	4	-	-	-	2	-	2	3	2
3	Females	128	28	22	5	1	-	-	-	2	5	1	3
4	LOWELL.	1,545											
5	Males	789	193	151	20	12	8	2	23	8	7	9	15
6	Females	756	154	124	12	9	5	4	15	7	9	14	16
7	LYNN.	1,159											
8	Males	576	101	83	7	6	2	3	9	6	18	15	5
9	Females	583	89	66	9	7	5	2	10	6	12	14	14
10	MALDEN.	511											
11	Males	238	42	27	7	4	3	1	9	3	6	4	3
12	Females	273	34	24	4	1	4	1	7	3	5	6	9
13	MARLBOROUGH.	168											
14	Males	84	22	19	2	-	1	-	-	1	1	-	1
15	Females	84	15	10	4	1	-	-	2	1	2	3	2
16	MEDFORD.	438											
17	Males	206	41	30	6	2	2	1	5	2	4	3	5
18	Females	232	27	19	7	-	1	-	4	2	2	2	4
19	MELROSE.	232											
20	Males	107	15	15	-	-	-	-	2	1	1	2	4
21	Females	125	7	4	1	-	-	2	-	1	4	5	5
22	METHUEN (TOWN).	210											
23	Males	97	15	11	1	1	1	1	2	2	4	2	1
24	Females	113	16	12	2	1	-	1	1	2	1	2	4
25	MILFORD (TOWN).	192											
26	Males	117	26	24	-	1	-	1	2	-	7	1	4
27	Females	75	6	4	-	1	1	-	2	3	-	1	1
28	NATICK (TOWN).	161											
29	Males	84	12	8	2	1	-	1	1	1	1	2	2
30	Females	77	14	11	3	-	-	-	2	-	-	2	3
31	NEW BEDFORD.	1,350											
32	Males	697	197	146	25	12	5	9	13	12	11	16	15
33	Females	653	136	104	16	5	5	6	7	9	21	14	22
34	NEWBURYPORT.	247											
35	Males	104	14	8	2	1	2	1	1	-	-	6	-
36	Females	143	15	12	-	1	2	-	3	-	1	2	5
37	NEWTON.	510											
38	Males	224	30	21	4	4	-	1	3	4	3	3	6
39	Females	286	28	24	2	2	-	-	2	2	5	5	2
40	NORTH ADAMS.	285											
41	Males	139	32	19	8	5	-	-	6	2	4	-	2
42	Females	146	25	20	3	-	2	-	2	4	-	5	4
43	NORTHAMPTON.	400											
44	Males	209	22	17	3	-	-	2	5	2	4	2	5
45	Females	191	13	12	-	1	-	-	2	-	2	8	3
46	NORTHBRIDGE (TOWN).	89											
47	Males	44	11	8	3	-	-	-	1	-	1	-	1
48	Females	45	11	10	-	-	-	1	-	-	1	2	2
49	NORWOOD (TOWN).	134											
50	Males	70	18	15	1	2	-	-	1	1	1	5	-
51	Females	64	13	11	1	-	1	-	1	2	1	-	-
52	PEABODY.	240											
53	Males	135	26	20	2	-	3	1	4	2	5	1	3
54	Females	105	24	17	3	2	2	-	1	1	-	2	2
55	PITTSFIELD	574											
56	Males	273	51	40	4	1	4	2	5	4	10	9	5
57	Females	301	55	40	2	7	5	1	5	2	3	8	7
58	PLYMOUTH (TOWN).	161											
59	Males	81	11	10	-	-	1	-	-	-	-	5	2
60	Females	80	8	5	1	1	1	-	1	2	2	2	1
61	QUINCY.	484											
62	Males	252	41	29	4	3	3	2	4	4	4	5	9
63	Females	232	30	23	2	-	2	3	4	2	4	3	5
64	REVERE.	192											
65	Males	93	17	11	1	1	3	1	1	1	3	2	5
66	Females	99	14	6	3	3	1	1	1	2	3	3	-
67	SALEM.	516											
68	Males	239	44	29	5	4	4	2	9	3	1	5	5
69	Females	277	53	40	6	4	1	2	3	3	1	8	7
70	SAUGUS (TOWN).	98											
71	Males	43	8	2	3	1	1	1	1	2	1	2	-
72	Females	55	7	3	2	-	1	1	-	-	1	-	2
73	SOMERVILLE.	979											
74	Males	439	79	61	10	4	1	3	7	5	8	10	7
75	Females	540	64	49	6	4	2	3	6	3	9	10	15
76	SOUTHBRIDGE (TOWN).	135											
77	Males	68	19	17	-	2	-	-	-	1	-	2	1
78	Females	67	10	8	2	-	-	-	2	2	3	2	2
79	SPRINGFIELD.	1,691											
80	Males	851	178	142	16	8	7	5	26	13	13	17	30
81	Females	840	137	101	18	4	9	5	11	6	14	20	32

¹ Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1924—CON.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age un- known.
1																
2	-	3	3	5	4	8	14	18	13	15	2	3	2	-	-	-
3	1	3	3	4	4	5	5	9	18	11	13	9	3	1	-	-
4																
5	24	35	34	35	50	71	78	60	69	44	20	10	2	2	-	-
6	26	26	35	38	41	57	61	63	72	58	31	24	5	3	1	-
7	14	19	23	43	48	44	60	46	48	33	18	2	-	-	-	-
8	19	19	15	23	34	36	51	55	47	57	51	20	10	1	-	-
9																
10	7	9	7	6	14	15	22	41	18	18	9	4	1	-	-	-
11	8	7	8	15	19	15	18	29	20	31	21	13	4	1	-	-
12																
13	1	-	5	1	3	7	13	5	2	3	3	3	3	-	-	-
14	5	3	5	2	2	3	6	6	10	6	7	4	-	-	-	-
15																
16	5	2	12	5	8	16	21	29	15	17	7	7	2	-	-	-
17	7	6	11	8	15	19	26	21	14	31	14	10	9	-	-	-
18																
19	3	1	3	4	9	11	10	7	10	11	10	2	1	-	-	-
20	1	4	2	3	8	12	10	13	19	16	8	4	3	-	-	-
21																
22	3	5	3	1	6	11	12	9	11	5	1	3	1	-	-	-
23	1	4	6	8	4	9	5	11	20	7	9	1	2	-	-	-
24																
25	1	2	8	5	13	11	10	7	5	6	3	3	1	1	-	-
26	4	-	2	6	6	5	9	10	5	6	7	1	-	-	-	-
27																
28	2	4	2	6	5	2	6	10	10	7	9	3	-	-	-	-
29	3	1	2	3	3	5	10	6	6	6	5	3	2	-	1	-
30																
31	21	21	38	33	51	38	45	51	49	42	29	13	2	-	-	-
32	21	18	33	29	36	44	50	58	36	55	39	15	8	2	-	-
33																
34	3	1	2	4	4	10	13	10	14	15	1	3	3	-	-	-
35	5	4	2	6	10	11	9	8	11	13	25	9	3	1	-	-
36																
37	6	4	6	11	15	17	20	26	26	18	17	5	4	-	-	-
38	6	12	11	7	20	19	19	29	31	31	36	14	6	1	-	-
39																
40	2	2	4	8	6	13	11	12	18	9	5	3	-	-	-	-
41	3	5	4	8	8	11	8	18	16	9	7	5	2	2	-	-
42																
43	7	10	8	10	19	22	19	27	17	15	10	4	1	-	-	-
44	7	5	8	7	9	15	27	12	16	21	22	10	3	1	-	-
45																
46	2	-	2	4	2	2	1	7	3	1	2	-	-	-	-	-
47	-	-	1	3	2	4	2	3	3	5	4	2	-	-	-	-
48																
49	1	1	4	1	4	8	8	-	6	4	6	-	-	-	-	1
50	2	1	3	2	3	3	5	4	6	7	6	3	2	-	-	-
51																
52	2	7	7	8	9	12	6	15	10	11	4	3	-	-	-	-
53	2	3	3	8	7	8	11	5	4	8	5	5	4	1	1	-
54																
55	4	5	13	11	20	14	21	26	27	27	12	9	-	-	-	-
56	11	12	14	16	24	20	24	25	24	19	16	11	4	1	-	-
57																
58	1	1	2	3	6	6	7	10	9	6	8	2	2	-	-	-
59	4	2	2	6	4	5	2	5	4	12	6	7	5	-	-	-
60																
61	10	8	3	13	5	26	21	19	18	14	7	2	-	-	-	1
62	7	9	6	15	16	17	23	25	30	22	11	11	6	-	-	-
63																
64	5	5	1	1	3	6	11	10	7	9	4	1	1	-	-	-
65	2	1	5	3	4	7	3	14	10	11	13	1	2	-	-	-
66																
67	5	15	7	9	7	21	14	20	27	23	12	6	6	-	-	-
68	8	10	10	10	13	21	22	28	23	17	20	18	2	-	-	-
69																
70	-	1	-	4	3	2	2	4	3	4	4	2	-	-	-	-
71	1	2	2	2	1	1	4	7	13	5	3	4	-	-	-	-
72																
73	5	17	14	14	29	33	41	47	51	29	25	8	7	-	-	-
74	9	13	14	27	32	33	45	56	68	59	42	24	7	4	-	-
75																
76	2	3	1	1	6	8	1	6	4	5	4	3	1	-	-	-
77	1	1	2	2	6	6	4	3	6	8	5	1	1	-	-	-
78																
79																
80	28	44	41	44	57	65	63	60	60	49	42	18	3	-	-	-
81	29	31	33	44	56	60	53	65	70	78	56	29	11	4	1	-

2 Age at last birthday.

Line No.	Table 3 MUNICIPALITIES AND SEX.	DEATHS, ¹ BY SEX AND AGE, ² IN MUNICIPALITIES											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	TAUNTON.	581											
2	Males	323	63	45	10	2	5	1	3	1	7	2	6
3	Females	258	25	18	5	1	1	-	3	3	1	3	5
4	WAKEFIELD (TOWN).	137											
5	Males	56	8	6	2	-	-	-	3	-	1	2	3
6	Females	81	14	10	3	-	1	-	3	-	1	1	-
7	WALTHAM.	358											
8	Males	203	40	28	7	1	3	1	12	3	6	9	3
9	Females	185	26	20	1	2	-	3	2	4	6	6	5
10	WATERTOWN (TOWN).	143											
11	Males	69	13	6	5	1	1	-	1	1	2	-	1
12	Females	74	11	6	1	1	3	-	1	3	1	1	1
13	WEBSTER (TOWN).	93											
14	Males	55	11	9	1	1	-	-	1	-	1	3	2
15	Females	38	9	5	3	1	-	-	-	1	1	1	1
16	W. SPRINGFIELD (TOWN).	126											
17	Males	71	16	11	3	1	-	1	2	-	2	2	1
18	Females	55	6	5	1	-	-	-	-	5	1	1	4
19	WESTFIELD.	256											
20	Males	137	32	23	5	1	2	1	1	1	2	4	7
21	Females	119	17	10	3	-	2	2	-	6	11	3	1
22	WEYMOUTH (TOWN).	168											
23	Males	77	10	10	-	-	-	-	2	2	2	-	2
24	Females	91	8	7	1	-	-	-	2	2	-	-	6
25	WINCHESTER (TOWN).	122											
26	Males	49	7	6	-	-	1	-	1	1	1	2	1
27	Females	73	8	7	1	-	-	-	2	1	1	2	2
28	WINTHROP (TOWN).	166											
29	Males	82	8	7	1	-	-	-	1	-	2	4	2
30	Females	84	8	6	1	1	-	-	2	1	2	3	1
31	WOBURN.	199											
32	Males	88	15	11	-	1	-	3	3	-	5	1	3
33	Females	111	22	15	3	3	-	1	2	2	3	1	8
34	WORCESTER.	2,465											
35	Males	1,308	232	163	22	20	14	13	42	13	25	23	28
36	Females	1,157	174	125	24	11	5	9	19	18	18	25	27

¹ Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1924—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	15	7	18	16	19	25	29	35	23	35	11	8	1	-	-	-
3	9	13	7	6	15	14	23	19	37	25	25	18	5	1	1	-
4																
5	1	1	3	2	1	4	4	9	9	4	1	-	-	-	-	-
6	4	2	4	2	3	8	2	7	8	8	7	3	3	1	-	-
7																
8	4	4	6	9	8	5	21	21	14	19	12	5	1	1	-	-
9	9	6	5	5	7	16	15	19	12	22	8	8	3	1	-	-
10																
11	2	2	-	3	8	8	4	6	9	4	5	-	-	-	-	-
12	2	-	1	4	5	2	7	7	7	5	8	7	1	-	-	-
13																
14	1	2	3	4	2	3	3	4	6	4	-	4	1	-	-	-
15	2	1	3	-	1	-	3	8	2	3	2	-	-	-	-	-
16																
17	1	2	2	5	8	5	2	7	5	2	5	3	1	-	-	-
18	-	2	-	5	1	4	4	2	5	5	7	1	2	-	-	-
19																
20	5	3	3	3	5	5	13	13	14	11	7	3	1	1	-	-
21	4	4	5	1	3	8	6	8	11	14	13	5	1	1	-	-
22																
23	2	3	5	2	3	2	6	12	12	3	6	2	-	1	-	-
24	1	1	-	8	5	6	5	10	11	10	4	6	3	3	-	-
25																
26	-	2	1	-	2	2	3	6	8	7	1	2	2	-	-	-
27	1	1	2	3	4	8	7	6	6	9	6	2	2	-	-	-
28																
29	1	3	4	4	3	7	8	9	11	9	4	2	-	-	-	-
30	1	3	2	5	4	9	8	9	9	4	6	6	1	-	-	-
31																
32	5	3	4	1	6	4	9	11	8	2	5	2	1	-	-	-
33	1	1	3	5	4	6	11	12	11	5	8	4	2	-	-	-
34																
35	49	47	70	85	98	95	110	104	102	104	56	16	6	2	-	-
36	44	39	55	57	71	90	92	96	116	84	83	34	14	1	1	-

² Age at last birthday.

Table 4

YEARS.	POPULATION, DEATHS, ¹ AND DEATH RATES, PER 1,000 POPULATION: 1900 TO 1924.		
	Population.	Deaths.	Death rates.
1900	2,805,346	51,156	18.2
1901	2,849,047	48,275	16.9
1902	2,889,386	47,491	16.4
1903	2,929,725	49,054	16.7
1904	2,970,064	48,482	16.3
1905	3,015,872	50,486	16.7
1906	3,089,029	50,624	16.4
1907	3,162,186	54,234	17.2
1908	3,235,343	51,788	16.0
1909	3,308,500	51,236	15.5
1910	3,380,151	54,407	16.1
1911	3,446,079	53,062	15.4
1912	3,512,007	52,400	14.9
1913	3,577,935	53,402	14.9
1914	3,643,863	52,978	14.5
1915	3,693,310	53,131	14.4
1916	3,775,720	56,366	14.9
1917	3,841,648	56,628	14.7
1918	3,907,576	78,842	20.2
1919	3,835,614	52,345	13.6
1920	3,852,356	53,632	13.9
1921	3,885,836	47,780	12.3
1922	3,936,056	51,115	13.0
1923	3,969,536	52,380	13.2
1924	4,003,016	49,466	12.4

¹ Exclusive of stillbirths.

Table 5

Table 5	MORTALITY ¹ OF MALES AND FEMALES: 1900 TO 1924.									
	YEARS.	DEATHS.		Deaths of males to 1,000 deaths of females.	DEATH RATES ² PER 1,000 POPULATION.					
		Males.	Females.		Males.	Females.	Excess of male rate.			
1900	25,934	25,222	1,028	18.9	17.5	1.4
1901	24,858	23,417	1,061	—	—	—
1902	24,199	23,292	1,039	—	—	—
1903	25,157	23,897	1,050	—	—	—
1904	24,726	23,756	1,040	—	—	—
1905	25,996	24,490	1,061	17.8	15.9	1.9
1906	26,190	24,434	1,072	—	—	—
1907	28,023	26,211	1,069	—	—	—
1908	26,772	25,016	1,070	—	—	—
1909	26,320	24,916	1,056	—	—	—
1910	28,259	26,148	1,081	17.1	15.3	1.8
1911	27,526	25,536	1,078	—	—	—
1912	27,027	25,373	1,065	—	—	—
1913	28,039	25,363	1,106	—	—	—
1914	27,569	25,409	1,085	—	—	—
1915	27,335	25,792	1,060	15.1	13.7	1.4
1916	29,536	26,823	1,101	—	—	—
1917	29,622	27,005	1,097	—	—	—
1918	41,670	37,163	1,121	—	—	—
1919	26,407	25,930	1,018	—	—	—
1920	26,625	27,004	986	14.1	13.8	.3
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1

¹ Exclusive of stillbirths.² Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used.

Table 6

AGE PERIODS.		DEATHS ¹ AT SPECIFIED AGES: CENSUS YEARS 1900 to 1920.				
		1920.	1915.	1910.	1905.	1900.
All Ages.		53,632	53,131	54,407	50,486	51,156
Under 5 years		11,739	12,891	15,433	14,055	16,310
Under 1 year		8,382	9,490	11,499	10,519	11,500
5 to 9 years		1,129	1,026	1,091	1,017	1,347
10 to 14 years		689	648	678	734	673
15 to 19 years		957	984	1,002	1,050	1,146
20 to 29 years		3,282	3,234	3,329	3,562	3,904
30 to 39 years		3,916	3,823	4,102	4,149	4,034
40 to 49 years		4,554	4,825	4,615	4,139	3,896
50 to 59 years		6,154	6,058	5,501	5,174	4,692
60 to 69 years		7,784	7,323	7,168	6,346	5,687
70 to 79 years		8,049	7,613	6,977	6,106	5,608
80 years and over		5,370	4,667	4,471	4,101	3,837
Age unknown		9	39	40	53	22
		DEATH RATES PER 1,000 POPULATION AT SPECIFIED AGES.				
All Ages.		13.9	14.4	16.2	16.8	18.2
Under 5 years		30.4	35.5	46.9	53.6	57.8
Under 1 year		111.9	126.1	162.6	208.0	190.1
5 to 9 years		3.1	3.1	3.7	3.7	5.3
10 to 14 years		2.1	2.1	2.4	2.8	2.9
15 to 19 years		3.2	3.1	3.4	4.0	4.8
20 to 29 years		4.9	4.6	5.2	6.3	7.0
30 to 39 years		6.4	6.5	7.4	8.2	8.8
40 to 49 years		9.1	10.3	11.0	11.2	12.0
50 to 59 years		17.2	19.1	19.9	21.4	21.3
60 to 69 years		37.5	40.5	43.1	41.1	41.0
70 to 79 years		85.5	87.1	79.2	83.2	85.8
80 years and over		193.0	177.5	191.3	179.6	197.8

¹ Exclusive of stillbirths.

Table 7

YEARS.		PER CENT OF DEATHS ¹ AT SPECIFIED AGES— BOTH SEXES.			
		Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1900		22.5	31.9	7.6	60.5
1901		20.6	28.9	7.8	63.3
1902		21.2	30.0	7.6	62.3
1903		20.9	29.2	7.1	63.7
1904		20.6	27.4	7.4	65.2
1905		20.8	27.8	7.1	65.1
1906		21.9	29.7	6.5	63.8
1907		20.8	27.5	6.6	66.0
1908		22.4	28.3	6.3	65.4
1909		20.9	27.9	6.1	66.0
1910		21.1	28.4	6.1	65.5
1911		19.9	26.4	6.1	67.5
1912		20.0	26.3	6.0	67.6
1913		18.9	25.8	6.0	68.2
1914		18.7	24.6	6.0	69.4
1915		17.9	24.3	6.1	69.7
1916		16.6	23.2	5.8	71.0
1917		16.5	22.5	5.9	71.6
1918		13.7	21.0	13.7	65.3
1919		14.8	20.7	7.3	72.0
1920		15.6	21.9	6.1	72.0
1921		14.7	19.7	5.3	75.0
1922		13.9	19.2	4.9	75.9
1923		13.3	18.4	4.9	76.7
1924		12.5	16.9	4.9	78.2

¹ Exclusive of stillbirths.

Table 8

Table 8 AGE PERIODS.	MALE DEATHS PER 1,000 FEMALE DEATHS AT SPECIFIED AGES				AGE PERIODS.	MALE DEATHS PER 1,000 FEMALE DEATHS AT SPECIFIED AGES.			
	1924.	1923.	1922.	1921.		1924.	1923.	1922.	1921.
All Ages.	1,055	1,006	1,010	1,005	40 to 44 years . . .	1,236	1,191	1,092	1,027
Under 1 year . . .	1,322	1,297	1,394	1,383	45 to 49 years . . .	1,184	1,182	1,089	1,137
1 year	1,182	1,140	1,179	1,070	50 to 54 years . . .	1,166	1,102	1,166	1,175
2 years	1,219	1,232	1,470	1,186	55 to 59 years . . .	1,197	1,141	1,156	1,054
3 years	1,179	1,123	1,052	1,201	60 to 64 years . . .	1,184	1,052	1,033	1,022
4 years	1,181	1,106	988	1,219	65 to 69 years . . .	1,046	1,030	969	951
5 to 9 years . . .	1,387	1,092	1,323	1,213	70 to 74 years . . .	964	908	895	922
10 to 14 years . .	1,081	1,308	1,132	1,222	75 to 79 years . . .	882	805	774	802
15 to 19 years . .	1,135	964	1,079	945	80 to 84 years . . .	710	709	694	770
20 to 24 years . .	1,007	880	960	830	85 to 89 years . . .	604	578	606	616
25 to 29 years . .	885	914	805	952	90 to 94 years . . .	544	491	539	462
30 to 34 years . .	1,016	959	1,027	874	95 to 99 years . . .	400	615	526	469
35 to 39 years . .	1,179	1,097	1,065	995	100 years and over .	200	769	250	333

Table 9

DEATHS¹ OF MALES AND FEMALES AT SPECIFIED AGES: 1915 TO 1924.

AGE PERIODS AND YEARS.		BOTH SEXES.		MALES.		FEMALES.		Female deaths per 1,000 male deaths.
		Number.	Per Cent distrib- ution.	Number.	Per Cent distrib- ution.	Number.	Per Cent distrib- ution.	
ALL AGES.								
1915	53,131 ²	100.0	27,335	100.0	25,792	100.0	943	
1916	56,366 ³	100.0	29,536	100.0	26,823	100.0	908	
1917	56,628 ⁴	100.0	29,622	100.0	27,005	100.0	912	
1918	78,842 ⁵	100.0	41,670	100.0	37,163	100.0	892	
1919	52,345 ⁶	100.0	26,407	100.0	25,930	100.0	982	
1920	53,632 ⁷	100.0	26,625	100.0	27,004	100.0	1,014	
1921	47,780	100.0	23,944	100.0	23,836	100.0	995	
1922	51,115 ⁷	100.0	25,679	100.0	25,433	100.0	990	
1923	52,380 ⁴	100.0	26,268	100.0	26,111	100.0	994	
1924	49,466 ¹³	100.0	25,390	100.0	24,076	100.0	948	
UNDER 1 YEAR.								
1915	9,490 ⁷	17.9	5,334	19.5	4,153	16.1	779	
1916	9,334	16.6	5,303	18.0	4,031	15.0	760	
1917	9,325	16.5	5,326	18.0	3,999	14.8	751	
1918	10,820 ⁸	13.7	6,120	14.7	4,698	12.6	768	
1919	7,769 ⁹	14.8	4,395	16.6	3,373	13.0	767	
1920	8,382	15.6	4,804	18.0	3,578	13.2	745	
1921	7,005	14.7	4,066	17.0	2,939	12.3	723	
1922	7,129 ⁷	13.9	4,150	16.2	2,976	11.7	717	
1923	6,968	13.3	3,935	15.0	3,033	11.6	771	
1924	6,191	12.5	3,525	13.9	2,666	11.1	756	
UNDER 5 YEARS.								
1915	12,891 ⁷	24.3	7,096	26.0	5,792	22.5	816	
1916	13,099	23.2	7,300	24.7	5,799	21.6	794	
1917	12,728	22.5	7,157	24.2	5,571	20.6	778	
1918	16,548 ⁸	21.0	9,089	21.8	7,457	20.0	820	
1919	10,813 ⁹	20.7	6,031	22.8	4,781	18.4	793	
1920	11,739	21.9	6,577	24.7	5,162	19.1	785	
1921	9,432	19.7	5,356	22.4	4,076	17.1	761	
1922	9,807 ⁷	19.2	5,604	21.8	4,200	16.5	749	
1923	9,653	18.4	5,373	20.4	4,280	16.4	797	
1924	8,350	16.9	4,698	18.5	3,652	15.2	777	
20 TO 29 YEARS.								
1915	3,234	6.1	1,685	6.2	1,549	6.0	919	
1916	3,265	5.8	1,734	5.9	1,531	5.7	883	
1917	3,347	5.9	1,760	5.9	1,587	5.9	902	
1918	10,816	13.7	5,657	13.6	5,159	13.9	912	
1919	3,797	7.3	1,741	6.6	2,056	8.0	1,181	
1920	3,282	6.1	1,487	5.6	1,795	6.7	1,207	
1921	2,523	5.3	1,192	5.0	1,331	5.6	1,117	
1922	2,511	4.9	1,169	4.6	1,342	5.3	1,148	
1923	2,541	4.9	1,203	4.6	1,338	5.1	1,112	
1924	2,450	4.9	1,187	4.7	1,263	5.2	1,064	
ALL OTHER AGES.								
1915	37,006 ⁹	69.7	18,554	67.9	18,451	71.6	994	
1916	40,002 ³	71.0	20,502	69.4	19,493	72.7	951	
1917	40,553 ⁴	71.6	20,705	69.9	19,847	73.5	959	
1918	51,478 ³	65.3	26,924	64.6	24,547	66.1	912	
1919	37,735 ¹⁰	72.0	18,635	70.6	19,093	73.6	1,024	
1920	38,611 ¹¹	72.0	18,561	69.7	20,047	74.2	1,080	
1921	35,825	75.0	17,396	72.6	18,429	77.3	1,059	
1922	38,800 ¹²	75.9	18,906	73.6	19,891	78.2	1,052	
1923	40,186 ⁴	76.7	19,692	75.0	20,493	78.5	1,041	
1924	38,666 ¹⁵	78.2	19,505	76.8	19,161	79.6	982	

¹ Exclusive of stillbirths.² Includes 4 deaths, sex not reported.³ Includes 7 deaths, sex and age not reported.⁴ Includes 1 death, sex and age not reported.⁵ Includes 9 deaths, sex not reported.⁶ Includes 8 deaths, sex not reported.⁷ Includes 3 deaths, sex not reported.⁸ Includes 2 deaths, sex not reported.⁹ Includes 1 death, sex not reported.¹⁰ Includes 7 deaths, sex not reported.¹¹ Includes 9 deaths, age not reported.¹² Includes 10 deaths, age not reported.¹³ Includes 12 deaths, age not reported.

Table 10		DEATHS OF PERSONS 100 YEARS OF AGE AND OVER: 1924.					
AGE AT DEATH.		Sex.	Place of death.	Place of birth.	Marital condition.	Date of death.	Name (and maiden name of married and widowed women).
Yrs.	Mos.						
109	6	F.	Seekonk .	Rehoboth .	Widowed	Oct. 4	Maria Horton Chappell, m.n. Horton.
105	4	F.	Enfield .	Barnard, Vt. .	Widowed	Aprl. 10	Bersha Ann Howe, m.n. Spooner.
105	-	F.	Worcester .	Malone, N. Y.	Widowed	Oct. 2	Jane (Le Boeuf) Russell, m. n. Le Boeuf.
103	-	F.	Natick .	Ireland .	Widowed	Mar. 11	Mary O'Halloran, m.n. Mulcahy.
102	10	F.	Taunton .	Ireland .	Widowed	Feb. 25	Winifred McNamara, m. n. Concannon.
102	9	M.	Needham .	Waltham .	Widowed	Jan. 4	William Mason.
101	6	F.	Abington .	Sumner, Me.	Widowed	May 7	Sarah Frances McKenney, m.n. Damon.
101	4	F.	Shelburne .	Shelburne .	Widowed	Feb. 7	Almina M. Howard, m.n. Barnard.
101	4	F.	Lowell .	Cambridgeport	Widowed	May 24	Mary A. S. Tyler, m.n. Sanders.
101	-	F.	Cambridge	Scotland .	Widowed	June 21	Annie E. Thompson, m.n. Ewing.
100	4	M.	Wareham .	Carver .	Widowed	Jan. 20	Galen Humphrey.
100	4	F.	Springfield .	Holden .	Widowed	May 17	Abby C. Knowlton, m.n. Edwards.
100	3	F.	Deerfield .	Dublin, N. H..	Widowed	Feb. 21	Fidelia Mason Porter, m.n. Piper.
100	2	F.	Middleborough	Fairhaven .	Widowed	Aug. 27	Susan Spooner Harlow, m.n. Davis.
100	2	F.	Lenox .	Millville, N. J.	Widowed	Jan. 12	Sarah Cossaboom, m.n. Welch.
100	-	M.	Cambridge	Ireland .	Widowed	July 4	John Brandon.
100	-	F.	Peabody .	Greece .	Widowed	Nov. 9	Catherine Liacos, m.n. unknown.
100	-	F.	Tewksbury .	Ireland .	Single	Nov. 8	Mary Burk.

Table 11	DEATHS OF PERSONS 100 YEARS OF AGE AND OVER: 1900 TO 1924.										
	YEARS.	Total.	SEX.		NATIVITY.			MARITAL CONDITION.			
Males.			Fe- males.	Native.	For- eign.	Un- known.	Single.	Mar- ried.	Wid- owed.	Di- vorced.	
1900	19	4	15	10	9	—	—	2	17	—	110
1901	9	2	7	5	4	—	—	—	9	—	106
1902	20	7	13	10	10	—	1	1	18	—	111
1903	19	6	13	10	9	—	1	—	18	—	105
1904	24	6	18	15	9	—	4	1	19	—	105
1905	16	6	10	5	11	—	1	2	13	—	110
1906	21	7	14	11	10	—	3	—	18	—	107
1907	23	6	17	11	12	—	—	1	22	—	112
1908	22	8	14	10	12	—	2	—	20	—	106
1909	13	2	11	5	7	1	1	1	11	—	108
1910	23	9	14	12	11	—	3	2	18	—	106
1911	17	8	9	8	9	—	1	2	14	—	108
1912	21	6	15	12	9	—	—	—	21	—	112
1913	18	4	14	10	8	—	2	—	16	—	104
1914	20	4	16	7	13	—	—	—	20	—	113
1915	25	10	15	15	10	—	—	3	22	—	105
1916	21	9	12	10	11	—	—	1	20	—	111
1917	29	10	19	15	14	—	4	2	23	—	108
1918	21	7	14	9	12	—	3	—	18	—	112
1919	21	5	16	11	10	—	3	3	15	—	113
1920	16	3	13	8	8	—	—	1	15	—	104
1921	19	4	15	9	10	—	1	1	17	—	107
1922	25	5	20	13	12	—	2	—	23	—	108
1923	23	10	13	9	14	—	—	1	21	1	115
1924	18	3	15	12	6	—	1	—	17	—	109

Table 13

COUNTIES AND
CITIES HAVING
OVER 50,000
INHABITANTS
IN 1920
(Grouped in order
of population).

DEATHS,¹ IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS,
BY MONTHS: 1924.

	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	49,466	4,640	4,420	4,698	4,536	4,339	3,956	3,570	3,542	3,515	3,894	3,939	4,417
Average daily number of deaths.	135.2	149.7	152.4	151.5	151.2	140.0	131.9	115.2	114.3	117.2	125.6	131.3	142.5
COUNTIES.													
Suffolk	11,863	1,061	1,065	1,121	1,152	1,013	948	849	830	801	954	957	1,112
Middlesex	9,563	932	805	893	857	854	776	683	637	689	761	811	865
Essex	5,961	581	542	568	519	541	453	430	447	455	443	466	516
Worcester	5,799	573	532	536	541	489	435	423	448	411	429	469	513
Bristol	4,556	434	441	453	392	414	365	291	318	323	377	337	411
Hampden	3,721	353	334	352	343	357	305	284	253	263	285	293	299
Norfolk	2,574	258	230	226	243	226	215	186	177	170	201	223	219
Plymouth	1,982	177	157	203	176	170	153	162	160	135	172	140	177
Berkshire	1,401	113	128	131	145	135	123	105	107	103	99	90	122
Hampshire	882	72	70	94	82	55	82	69	70	68	71	70	79
Franklin	555	38	65	50	45	42	47	34	37	49	46	45	57
Barnstable	465	28	45	53	32	30	44	40	44	39	44	28	38
Dukes	94	14	4	10	7	8	8	11	5	6	9	7	5
Nantucket	50	6	2	8	2	5	2	3	9	3	3	3	4
CITIES OVER 100,000.													
Boston	10,937	975	986	1,025	1,068	940	866	781	755	748	884	883	1,026
Worcester	2,465	243	214	234	221	213	171	190	211	165	173	219	211
Springfield	1,691	178	140	173	166	149	137	120	114	128	128	137	121
New Bedford	1,350	143	125	142	116	121	96	93	99	74	117	102	122
Fall River	1,602	148	138	162	128	154	130	98	111	128	142	117	146
Lowell	1,545	149	112	145	133	132	124	123	112	139	134	110	132
Cambridge	1,436	143	116	133	144	122	129	97	88	114	99	116	135
CITIES 50,000 TO 100,000.													
Lynn	1,159	112	94	113	100	87	90	87	88	84	84	98	122
Lawrence	1,054	113	80	106	95	101	72	73	68	73	98	88	87
Somerville	979	98	83	92	90	100	67	80	57	56	82	83	91
Brockton	721	56	59	87	67	63	44	56	60	51	60	51	67
Holyoke	804	72	79	72	70	83	67	54	64	51	58	62	72
Haverhill	643	57	60	61	52	57	50	44	52	49	45	56	60

¹ Exclusive of stillbirths.

Detailed Int. No. List No.	AGE OF DECEDENTS (YEARS).																	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	
I.	6,191 3,525 2,666	984 533 451	497 273 224	353 191 162	325 176 149	957 556 401	591 307 284	841 447 394	2,450 1,187 1,263	3,190 1,672 1,518	4,440 2,429 2,011	6,559 3,554 3,005	8,549 4,497 4,052	8,233 3,956 4,277	4,517 1,813 2,704	759 259 500	18 3 15	12
1.	236 192	168 141	92 84	81 60	71 67	149 125	55 84	122 163	449 510	460 346	459 229	352 173	222 121	72 83	21 30	4 8	1	1
1 _a	1	-	-	-	-	1	3	1	14	6	9	6	2	1	-	-	-	1
1 _b	1	-	-	-	-	1	3	1	14	6	9	6	2	1	-	-	-	1
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	27 29	29 24	9 5	5 3	5 2	8 12	-	2 2	-	1	-	1	-	-	1	-	-	-
9	5 3	15 10	6 10	1 7	6 9	21 16	3 5	4 5	2 10	2 3	-	1	-	-	-	-	-	-
10	46 48	14 16	4 12	1 2	- 3	1	-	-	-	-	-	-	-	-	-	-	-	-
11	26 22	40 31	42 41	40 22	41 31	74 67	10 21	2 3	4 4	2 3	1 4	1 1	-	-	-	-	-	-
11 _a	14 9	8 8	2 4	2 2	1 1	2 2	3 3	1 -	6 5	16 10	18 7	18 16	22 23	16 23	11 13	3 7	1	-
11 _b	7 6	7 8	2 1	2 1	1 1	2 1	1 -	1 1	11 7	14 6	16 13	12 17	12 13	4 5	1 1	1	-	-
12	7 3	1 -	2 2	1 1	1 -	1 -	2 3	-	5 4	5 3	4 1	2 3	10 6	4 10	7 8	2 6	1	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	1 1	-	-	1	-	2 2	1	1	1	1	-	1	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-
16 _a	2 1	2 1	-	-	1	-	-	-	-	1 1	1 -	-	-	1 4	2	-	-	-
16 _b	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
16 _c	1 1	1 1	-	-	-	-	-	-	-	1	-	1	-	1 4	2	-	-	-
17	-	-	-	-														

Detailed Int. List No.	Table 14	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM LIST, BY MONTHS AND SEX												
				Total.	MONTHS — Con.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
17a	Bubonic . . .	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17b	Pneumonic . . .	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17c	Septicemic . . .	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17d	Unspecified . . .	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Yellow fever . . .	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Spirochetal hemorrhagic jaundice . . .	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Leprosy . . .	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	Erysipelas . . .	T	118	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	66	13	11	6	11	9	6	2	-	1	1	1	2	4
		F	52	8	6	8	2	6	5	2	1	1	1	6	6	6
22	Acute poliomyelitis . . .	T	27	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	-	1	1	1	2	-	2	4	3	1	1	2	2
		F	9	-	-	-	2	-	1	-	1	3	1	-	-	1
23	Lethargic encephalitis . . .	T	58	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	2	2	2	3	2	-	3	1	3	-	-	1	5
		F	34	3	1	3	3	5	2	2	1	3	2	1	8	8
24	Meningococcus meningi- tis . . .	T	39	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	2	3	2	2	4	-	2	3	2	1	-	-	-
		F	18	-	1	3	1	1	4	2	1	1	1	1	2	2
25	Other epidemic and endem- ic diseases . . .	T	13	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	1	1	2	2	-	1	-	-	1	-	1
		F	4	-	1	-	-	1	-	-	1	-	-	-	-	-
25a	Chicken-pox . . .	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	1	1	1	2	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	1	-	-	-	-	-
25b	German measles . . .	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-
25c	Others under this title . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	Glanders . . .	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Anthrax . . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Rabies . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	Tetanus . . .	T	23	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	2	-	2	2	-	-	1	1	1	1	1	3	4
		F	6	-	1	-	-	-	-	-	-	-	-	-	-	-
30	Mycoses . . .	T	6	-	-	-	-	-	1	-	1	2	-	-	-	-
		M	6	1	-	1	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	2	-	-	-	-	-
31-37	Tuberculosis (total) . . .	T	3,530	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,977	161	167	211	198	195	172	174	154	158	133	123	131	131
		F	1,553	156	125	115	151	156	149	118	130	115	114	108	116	116
31	Tuberculosis of the res- piratory system . . .	T	2,953	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,657	131	135	184	165	164	146	147	133	129	108	102	113	113
		F	1,296	129	101	95	124	131	128	101	104	97	101	85	100	100
32	Tuberculosis of the meninges and central nervous system . . .	T	249	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	138	18	8	14	16	16	11	14	10	8	9	9	5	5
		F	111	10	9	7	14	10	9	7	12	12	3	12	6	6
33	Tuberculosis of the in- testines and peri- toneum . . .	T	104	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	54	4	8	2	3	5	5	6	4	8	3	3	3	3
		F	50	4	2	2	5	8	7	4	8	2	1	3	4	4
34	Tuberculosis of the vertebral column . . .	T	46	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	1	3	4	1	2	1	-	3	4	3	1	2	2
		F	21	2	6	1	2	-	3	-	-	-	2	2	3	3
35	Tuberculosis of the joints . . .	T	18	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	3	1	2	1	1	-	-	-	-	-	-	-
		F	7	1	-	1	1	-	-	1	1	1	-	1	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924—Con.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
17 ^a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 ^b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 ^c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 ^d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	17 15	-	-	-	-	-	2	1	1	1	5 3	11 3	-	-	-	2	1	-
23	-	3 1	1	2	1	3	2	2	2	1	1	-	-	-	-	-	-	-
24	-	-	-	-	3	1	2	3	3	4	3	3	2	-	-	-	-	-
25	10 5	2 3	-	3	2	1	1	1	1	1	1	2	2	-	-	-	-	-
25 ^a	4 2	1 2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
25 ^b	3 2	1 1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
25 ^c	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	4 2	-	-	1	-	2	1	-	1	2	2	1	3 1	-	-	-	-	-
30	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
31- 37	56 34	54 45	26 11	14 18	14 14	29 22	23 41	101 142	407 467	398 305	370 195	270 126	168 80	39 44	7	9	-	-
31	16 5	7 7	6 2	1	2	8 8	11 27	85 126	358 432	371 273	341 180	258 118	150 73	36 36	7	7	-	-
32	24 15	31 29	12 5	10 17	8 8	15 11	5 4	3 3	15 10	6 7	5 2	1	3	-	-	-	-	-
33	6 2	7 5	4	-	1	2	2	4 1	8 10	6 10	6 6	2 1	5 1	1 4	-	1	-	-
34	-	3	-	1	1	2	1	2	7	2	4	1	1	-	-	1	-	-
35	1	1	-	-	1	1	2	2	4	2	3	1	2	-	-	-	-	-

Detailed Int. List No.	Table 14	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM LIST, BY MONTHS AND SEX											
				Total.	MONTHS — Con.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
36	Tuberculosis of other organs	T	49	-	-	-	-	-	-	-	-	-	-	-	-
		M	30	3	4	2	4	3	4	4	4	-	1	2	2
		F	19	1	2	3	1	2	1	1	3	-	2	1	1
36a	Tuberculosis of the skin and subcutaneous cellular tissue	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
36b	Tuberculosis of the bones (vertebral column excepted)	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	1	-	1	-	-	-	-
		F	5	-	2	2	-	-	-	-	-	-	1	-	-
36c	Tuberculosis of the lymphatic system (mesenteric and retroperitoneal glands excepted)	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	1	1	-	3	1	1	-	-	1	1
		F	2	-	-	-	-	-	-	1	1	-	-	-	-
36d	Tuberculosis of the genito-urinary system	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	2	3	1	1	2	-	-	2	-	1	1	1
		F	10	-	-	1	-	2	-	-	2	-	1	1	1
36e	Tuberculosis of organs other than the above	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	1	-	1	-	-	-	-	-
37	Disseminated tuberculosis	T	111	-	-	-	-	-	-	-	-	-	-	-	-
		M	62	3	6	4	7	4	4	3	4	4	8	8	6
		F	49	9	5	6	4	5	1	2	5	1	6	3	2
37a	Acute	T	92	-	-	-	-	-	-	-	-	-	-	-	-
		M	52	2	5	4	6	2	4	3	3	7	6	5	5
		F	40	6	5	5	3	4	1	1	5	3	5	3	2
37b	Chronic	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	1	-	1	2	-	-	-	1	1	2	1
		F	9	3	-	1	1	1	-	-	1	-	1	-	-
38	Syphilis	T	176	-	-	-	-	-	-	-	-	-	-	-	-
		M	126	16	7	9	7	10	11	11	8	13	6	20	8
		F	50	3	5	9	5	5	2	4	2	3	5	2	5
39	Soft chancre	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
40	Gonococcus infection	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	1	-	-	-	-	-	-	3
		F	9	1	-	-	4	-	1	1	1	-	1	-	-
41	Purulent infection, septicemia	T	40	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	5	2	3	3	1	2	2	2	2	1	2	2
		F	15	2	2	3	1	2	1	-	-	-	1	-	1
42	Other infectious diseases	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	GENERAL DISEASES NOT INCLUDED ABOVE.	T	7,135	-	-	-	-	-	-	-	-	-	-	-	-
		M	3,023	240	236	270	233	243	257	244	235	269	278	239	279
		F	4,112	334	324	343	347	377	339	341	350	345	311	318	383
43-49	Cancer and other malignant tumors (total)	T	5,074	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,087	182	171	195	153	153	177	174	164	188	184	159	187
		F	2,987	248	223	255	245	266	246	260	249	259	232	231	273
43	Of the buccal cavity	T	196	-	-	-	-	-	-	-	-	-	-	-	-
		M	175	11	11	20	10	14	17	11	13	17	15	12	24
		F	21	-	2	1	2	2	3	1	3	-	5	2	-
44	Of the stomach and liver	T	1,614	-	-	-	-	-	-	-	-	-	-	-	-
		M	842	77	68	77	62	64	64	68	68	69	79	71	75
		F	772	66	61	63	62	58	73	71	60	74	57	57	70
45	Of the peritoneum, intestines and rectum	T	900	-	-	-	-	-	-	-	-	-	-	-	-
		M	343	26	32	29	16	28	38	30	21	34	30	20	39
		F	557	52	44	40	41	45	41	53	38	53	49	47	54
46	Of the female genital organs	T	682	-	-	-	-	-	-	-	-	-	-	-	-
		M	682	55	44	72	59	62	47	55	60	52	59	53	64
47	Of the breast	T	538	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	-	-	1	-	-	2	-
		F	534	39	42	44	46	49	42	43	58	46	42	42	41
48	Of the skin	T	102	-	-	-	-	-	-	-	-	-	-	-	-
		M	57	4	5	4	3	3	6	5	8	5	4	3	7
		F	45	-	3	4	4	6	3	5	7	4	4	3	3
49	Of other or unspecified organs	T	1,042	-	-	-	-	-	-	-	-	-	-	-	-
		M	666	64	55	64	62	44	52	59	54	63	56	51	42
		F	376	36	27	31	31	44	37	34	25	27	16	27	41
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	T	32	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	2	-	-	-	-	2	2	-	1	1	3	2
		F	19	1	1	-	-	4	1	3	3	1	-	1	4
51	Acute rheumatic fever	T	109	-	-	-	-	-	-	-	-	-	-	-	-
		M	44	5	4	4	8	4	2	3	2	4	2	3	3
		F	65	5	10	5	8	7	6	2	8	4	3	5	2

[illegible]

Detailed Int. List No	Table 14	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM LIST, BY MONTHS AND SEX												
				Total.	MONTHS — Con.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
52	Chronic rheumatism, osteoarthritis, gout	T	65	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	43	2	1	-	4	3	1	2	1	2	1	1	4	-
53	Scurvy	T	1	-	4	-	4	2	2	2	5	4	6	4	7	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
54	Pellagra	T	12	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	7	-	1	-	-	3	1	-	-	-	1	1	-	-
55	Beriberi	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Rickets	T	18	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	2	-	1	-	5	1	-	-	-	2	-	-
		F	6	1	2	-	-	1	-	-	2	-	-	-	-	-
57	Diabetes mellitus	T	772	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	278	13	26	31	21	27	20	19	17	26	27	20	31	-
		F	494	42	46	43	40	46	33	26	45	42	43	39	49	-
58	Anemia chlorosis	T	396	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	136	10	12	11	14	14	13	7	9	12	14	10	10	-
		F	260	20	23	28	29	29	31	19	15	16	12	20	18	-
58a	Pernicious anemia	T	357	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	118	10	12	10	11	12	12	4	7	10	12	9	9	-
		F	239	19	19	24	29	24	29	17	15	15	12	18	18	-
58b	Other anemias and chlorosis	T	39	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	-	-	1	3	2	1	3	2	2	2	1	1	-
		F	21	1	4	4	-	5	2	2	-	1	-	2	-	-
59	Diseases of the pituitary gland	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	Diseases of the thyroid gland	T	55	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	53	5	5	3	5	1	5	6	6	7	1	4	5	-
60a	Exophthalmic goiter	T	35	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	33	3	5	1	4	1	4	3	2	5	-	-	5	-
60b	Other diseases of the thyroid gland	T	20	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	2	-	2	1	-	1	3	4	2	1	4	-	-
61	Diseases of the parathyroid glands	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-	-	-
62	Diseases of the thymus gland	T	64	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	32	-	-	-	-	2	3	4	2	9	4	2	6	-
		F	32	-	-	-	-	1	4	3	6	5	2	2	9	-
63	Diseases of the adrenals (Addison's disease)	T	20	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	-	-	1	-	-	1	-	1	-	1	-
		F	15	-	1	1	1	4	2	3	1	-	-	1	1	-
64	Diseases of the spleen	T	8	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	1	-	-	-	-	1	-	1	-	1	-
		F	3	-	-	-	2	1	-	-	-	-	-	-	-	-
65	Leukemia and Hodgkin's disease	T	117	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	71	6	4	6	6	6	5	2	4	9	10	6	7	-
		F	46	2	2	3	4	5	3	9	3	3	5	4	3	-
65a	Leukemia	T	70	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	42	4	1	2	5	3	3	1	3	6	6	3	5	-
		F	28	2	1	1	1	5	2	4	1	3	5	-	3	-
65b	Hodgkin's disease	T	47	-	3	4	1	3	2	1	1	3	4	3	2	-
		M	29	2	1	2	3	-	1	5	2	-	-	4	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-
66	Alcoholism (acute or chronic)	T	287	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	254	14	13	18	24	26	23	24	27	14	29	24	18	-
		F	33	1	2	2	5	4	-	5	3	-	4	2	5	-
67	Chronic poisoning by mineral substances	T	10	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	1	-	1	1	-	1	1	1	1	-	-
		F	3	-	-	-	-	1	1	-	-	-	-	-	-	-
67a	Chronic lead poisoning	T	10	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	1	-	1	1	-	1	1	1	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-
67b	Others under this title	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Chronic poisoning by organic substances	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	1	-
69	Other general diseases	T	89	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	45	3	1	3	2	5	4	2	3	3	2	8	9	-
		F	44	7	3	3	4	2	4	2	4	3	2	4	6	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)—Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1	-	-	-	-	-	1	1	-	5	2	4	10	7	3	6	1	-
54	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	-	-	-
55	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
56	9	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
57	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	1	-	1	-	1	1	2	7	11	6	20	72	93	48	12	3	-	-
58	4	2	-	-	-	6	8	7	13	15	40	118	163	94	25	5	-	-
58 _a	1	-	1	-	2	1	1	1	2	9	17	34	61	17	3	9	-	-
58 _a	2	2	-	-	-	2	-	-	2	5	14	31	43	15	2	-	-	-
58 _b	2	-	-	-	-	-	1	2	8	11	30	59	79	42	7	-	-	-
59	1	-	-	1	-	1	-	1	1	2	3	4	3	2	1	-	-	-
59	-	1	-	-	-	-	-	-	-	6	4	2	1	2	2	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
60 _a	-	-	-	-	-	-	1	2	5	6	16	8	12	2	-	-	-	-
60 _b	-	-	-	-	-	-	1	2	4	5	9	3	8	1	-	-	-	-
61	1	-	-	-	-	-	-	-	1	1	7	5	4	1	-	-	-	-
62	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	21	2	1	1	2	2	-	1	1	1	-	-	-	-	-	-	-	-
63	20	2	-	1	-	2	3	1	3	-	-	-	-	-	-	-	-	-
64	-	-	-	-	-	-	-	-	1	1	1	5	6	3	-	-	-	-
64	1	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-	-	-
65	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
65	1	4	-	-	2	4	2	5	10	13	7	10	7	5	-	-	-	-
65 _a	1	1	1	2	-	1	1	3	6	8	6	8	7	3	1	-	-	-
65 _a	1	3	2	-	2	3	1	4	5	5	3	6	4	5	-	-	-	-
65 _b	-	1	2	-	-	-	-	2	4	6	6	5	6	2	-	-	-	-
66	1	-	1	-	-	1	1	1	5	8	4	4	3	1	1	-	-	-
66	-	-	-	-	-	-	-	-	2	8	3	3	1	1	-	-	-	-
67	-	-	-	-	-	-	-	1	11	51	88	70	27	7	-	-	-	-
67	-	-	-	-	-	-	-	-	-	9	11	11	4	1	-	-	-	-
67 _a	-	-	1	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-
67 _a	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-
67 _b	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	17	4	3	1	1	1	1	1	6	3	-	2	3	1	-	-	-	-
69	20	9	1	1	1	1	-	-	2	2	2	3	1	2	1	-	-	-

Detailed Int. List No.	Table 14	CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM LIST, BY MONTHS AND SEX											
				Total.	MONTHS—Con.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
111.	DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE.	T	6,147	—	—	—	—	—	—	—	—	—	—	—	—
		M	2,925	273	274	256	269	261	223	221	204	187	259	233	265
		F	3,222	311	319	317	272	273	245	221	227	233	253	269	282
70	Encephalitis	T	51	—	—	—	—	—	—	—	—	—	—	—	—
		M	29	2	2	4	1	2	3	5	1	1	2	1	5
		F	22	2	2	1	2	4	3	3	—	—	3	1	1
71	Meningitis (does not include meningitis specified as meningococcic, tuberculous, rheumatic, etc.)	T	170	—	—	—	—	—	—	—	—	—	—	—	—
		M	107	11	11	5	9	12	10	10	6	7	12	7	7
		F	63	9	5	4	4	5	3	3	5	6	7	6	6
71a	Simple meningitis	T	110	—	—	—	—	—	—	—	—	—	—	—	—
		M	71	6	8	3	6	6	8	8	4	4	8	5	5
		F	39	4	4	3	1	4	—	3	—	3	6	4	3
71b	Non-epidemic cerebrospinal meningitis	T	60	—	—	—	—	—	—	—	—	—	—	—	—
		M	36	5	3	2	3	6	2	2	2	3	4	2	2
		F	24	5	1	1	3	1	3	—	1	3	1	2	3
72	Tabes dorsalis (locomotor ataxia)	T	69	—	—	—	—	—	—	—	—	—	—	—	—
		M	50	10	3	5	3	4	2	7	3	3	3	5	2
		F	19	1	2	4	1	1	2	2	—	2	—	1	3
73	Other diseases of the spinal cord	T	179	—	—	—	—	—	—	—	—	—	—	—	—
		M	88	9	10	6	8	4	10	8	7	10	10	4	2
		F	91	8	11	11	8	13	8	7	3	3	9	5	5
74	Cerebral hemorrhage, apoplexy	T	4,712	—	—	—	—	—	—	—	—	—	—	—	—
		M	2,103	194	197	193	197	183	161	154	149	126	190	161	198
		F	2,609	254	251	249	223	213	201	176	186	187	212	223	234
74a	Cerebral hemorrhage	T	4,493	—	—	—	—	—	—	—	—	—	—	—	—
		M	2,010	186	185	185	191	175	158	148	141	120	181	153	187
		F	2,483	239	238	239	211	206	189	168	175	180	204	212	222
74b	Cerebral thrombosis and embolism	T	249	—	—	—	—	—	—	—	—	—	—	—	—
		M	93	8	12	8	6	8	3	6	8	6	9	8	11
		F	126	15	13	10	12	7	12	8	11	7	8	11	12
75	Paralysis without specified cause	T	148	—	—	—	—	—	—	—	—	—	—	—	—
		M	63	3	6	8	3	9	6	1	6	5	6	5	5
		F	85	8	13	11	7	6	4	7	6	5	6	4	8
75a	Hemiplegia	T	117	—	—	—	—	—	—	—	—	—	—	—	—
		M	45	2	5	4	1	4	5	1	5	4	4	5	5
		F	72	8	9	10	7	5	4	4	5	4	5	4	7
75b	Others under this title	T	31	—	—	—	—	—	—	—	—	—	—	—	—
		M	18	1	1	4	2	5	1	—	1	1	2	—	—
		F	13	—	4	1	—	1	—	3	1	1	1	—	1
76	General paralysis of the insane	T	223	—	—	—	—	—	—	—	—	—	—	—	—
		M	161	14	21	9	12	16	8	11	11	14	17	16	12
		F	62	3	7	8	7	6	4	3	7	4	4	5	4
77	Other forms of mental alienation	T	23	—	—	—	—	—	—	—	—	—	—	—	—
		M	2	—	1	—	—	—	—	—	—	—	—	—	1
		F	21	—	2	2	2	1	1	2	—	3	4	2	2
78	Epilepsy	T	152	—	—	—	—	—	—	—	—	—	—	—	—
		M	93	8	3	5	9	3	7	13	7	8	8	15	7
		F	59	8	6	5	2	8	5	5	7	5	2	2	4
79	Convulsions (non-puerperal (5 years and over)	T	1	—	—	—	—	—	—	—	—	—	—	—	—
		M	1	—	—	—	1	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—
80	Infantile convulsions (under 5 years of age)	T	85	—	—	—	—	—	—	—	—	—	—	—	—
		M	55	3	6	6	5	11	4	4	5	—	—	5	6
		F	30	4	4	2	4	1	3	4	3	—	—	1	1
81	Chorea	T	3	—	—	—	—	—	—	—	—	—	—	—	—
		M	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	1	—	—	—	—	—	—	—	—	—	—	—
82	Neuralgia and neuritis	T	4	—	—	—	—	—	—	—	—	—	—	—	—
		M	1	—	1	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	1	—	—	—	1	—	1	—	—	—
83	Softening of the brain	T	21	—	—	—	—	—	—	—	—	—	—	—	—
		M	7	—	1	—	2	1	—	—	—	1	1	—	1
		F	14	1	1	1	1	—	1	1	3	1	—	2	2
84	Other diseases of the nervous system	T	184	—	—	—	—	—	—	—	—	—	—	—	—
		M	104	13	6	10	10	11	8	3	6	8	4	10	15
		F	80	7	5	8	5	6	5	7	4	9	6	12	6
85	Diseases of the eye and annexa	T	3	—	—	—	—	—	—	—	—	—	—	—	—
		M	2	—	—	—	—	—	1	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—
86	Diseases of the ear and of the mastoid process	T	119	—	—	—	—	—	—	—	—	—	—	—	—
		M	58	6	6	5	8	5	3	5	3	4	5	4	4
		F	61	5	9	10	6	9	4	1	1	5	2	3	6
86a	Diseases of the ear	T	88	—	—	—	—	—	—	—	—	—	—	—	—
		M	41	6	5	4	7	3	2	3	2	1	3	3	2
		F	47	5	5	8	5	5	4	—	—	4	2	3	6
86b	Diseases of the mastoid process	T	31	—	—	—	—	—	—	—	—	—	—	—	—
		M	17	—	1	1	1	2	1	2	1	3	2	1	2
		F	14	—	4	2	1	4	—	1	1	1	—	—	—

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)—Con.																	100 and over.	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.			
111.	104 57	35 20	12 20	13 12	11 4	29 23	28 20	23 20	60 60	107 79	250 212	488 419	682 768	737 882	309 549	37 77	-	-	
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
71	2	3	1	-	-	3	2	1	5	3	5	2	2	-	-	-	-	-	
71 _a	38 16	12 5	5 4	6 4	2 1	9 8	6 7	4	4 6	9 4	5 4	6 3	1 1	-	-	-	-	-	
71 _b	26 9	10 4	3 3	4 1	1	5 4	5 5	2	4 5	5 4	3 3	2 1	1	-	-	-	-	-	
72	12 7	2 1	2 1	2 3	1 1	4 4	1 2	2	-	4 1	2 1	4 2	1 1	-	-	-	-	-	
73	-	1	-	-	1	1	1	-	-	1	4	19 7	13 9	10 1	3 1	-	-	-	
74	-	1	1	-	-	1	1	1	6	4	11	16 15	18 18	30 23	5 5	1 4	-	-	
74 _a	10 7	1 1	1 1	-	1	1	2	-	11 10	29 35	124 145	356 337	594 686	655 806	286 509	32 68	-	-	
74 _b	10 7	1 1	1 1	-	1	-	2	-	10 5	29 29	120 137	338 318	563 657	632 770	272 487	31 67	-	-	
75	-	-	-	-	-	1	-	-	1	5	6	18 8	31 19	23 36	14 22	1 1	-	-	
75 _a	-	-	-	-	-	-	1	-	2	1	2	8 3	16 19	25 30	8 20	1 4	-	-	
75 _b	-	-	-	-	-	-	-	-	-	1	8	3 3	13 16	20 25	6 16	1 3	-	-	
76	-	-	-	-	-	-	1	-	2	-	-	5	3 3	5	2 4	1 1	-	-	
77	-	-	-	-	-	-	1	1	3	28 12	58 16	41 16	17 9	10 4	1 2	1 1	-	-	
78	-	-	-	-	-	-	-	-	4	1 4	5	2	1 3	3	-	-	-	-	
79	1	1	-	2	1	6	5	9	14	13	18	15	7	2	1	-	-	-	
80	-	-	-	1	1	1	3	9	11	3	7	9	7	5	-	-	-	-	
81	39 21	9 4	4 3	2 1	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	
82	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
83	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	
84	5	2	1	1	2	3	8	3	15	12	18	20	8	3	2	1	-	-	
85	-	-	-	-	-	4	3	3	10	8	13	18	8	2	5	-	-	-	
86	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	
86 _a	10 12	7 5	2 6	2 3	2	4 8	3 3	3	3	10 4	6 1	4 5	2 3	1 3	1 3	-	-	-	
86 _b	10 10	5 3	- 4	2 2	2	3 6	3 3	3	1	7 3	2 1	2 4	2 2	2 2	1 1	-	-	-	
	2	2	2	1	-	1	-	1	2	3	4	2	2	1	-	-	-	-	

Detailed Int. List No.	Table 14	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM LIST, BY MONTHS AND SEX											
				Total.	MONTHS—Con.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
IV.	DISEASES OF THE CIRCULATORY SYSTEM.	T	M	10,844	476	508	520	501	505	474	358	368	378	478	503
		F	F	5,318	472	441	515	506	493	433	375	367	345	439	509
87	Pericarditis	T	M	37	—	—	—	—	—	—	—	—	—	—	—
		F	F	18	3	2	1	—	1	2	1	2	—	3	1
		F	F	21	4	—	3	1	4	1	—	1	3	—	1
88	Endocarditis and myo-	T	M	435	—	—	—	—	—	—	—	—	—	—	—
	carditis (acute)	F	F	214	23	26	23	21	18	25	11	8	18	14	19
		F	F	221	23	17	27	28	20	18	22	11	9	16	16
89	Angina pectoris	T	M	712	—	—	—	—	—	—	—	—	—	—	—
		F	F	426	27	44	49	37	33	33	39	29	28	36	52
		F	F	276	28	24	29	28	22	20	12	22	21	23	29
90	Other diseases of the heart	T	M	7,597	—	—	—	—	—	—	—	—	—	—	—
		F	F	3,821	312	355	356	350	344	316	235	281	238	349	319
		F	F	3,776	326	308	358	354	334	317	261	269	234	322	366
91	Diseases of the arteries .	T	M	1,884	—	—	—	—	—	—	—	—	—	—	—
		F	F	941	89	71	79	79	98	90	66	43	90	75	84
		F	F	943	80	80	93	85	97	73	77	59	76	73	85
91a	Aneurism	T	M	39	—	—	—	—	—	—	—	—	—	—	—
		F	F	32	1	2	3	1	4	3	1	1	3	3	5
		F	F	7	1	—	—	1	1	—	—	2	—	1	1
91b	Arteriosclerosis	T	M	1,833	—	—	—	—	—	—	—	—	—	—	—
		F	F	88	84	69	75	78	94	86	63	42	86	70	79
		F	F	935	79	80	93	84	95	73	77	57	76	73	84
91c	Other diseases of the arteries	T	M	12	—	—	—	—	—	—	—	—	—	—	—
		F	F	11	4	—	1	—	1	2	—	—	1	2	—
92	Embolism and throm-	T	M	68	—	—	—	—	—	—	—	—	—	—	—
	bosis (not cerebral) . .	F	F	40	10	4	4	3	1	5	4	3	2	1	3
		F	F	28	3	3	—	6	4	1	2	4	1	1	2
93	Diseases of the veins	T	M	40	—	—	—	—	—	—	—	—	—	—	—
	varices, hemorrhoids,	F	F	17	3	1	1	3	2	2	1	2	1	—	1
	phlebitis, etc.)	F	F	23	1	4	2	—	3	3	1	1	1	3	2
94	Diseases of the lymphatic system (lymphangitis, etc.)	T	M	65	—	—	—	—	—	—	—	—	—	—	—
		F	F	37	9	4	6	8	8	1	—	—	—	—	1
		F	F	28	6	5	3	4	9	—	—	—	—	1	—
95	Hemorrhage without specified cause	T	M	2	—	—	—	—	—	—	—	—	—	—	—
		F	F	1	—	—	—	—	—	—	—	—	1	—	—
96	Other diseases of the circulatory system	T	M	4	—	—	—	—	—	—	—	—	—	—	—
		F	F	3	—	1	1	—	—	—	1	—	—	—	—
		F	F	1	1	—	—	—	—	—	—	—	—	—	—
V.	DISEASES OF THE RESPIRATORY SYSTEM	T	M	4,971	—	—	—	—	—	—	—	—	—	—	—
		F	F	2,642	358	330	334	268	217	178	87	63	112	163	230
		F	F	2,329	305	301	292	269	188	127	83	70	80	155	302
97	Diseases of the nasal fossæ and their annexa	T	M	10	—	—	—	—	—	—	—	—	—	—	—
		F	F	7	—	—	—	2	1	2	—	1	—	—	—
		F	F	3	—	—	—	1	1	—	—	—	—	1	—
97a	Diseases of the nasal fossæ	T	M	4	—	—	—	—	—	—	—	—	—	—	—
		F	F	3	—	—	—	1	—	1	—	—	—	—	—
		F	F	1	—	—	—	1	—	—	—	—	—	—	—
97b	Others under this title	T	M	6	—	—	—	—	—	—	—	—	—	—	—
		F	F	4	—	—	—	1	1	1	—	1	—	—	—
		F	F	2	—	—	—	—	1	—	—	—	—	—	—
98	Diseases of the larynx	T	M	21	—	—	—	—	—	—	—	—	—	—	—
		F	F	11	2	1	—	—	—	1	1	—	—	—	2
		F	F	10	1	—	1	—	—	2	—	—	—	3	—
99	Bronchitis	T	M	350	—	—	—	—	—	—	—	—	—	—	—
		F	F	175	25	24	20	15	12	15	6	7	10	13	18
		F	F	175	22	28	28	12	11	10	6	5	7	18	14
99a	Acute	T	M	169	—	—	—	—	—	—	—	—	—	—	—
		F	F	92	13	12	13	7	5	8	3	1	4	4	9
		F	F	77	9	14	19	6	5	2	1	1	5	4	6
99b	Chronic	T	M	109	—	—	—	—	—	—	—	—	—	—	—
		F	F	53	6	10	6	7	2	4	2	4	5	4	1
		F	F	56	7	7	6	3	3	4	4	3	1	9	4
99c	Not otherwise defined (under 5 years of age)	T	M	26	—	—	—	—	—	—	—	—	—	—	—
		F	F	14	2	—	1	1	2	2	—	1	—	2	3
		F	F	12	—	5	1	1	1	1	—	—	—	—	3
99d	Not otherwise defined (5 years and over)	T	M	46	—	—	—	—	—	—	—	—	—	—	—
		F	F	16	4	2	—	—	3	1	1	1	1	2	1
		F	F	30	6	2	2	2	2	3	1	1	1	5	1
100	Bronchopneumonia (including capillary bronchitis)	T	M	2,418	—	—	—	—	—	—	—	—	—	—	—
		F	F	1,190	174	146	173	109	113	62	30	28	54	66	111
		F	F	1,228	168	165	163	122	111	68	48	41	46	72	103
100a	Bronchopneumonia	T	M	2,382	—	—	—	—	—	—	—	—	—	—	—
		F	F	1,175	170	145	170	109	112	61	30	27	53	66	110
		F	F	1,207	166	163	160	117	110	67	48	41	45	71	99
100b	Capillary bronchitis	T	M	36	—	—	—	—	—	—	—	—	—	—	—
		F	F	15	4	1	3	—	1	1	—	1	—	—	2
		F	F	21	2	2	3	5	1	1	—	—	1	1	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)—Con.																Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	
IV.																	
	56 44	13 8	8 4	5 5	4 3	35 41	26 54	63 54	105 97	186 168	397 328	841 607	1,360 1,106	1,510 1,508	797 1,074	118 209	2 8
87	1 1	-	-	-	-	2 1	-	3 1	-	3 1	-	2 3	3 1	1 6	-	-	-
88	9 6	4 2	4 3	2 3	1 1	17 15	9 16	10 10	18 10	24 27	39 43	45 50	16 15	10 14	5 6	1 -	-
89	-	-	-	-	-	-	-	-	-	7 29	37 8	104 -	139 88	117 91	31 53	1 4	-
90	15 12	6 4	3 -	1 1	2 2	16 24	16 35	48 43	85 85	147 132	290 251	596 476	983 835	1,026 1,073	515 677	70 122	2 4
91	-	-	-	-	-	-	-	-	2	3	22	79	201	345	244	45	-
91a	-	-	-	-	-	-	-	-	1	2	16	39	153	315	330	83	4
91b	-	-	-	-	-	-	-	-	-	1	6	8	1	6	1	-	-
91c	-	-	-	-	-	-	-	-	1	-	13	69	192	336	242	45	-
92	1 1	1	-	-	-	-	-	-	-	1 2	3 3	10 2	14 8	8 5	2 5	1	-
93	1 1	-	1	-	-	-	-	1	-	1	3	5	3	2	-	-	-
94	29 23	3 1	2 1	1	1	1	-	1	-	-	4	8	6	2	-	-	-
95	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
96	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
V.																	
	605 472	167 178	58 52	28 29	25 17	52 38	15 16	28 18	82 70	195 107	259 141	318 182	336 295	296 338	151 304	27 71	1
97	1	-	-	-	-	1	-	1	1	2	3	-	-	-	-	-	-
97a	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
97b	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
98	4 1	1 3	2 1	1 1	-	2 1	-	-	-	1 2	-	-	-	-	-	-	-
99	60 36	16 9	1 1	-	1	1	1	-	2	1	7	9	19	31	24	4	-
99a	43 28	15 5	1 -	-	1	1	1	-	2	4	3	6	16	38	46	11	1
99b	3	1	-	-	-	-	-	-	1	1	1	2	3	12	9	2	-
99c	14 8	4	1	-	-	-	-	-	-	2	1	5	10	17	11	1	-
99d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	435 350	113 123	36 37	17 16	17 9	22 18	7 5	3 6	18 20	36 26	57 38	82 68	123 124	141 160	70 179	13 49	-
100a	428 342	110 123	33 35	17 14	17 9	22 16	7 5	3 6	18 20	36 26	57 38	82 66	122 121	140 160	70 177	13 49	-
100b	7 8	3 -	3 2	2	-	2	-	-	-	-	-	-	1 3	1	2	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)—Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
101	90	27	15	9	8	20	6	23	57	138	179	206	173	116	49	6	-	-
	77	35	11	10	5	16	10	10	43	65	85	102	142	132	68	11	-	-
101 _a	75	25	15	8	8	18	3	23	54	134	172	195	167	110	44	4	-	-
	64	31	11	9	5	15	10	10	39	61	83	97	132	125	60	10	-	-
101 _b	15	2	1	1	1	2	3	3	3	4	7	11	6	6	5	2	-	-
	13	4	-	1	-	1	-	-	4	4	2	5	10	7	8	1	-	-
102	12	9	2	1	-	6	1	1	3	10	5	10	13	4	5	2	-	-
	3	8	2	1	1	1	1	1	3	6	9	1	9	5	5	-	-	-
103	3	-	1	-	-	1	-	-	-	-	-	-	1	1	3	1	-	-
	3	-	-	-	-	-	-	-	-	-	1	1	1	3	2	-	-	-
104	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
105	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	3	1	1	2	-	-	-
106	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
107	-	-	1	-	-	1	-	-	1	6	7	6	5	1	-	1	-	-
	1	-	-	1	-	-	-	1	1	3	1	2	2	-	1	-	-	-
107 _a	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
107 _b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107 _c	-	-	1	-	-	1	-	-	1	6	7	6	4	1	-	1	-	-
	1	-	-	-	-	-	-	1	1	3	1	2	2	-	-	-	-	-
VI.	472	76	27	20	16	51	40	45	84	142	167	232	208	104	58	6	-	-
	336	42	22	15	17	47	28	28	89	102	141	222	193	145	68	12	-	-
108	1	2	-	-	-	1	1	-	-	-	2	5	1	1	2	1	-	-
	-	-	-	1	-	-	-	-	3	1	2	1	1	-	-	-	-	-
109	4	8	5	5	4	15	4	4	9	9	6	3	4	2	-	-	-	-
	4	1	2	2	5	6	6	3	6	4	2	5	6	2	2	-	-	-
109 _a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109 _b	4	8	5	5	4	15	4	4	9	9	6	3	4	2	-	-	-	-
	4	1	2	2	5	6	6	3	6	4	2	5	6	2	2	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	-	-	-	-	-	-	-	-	9	32	39	39	31	16	6	-	-	-
	-	-	-	-	-	-	-	2	9	4	6	21	13	11	3	-	-	-
111 _a	-	-	-	-	-	-	-	-	6	16	22	29	17	9	3	-	-	-
	-	-	-	-	-	-	-	1	5	3	5	16	9	6	3	-	-	-
111 _b	1	-	-	-	-	-	-	-	3	16	17	10	14	7	3	-	-	-
	-	-	-	-	-	-	-	1	4	1	1	5	4	5	-	-	-	-
112	28	1	3	1	2	1	1	-	3	2	6	5	4	5	4	-	-	-
	24	1	-	-	-	1	3	-	-	-	-	3	8	13	9	1	-	-
113	398	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	288	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	11	8	1	7	2	-	3	6	4	5	7	13	13	2	-	-
115	-	-	14	9	5	6	1	1	1	9	7	7	17	23	16	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)—CON.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
116 _a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116 _b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116 _c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116 _d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116 _e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116 _f	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
117	1	5	5	5	6	25	32	32	45	46	42	59	29	3	-	-	-	-
118	33	6	2	1	2	31	14	17	36	28	32	37	14	7	1	2	2	-
118 _a	8	1	-	-	1	1	1	4	11	15	20	40	38	36	13	5	1	-
118 _b	25	5	2	1	2	2	1	4	1	6	4	16	19	24	8	8	1	-
119	14	1	1	-	1	1	1	3	5	10	8	17	14	18	8	3	1	-
120	1	-	-	-	-	-	-	1	7	3	3	2	1	3	-	1	-	-
121	1	-	-	-	-	-	-	-	3	1	1	5	3	-	-	-	-	-
122	-	-	-	-	1	-	-	1	2	6	20	32	37	13	1	-	-	-
122 _a	-	-	-	-	-	-	-	-	-	4	13	17	16	8	5	1	-	-
122 _b	-	-	-	-	1	-	-	1	2	6	20	32	37	10	1	-	-	-
123	-	-	-	-	-	-	-	-	-	4	13	15	16	8	5	1	-	-
124	-	-	-	-	-	-	-	-	6	10	22	41	46	15	8	1	-	-
125	1	2	1	1	1	1	1	1	7	11	24	31	23	27	10	1	-	-
126	-	-	-	-	-	-	-	-	1	2	4	11	9	5	1	-	-	-
127	4	2	1	1	1	-	2	1	1	1	3	5	2	2	-	1	-	-
VII.	18	7	4	4	5	10	13	16	37	85	176	324	512	484	230	25	-	-
128	6	1	5	1	5	8	12	21	68	139	246	320	380	369	244	33	-	-
129	12	5	3	3	2	8	1	2	9	14	14	12	16	12	3	-	-	-
130	2	1	1	1	2	11	7	10	25	63	148	288	414	369	171	19	-	-
	2	-	2	-	2	4	-	-	35	84	157	257	340	336	227	32	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)—Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
131	4 2	1 1	1	1	1	1	1	2 2	1 5	3 6	5 5	10 11	14 10	14 7	8 3	1	1	1
132	1	1	1	1	1	1	1	1	2	3 1	4 1	4 2	5 4	2 1	2	1	1	1
133	1	1	1	1	1	1	1	1	1	1	3 1	1 2	11	21 4	6 6	3 1	1	1
134	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1
134 _a	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1
134 _b	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1
135	1	1	1	1	1	1	1	1	1	1	1	8	47	65	38	2	1	1
136	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
137	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
138	1	1	1	1	1	1	1	1	4	2	7	8	5	7	3	1	1	1
139	1	1	1	1	1	1	1	4	11	14	11	6	1	1	1	1	1	1
140	1	1	1	1	1	1	1	1	1	9	43	13	3	3	1	1	1	1
141	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
142	1	1	1	1	1	1	1	1	4	9	5	6	7	3	1	1	1	1
VIII	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
143	1	1	1	1	1	1	1	28	200	263	53	1	1	1	1	1	1	1
143 _a	1	1	1	1	1	1	1	2	10	14	3	1	1	1	1	1	1	1
143 _b	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1
143 _c	1	1	1	1	1	1	1	1	2	7	1	1	1	1	1	1	1	1
144	1	1	1	1	1	1	1	2	7	5	1	1	1	1	1	1	1	1
145	1	1	1	1	1	1	1	2	16	41	5	1	1	1	1	1	1	1
145 _a	1	1	1	1	1	1	1	2	22	31	14	1	1	1	1	1	1	1
145 _b	1	1	1	1	1	1	1	1	6	9	6	1	1	1	1	1	1	1
145 _c	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1
146	1	1	1	1	1	1	1	1	14	21	6	1	1	1	1	1	1	1
147	1	1	1	1	1	1	1	12	69	70	10	1	1	1	1	1	1	1

Detailed Int. List No.	Table 14	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM LIST, BY MONTHS AND SEX											
				Total.	MONTHS—Con.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
148	Puerperal albuminuria and convulsions	T	143	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	143	9	8	20	12	10	8	17	14	15	16	5	9
149	Following childbirth (not otherwise defined)	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
150	Puerperal diseases of the breast	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	1	1	-	1	1	-	-	-	-	-	-
IX.	DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE.	T	136	-	-	-	-	-	-	-	-	-	-	-	-
		M	77	6	7	8	7	7	6	6	7	4	4	7	8
		F	59	7	2	8	5	5	7	6	4	4	2	6	3
151	Gangrene	T	30	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	2	3	1	-	-	1	2	-	-	1	2	-
		F	18	2	-	2	2	2	1	4	1	1	1	1	1
152	Furuncle	T	40	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	1	1	3	2	3	3	2	4	2	2	2	2
		F	15	-	-	2	-	2	4	1	1	1	1	2	1
153	Acute abscess	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	3	1	4	2	2	2	2	-	1	1	1	5
		F	15	2	-	2	2	-	-	-	2	2	-	3	1
154	Other diseases of the skin and annexa	T	27	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	2	-	3	2	-	-	-	3	1	2	1
		F	11	3	2	2	1	1	1	1	-	-	-	-	-
X.	DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION.	T	68	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	4	2	3	4	1	3	2	4	2	-	1	3
		F	39	7	7	4	7	4	2	3	2	1	2	-	-
155	Diseases of the bones (tuberculosis excepted)	T	51	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	4	2	3	3	1	2	1	4	2	-	1	3
		F	25	5	3	2	3	4	1	3	2	-	2	-	-
156	Diseases of the joints (tuberculosis and rheumatism excepted)	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	1	1	-	-	-	-	-
		F	14	2	4	2	4	-	1	-	-	1	-	-	-
157	Amputations	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
158	Other diseases of the organs of locomotion	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XI.	MALFORMATIONS.	T	679	-	-	-	-	-	-	-	-	-	-	-	-
		M	369	32	34	39	35	29	30	26	23	32	29	27	33
		F	310	35	21	38	22	28	26	24	19	23	24	27	23
159	Congenital malformations (stillbirths not included)	T	679	-	-	-	-	-	-	-	-	-	-	-	-
		M	369	32	34	39	35	29	30	26	23	32	29	27	33
		F	310	35	21	38	22	28	26	24	19	23	24	27	23
159a	Hydrocephalus	T	45	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	2	2	6	1	2	2	1	3	2	-	1	-
		F	23	1	2	3	4	-	2	4	-	-	2	4	1
159b	Congenital malformations of the heart	T	423	-	-	-	-	-	-	-	-	-	-	-	-
		M	228	21	21	20	23	19	22	15	12	18	16	17	24
		F	195	28	15	25	11	19	14	14	14	15	9	15	16
159c	Others under this title	T	211	-	-	-	-	-	-	-	-	-	-	-	-
		M	119	9	11	13	11	8	6	10	8	12	13	9	9
		F	92	6	4	10	7	9	10	6	5	8	13	8	6
XII.	EARLY INFANCY.	T	2,717	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,554	142	122	147	145	144	130	113	126	118	113	134	154
		F	1,163	101	107	110	108	91	106	82	84	111	83	74	106
160	Congenital debility, icterus and sclerema	T	328	-	-	-	-	-	-	-	-	-	-	-	-
		M	191	20	15	15	18	24	11	14	14	17	17	17	9
		F	137	17	11	9	11	9	16	4	12	15	14	9	10
161	Premature birth; injury at birth	T	1,913	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,087	95	87	102	103	97	95	74	88	80	73	101	92
		F	826	57	70	76	83	59	77	71	58	77	54	61	83
161a	Premature birth	T	1,485	-	-	-	-	-	-	-	-	-	-	-	-
		M	829	68	71	83	78	67	70	55	69	65	56	73	74
		F	656	48	61	62	72	47	53	48	54	66	44	42	59
161b	Injury at birth	T	428	-	-	-	-	-	-	-	-	-	-	-	-
		M	258	27	16	19	25	30	25	19	19	15	17	28	18
		F	170	9	9	14	11	12	24	23	4	11	10	19	24
162	Other diseases peculiar to early infancy	T	469	-	-	-	-	-	-	-	-	-	-	-	-
		M	273	27	19	30	24	22	24	24	24	21	23	16	19
		F	196	27	26	25	14	23	13	6	14	17	14	4	13
163	Lack of care	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-
XIII.	OLD AGE.	T	133	-	-	-	-	-	-	-	-	-	-	-	-
		M	39	7	2	1	3	1	2	3	2	7	4	5	2
		F	94	15	9	8	9	8	7	4	8	10	4	5	7
164	Senility	T	133	-	-	-	-	-	-	-	-	-	-	-	-
		M	39	7	2	1	3	1	2	3	2	7	4	5	2
		F	94	15	9	8	9	8	7	4	8	10	4	5	7

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)—Con.															100 and over	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.		
148	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-
149	-	-	-	-	-	-	-	6	56	70	11	-	-	-	-	-	-
150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-
151	14 13	2	1	-	-	2	1	2	4	5	12	6	14	9	6	1	-
152	-	1	1	-	-	-	-	3	1	5	3	5	11	7	2	2	-
153	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
154	3 6	1	-	-	-	1	1	1	3	2	6	1	2	4	-	-	-
X.	11 7	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-
155	2 2	2	1	-	-	4 5	5	2 2	3 5	2 4	3 3	2 2	3 5	1 5	2 1	1	-
156	2 2	2	1	-	-	4 4	5	2 1	2 3	2 3	3 1	1 2	2 4	1 1	1	1	-
157	-	-	-	-	-	1	-	1	2	1	2	-	1	4	2	-	-
158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	345 291	12 8	4 4	1	2	3 2	1	1	1	-	-	-	-	-	-	-	-
159 _a	345 291	12 8	4 4	1	2	3 2	1	1	1	-	-	-	-	-	-	-	-
159 _b	19 17	1 1	1 2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
159 _c	213 185	6 5	3 1	-	2	1 1	1	1	1	-	-	-	-	-	-	-	-
XII.	113 89	5 2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
160	1,551 1,158	3 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	190 132	1 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161 _a	1,086 826	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161 _b	829 656	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162	257 170	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163	272 196	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIII	3 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	1 4	6 16	22 44	9 26	1 4

Detailed Int. List No.	Table 14	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM LIST, BY MONTHS AND SEX												
				Total.	MONTHS—Con.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XIV	EXTERNAL CAUSES.	T	3,474	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,422	226	151	159	182	186	246	268	219	188	198	212	187	187
		F	1,052	97	85	73	68	86	103	84	98	83	102	88	85	85
165-174	Suicide (total)	T	486	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	363	33	30	24	30	33	38	32	25	31	28	33	26	26
		F	123	7	7	9	12	15	8	7	9	10	14	12	13	13
165	Suicide by solid or liquid poisons (corrosive substances excepted)	T	23	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	2	1	2	3	3	1	-	-	1	-	-	-	-
		F	9	-	2	-	2	1	2	-	-	-	-	-	1	1
166	Suicide by corrosive substances	T	23	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	-	-	-	-	-	2	1	-	3	1	2	2
		F	13	1	-	-	2	2	2	1	1	1	-	-	-	-
167	Suicide by poisonous gas	T	140	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	94	11	7	4	7	5	10	8	6	11	8	10	7	7
		F	46	1	3	5	3	4	2	3	4	4	8	4	5	5
168	Suicide by hanging or strangulation	T	83	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	71	3	7	5	3	10	8	6	5	5	6	8	5	5
		F	12	1	-	-	-	-	-	-	-	-	-	-	-	-
169	Suicide by drowning	T	51	-	-	-	1	3	-	1	-	1	2	1	2	2
		M	38	4	3	2	5	3	3	3	5	3	4	-	-	-
		F	13	1	-	1	2	-	1	1	3	1	1	2	-	-
170	Suicide by firearms	T	115	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	101	9	9	7	12	7	10	9	7	9	7	6	9	9
		F	14	2	-	1	1	4	1	-	-	1	1	1	2	2
171	Suicide by cutting or piercing instruments	T	28	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	3	2	2	-	1	4	4	2	-	1	2	2	2
		F	5	1	-	1	1	-	-	-	-	-	-	1	1	1
172	Suicide by jumping from high places	T	15	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	1	2	-	4	-	-	1	-	-	2	-	-
		F	5	-	2	-	-	-	-	-	-	-	-	1	-	-
173	Suicide by crushing	T	5	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	-	-	-	-	1	-	-	-
174	Other suicides	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	1	1	-	-	-
175-196	Accidental or undefined (total)	T	2,879	-	-	-	-	-	-	-	-	-	-	-	-	-
201-203		M	1,982	188	115	130	148	145	203	230	190	148	157	174	154	154
		F	897	87	73	62	55	67	90	70	89	72	85	75	72	72
175	Poisoning by food	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	1	-	3	-	-	-	-	-
		F	6	-	-	-	-	-	1	1	-	-	-	-	-	-
176	Poisoning by venomous animals	T	3	-	-	-	-	-	-	-	-	3	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	1	1
177	Other acute accidental poisonings (gas excepted)	T	55	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	33	4	1	-	3	2	3	3	1	2	5	5	4	4
		F	22	-	3	3	1	1	3	-	3	4	1	-	3	3
178	Conflagration	T	44	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	35	2	3	7	2	3	2	2	1	3	5	3	2	2
		F	9	1	-	2	1	5	-	-	-	-	-	-	-	-
179	Accidental burns (conflagration excepted)	T	257	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	102	16	12	8	10	4	6	11	6	1	9	11	8	8
		F	155	22	18	11	7	9	16	12	12	9	8	14	17	17
180	Accidental mechanical suffocation	T	33	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	4	4	3	2	2	2	2	1	1	1	2	-	-
		F	9	1	1	-	-	3	-	1	1	-	-	-	-	-
181	Accidental absorption of irrespirable or poisonous gas	T	135	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	90	15	8	7	7	7	4	5	3	2	10	11	11	11
		F	45	3	4	5	1	2	4	1	7	7	8	8	4	4
182	Accidental drowning	T	354	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	319	40	5	9	24	20	49	74	47	23	12	6	10	10
		F	35	2	1	2	2	-	10	6	6	4	1	-	1	1
183	Accidental traumatism by firearms (wounds of war excepted)	T	31	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	2	2	-	1	2	5	4	2	1	2	2	4	4
		F	4	-	-	-	-	-	-	1	-	-	-	1	2	2
184	Accidental traumatism by cutting or piercing instruments	T	18	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	3	-	-	2	5	2	-	-	-	-	1	2	2
		F	3	-	-	1	1	-	-	-	-	-	-	-	-	-
185	Accidental traumatism by fall	T	674	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	378	33	26	30	26	28	29	28	39	33	38	43	25	25
		F	296	29	34	24	20	26	26	21	29	16	31	27	13	13
186	Accidental traumatism in mines and quarries	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924.

AGE OF DECEDENTS (YEARS)—Con.																		
Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
XIV	42	35	53	34	35	196	103	121	296	326	346	309	282	153	64	17	-	10
165-174	32	25	25	28	28	82	38	31	84	87	89	101	115	139	119	29	-	4
165	-	-	-	-	-	-	-	6	30	62	75	78	69	33	5	1	1	-
166	-	-	-	-	-	-	-	4	22	18	28	27	17	5	1	-	-	-
167	-	-	-	-	-	-	-	-	2	8	-	2	1	1	-	-	-	-
168	-	-	-	-	-	-	-	-	4	-	3	2	1	1	-	-	-	-
169	-	-	-	-	-	-	-	1	1	3	3	2	1	1	-	-	-	-
170	-	-	-	-	-	-	-	1	9	9	21	21	21	10	1	1	-	-
171	-	-	-	-	-	-	-	1	3	8	9	14	7	4	-	-	-	-
172	-	-	-	-	-	-	-	2	1	16	15	16	11	7	-	-	-	3
173	-	-	-	-	-	-	-	-	-	-	3	4	5	-	-	-	-	-
174	-	-	-	-	-	-	-	1	4	3	12	10	4	2	1	-	-	1
175-196	-	-	-	-	-	-	-	1	1	5	3	1	3	-	-	-	-	-
201-203	38	34	53	32	35	196	103	112	253	244	250	225	211	117	58	16	-	5
175	27	24	25	27	28	82	38	26	54	57	59	72	98	134	118	28	-	-
176	1	-	1	1	-	-	2	-	1	1	-	1	-	1	1	-	-	-
177	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
178	-	4	1	-	1	1	-	1	4	4	8	3	5	1	-	-	-	-
179	1	1	3	-	-	-	-	-	5	4	3	4	1	-	-	-	-	-
180	-	2	1	-	-	2	-	2	5	3	7	4	3	3	3	-	-	-
181	-	-	-	1	-	3	1	-	2	2	1	1	1	-	-	-	-	-
182	3	17	21	9	6	8	-	2	6	9	4	6	7	3	1	-	-	-
183	4	16	6	15	11	18	8	4	8	12	16	10	15	6	6	-	-	-
184	13	-	-	-	-	-	-	1	2	3	2	-	1	-	-	-	-	-
185	9	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	1	1	1	2	1	2	1	2	1	7	6	23	23	8	2	-	-	-
188	-	-	-	-	-	-	2	-	3	3	8	6	6	3	4	1	-	-
189	1	1	4	-	-	-	46	44	47	38	27	27	10	4	-	-	-	4
190	-	-	-	1	1	3	5	5	4	5	-	2	-	1	-	-	-	-
191	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
192	2	-	-	-	-	-	-	1	2	1	1	2	4	2	-	-	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	4	5	8	3	2	10	6	9	26	34	64	57	58	47	32	13	-	-
195	3	3	3	-	3	1	-	-	4	3	8	22	45	89	87	25	-	-
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM LIST, BY MONTHS AND SEX												
				Total.	MONTHS.—Con.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
186 _a	Mines	T	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
186 _b	Quarries	T	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
187	Accidental traumatism by machines . . .	T	M	50	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	45	5	1	7	6	3	7	4	2	-	1	3	6
		F	M	5	-	-	-	-	-	1	-	1	-	-	-	-
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)	T	M	909	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	689	49	36	38	44	55	70	70	63	64	61	76	63
		F	M	220	16	5	8	14	14	22	21	21	25	31	20	23
188 _a	Railroad accidents .	T	M	89	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	81	6	9	6	6	8	7	8	3	6	4	7	11
		F	M	8	1	-	-	1	1	1	-	-	2	-	-	2
188 _b	Street car accidents .	T	M	55	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	40	1	6	6	4	4	3	5	6	1	1	2	1
		F	M	15	2	-	-	-	2	1	1	2	1	2	2	2
188 _c	Automobile accidents	T	M	705	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	514	39	19	23	28	39	50	55	47	50	52	66	46
		F	M	191	12	5	8	13	11	20	18	17	22	28	18	19
188 _d	Aeroplane and balloon accidents	T	M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	-	-	1	-	-	-	-	-	-	-
188 _e	Motorecycle accidents	T	M	26	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	24	3	2	3	5	2	1	2	3	2	1	-	-
		F	M	2	1	-	-	-	-	-	1	-	-	-	-	-
188 _f	Injuries by other ve- hicles	T	M	28	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	24	-	-	-	1	1	8	-	4	5	1	1	3
		F	M	4	-	-	-	-	-	-	1	2	-	1	-	-
188 _g	Landslide, other crushing	T	M	5	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	5	-	-	-	-	-	1	-	-	-	2	-	2
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
189	Injuries by animals (not poisoning) . . .	T	M	15	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	13	1	-	1	1	-	4	-	1	4	1	-	-
		F	M	2	-	-	-	-	-	-	-	-	-	1	1	-
190	Wounds of war . . .	T	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
191	Execution of civilians by belligerent armies	T	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
192	Starvation (deprivation of food or water) .	T	M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	3	-	-	1	-	-	-	1	-	-	1	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
193	Excessive cold . . .	T	M	14	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	11	3	6	1	-	-	-	-	-	-	-	1	-
		F	M	3	2	1	-	-	-	-	-	-	-	-	-	-
194	Excessive heat . . .	T	M	30	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	20	-	-	-	-	-	2	8	10	-	-	-	-
		F	M	10	-	-	-	-	-	-	3	7	-	-	-	-
195	Lightning	T	M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	M	1	-	-	-	-	-	-	-	1	-	-	-	-
196	Other accidental electric shocks	T	M	25	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	25	1	1	-	1	2	4	6	2	2	4	-	2
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
201	Fracture (cause not specified)	T	M	36	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	17	1	-	1	1	1	2	3	2	1	1	1	3
		F	M	19	2	1	1	4	-	2	1	3	1	1	2	1
202	Other external violence (cause specified) .	T	M	177	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	127	9	10	16	17	10	10	9	7	11	6	9	13
		F	M	50	8	4	3	4	6	6	2	5	1	2	2	7
203	Other external violence (cause not specified) .	T	M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	2	-	-	1	1	-	-	-	-	-	-	-	-
		F	M	1	-	-	1	-	-	-	-	-	-	-	-	-
197- 200	Homicide (total) . .	T	M	109	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	77	5	6	5	4	8	5	6	4	9	13	5	7
		F	M	32	3	5	2	1	4	5	7	-	1	3	1	-
197	Homicide by firearms .	T	M	50	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	36	1	2	5	-	2	4	3	3	5	4	4	3
		F	M	14	2	1	2	-	-	2	4	-	-	3	-	-
198	Homicide by cutting or piercing instruments	T	M	12	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	11	1	1	-	-	2	-	-	1	1	3	1	1
		F	M	1	-	-	-	-	-	-	-	-	-	-	-	-
199	Homicide by other means	T	M	37	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	24	3	3	-	1	2	1	3	-	3	5	-	3
		F	M	13	1	3	-	1	4	2	1	-	1	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)—Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
186 _a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 _b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	1 1	-	-	-	-	1	-	4	12 1	7 1	7 1	8	4	1 1	-	-	-	-
188	1 2	3 6	13 6	14 6	20 11	107 49	37 13	31 11	102 19	102 14	79 13	66 21	61 25	38 23	13 7	2	-	-
188 _a	-	-	-	-	-	3	-	4	10 2	27 1	12 3	14 1	7	3 1	1	-	-	-
188 _b	-	-	1 1	1 1	1 1	5 2	2 1	1 1	4 2	10	2	5 1	3 1	2 3	2 1	1	-	-
188 _c	1	2	12 5	12 5	16 10	95 45	34 12	23 10	77 13	62 12	56 10	39 19	44 24	30 19	10 6	1	-	-
188 _d	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
188 _e	-	-	-	-	2	-	-	1	7 2	2	4	1	6	1	-	-	-	-
188 _f	-	1 1	-	1	1	4 2	-	1	2	1 1	5	5	1	2	-	-	-	-
188 _g	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-
189	-	-	1	1	-	2	-	-	-	1	2	3	2	-	1	-	-	-
190	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
193	-	-	-	-	-	-	-	-	1	2 1	2	-	3	2 1	-	-	-	-
194	1 3 1	-	-	-	-	-	-	-	2 1	2 2	-	4 1	6 1	1 2	2 1	-	-	-
195	-	-	-	-	-	-	-	-	1 1	-	-	-	-	-	-	-	-	-
196	-	-	-	-	-	-	-	3	11	3	7	-	1	-	-	-	-	-
201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202	-	-	-	-	-	1	-	-	3	-	7	4 1	2 3	3	9	1 2	-	-
203	10 5	3	1	1	2	3 2	7	7 3	17 9	33 13	17 7	10 3	20	6 3	3 1	-	-	-
197-200	4 5	1 1	-	2 1	-	-	-	3 1	13 8	20 12	21 2	6 2	2	3	1	-	-	-
197	-	-	-	1	-	-	-	2 1	7 3	12 6	9 1	3 2	1	-	1	-	-	-
198	1	-	-	-	-	-	-	-	1	6	2	1	-	1	-	-	-	-
199	-	-	-	1	-	-	-	-	5	2 6	10	2	1	2	-	-	-	-

Detailed Int. List No.	Table 14	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM LIST, BY MONTHS AND SEX											
				Total.	MONTHS—Con.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
200		Infanticide (murder of infants less than one year of age)	T	10	-	-	-	-	-	-	-	-	-	-	-
			M	6	-	-	-	3	2	-	-	-	-	1	-
			F	4	-	1	-	-	-	1	2	-	-	-	-
XV.		ILL-DEFINED DISEASES.	T	123	-	-	-	-	-	-	-	-	-	-	-
			M	71	9	2	3	4	5	6	6	6	3	11	7
			F	52	4	1	6	1	5	5	5	6	6	7	4
204		Sudden death	T	21	-	-	-	-	-	-	-	-	-	-	-
			M	12	-	-	1	1	2	1	2	-	2	1	1
			F	9	-	-	-	-	2	1	1	1	1	2	1
205		Cause of death not specified or ill-defined	T	102	-	-	-	-	-	-	-	-	-	-	-
			M	59	9	2	2	3	3	5	4	6	5	10	6
			F	43	4	1	6	1	3	4	4	5	5	5	3
205a		Ill-defined	T	57	-	-	-	-	-	-	-	-	-	-	-
			M	34	5	1	1	2	1	4	4	3	2	7	2
			F	23	2	-	5	-	1	2	3	2	3	3	2
205b		Not specified or unknown	T	45	-	-	-	-	-	-	-	-	-	-	-
			M	25	4	1	1	1	2	1	-	3	3	3	4
			F	20	2	1	1	1	2	2	1	3	2	2	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL
AND BY AGE AND SEX: 1924.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)—Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20	4	1	1	-	1	3	-	-	3	12	9	11	2	4	-	-	-
204	12	3	1	-	-	1	1	1	2	3	5	7	4	4	5	3	-	-
	4	-	-	-	-	-	-	-	-	1	2	1	3	1	-	-	-	-
	2	-	-	-	-	-	-	-	1	-	2	2	-	-	1	1	-	-
205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16	4	1	1	-	1	3	-	2	2	10	8	8	1	4	-	-	-
	10	3	1	-	-	1	1	1	3	3	3	5	4	4	4	2	-	-
205 _a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	3	-	-	-	1	2	-	1	5	7	6	1	3	-	-	-	-
	1	-	-	-	-	1	1	-	1	2	2	3	2	4	4	2	-	-
205 _b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	1	1	1	-	-	1	-	-	1	5	1	2	-	1	-	-	-
	9	3	1	-	-	-	-	1	-	1	1	2	2	-	-	-	-	-

Abridged Int. List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			THE STATE.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
		All Causes.²	49,466	62	24	67	127	41	1	116	63	100
1		Typhoid fever (1)	68	-	-	-	1	-	-	-	-	-
2		Malaria (5)	2	-	-	-	-	-	-	-	-	-
3		Smallpox (6)	2	-	-	-	-	-	-	-	-	-
4		Measles (7)	165	-	-	-	-	-	-	-	-	-
5		Scarlet fever (8)	158	-	-	-	-	-	-	-	-	-
6		Whooping cough (9)	147	-	-	-	-	-	-	-	-	-
7		Diphtheria and croup (10)	534	-	-	2	-	-	-	5	-	-
8		Influenza (11)	277	-	-	2	5	1	-	2	-	2
9		Erysipelas (21)	118	-	-	-	1	-	-	-	-	-
(12)		Poliomyelitis (22)	27	-	-	-	-	-	-	-	-	-
(37)		Other epidemic diseases (2-4, 12-20, 23, 25, 42)	102	-	-	-	-	-	-	-	-	-
(12)		Meningitis (24, 71)	209	-	-	-	2	1	-	1	-	-
17		Tuberculosis of the lungs (31)	2,953	3	-	5	4	1	-	5	1	6
13		Tuberculous meningitis (32)	249	-	-	-	1	-	-	1	-	-
14		Other forms of tuberculosis (33-37)	328	1	-	-	-	-	-	-	1	-
15		Cancer (43-49)	5,074	11	2	7	11	3	-	6	11	12
16		Rheumatism (51, 52)	174	-	-	1	-	-	-	-	-	-
(37)		Diabetes (57)	772	3	-	-	5	1	-	3	-	1
(37)		Alcoholism (66)	287	-	-	1	1	-	-	1	-	1
18		Cerebral hemorrhage and softening (74, 83)	4,733	8	5	6	9	8	-	20	8	18
(37)		Endocarditis and myocarditis (acute) (88)	435	2	-	-	1	1	-	1	-	-
(37)		Angina pectoris (89)	712	-	-	-	1	1	-	4	2	4
19		Other diseases of the heart (90)	7,597	10	6	8	18	7	1	14	11	11
(37)		Diseases of the arteries (91)	1,884	2	2	1	4	2	-	4	4	2
20, 21		Bronchitis (99)	350	-	1	-	3	-	-	1	2	1
(23)		Bronchopneumonia (100)	2,418	1	-	4	1	3	-	7	4	6
22		Pneumonia (101)	1,944	1	-	2	5	1	-	2	3	1
(23)		Other respiratory diseases (60, 61, 97, 98, 102-107)	315	-	-	-	2	-	-	-	-	1
24		Diseases of the stomach (111, 112)	371	-	-	-	2	1	-	-	-	-
25		Diarrhea and enteritis (under 2 years) (113)	772	-	-	5	2	-	-	-	-	1
26		Appendicitis (117)	565	-	-	2	3	-	-	-	-	1
27		Hernia, intestinal obstruction (118)	422	-	-	-	2	1	-	-	-	1
28		Cirrhosis of the liver (122)	177	-	-	-	1	-	-	-	-	-
29		Nephritis and Bright's disease (128, 129)	3,227	9	1	2	5	1	-	12	3	9
30		Noncancerous tumors and other diseases of the female genital organs (137-141)	191	-	-	2	2	-	-	1	-	-
31		Puerperal fever (146)	161	-	-	-	-	-	-	-	-	-
32		Other puerperal affections (143-145, 147-150)	383	-	-	1	-	-	-	-	-	-
33		Congenital debility and malformations (159-161a)	2,492	-	5	3	10	2	-	8	1	3
34		Senility (164)	133	1	-	-	1	-	-	-	-	-
(35)		Violent deaths (excluding suicide and homicide) (175-196, 201-203)	2,879	2	1	4	10	1	-	6	2	9
(35)		Burns (conflagration excepted) (179)	257	-	-	-	1	-	-	-	-	-
(35)		Accidental drowning (182)	354	-	-	-	1	1	-	2	-	4
(35)		Traumatism by fall (185)	674	-	-	2	4	-	-	1	-	-
(35)		Railroad accidents and injuries (188a)	89	-	1	-	-	-	-	-	-	2
(35)		Automobile accidents and injuries (188c)	705	2	-	2	-	-	-	-	2	2
(35)		All others	800	-	-	-	-	-	-	3	-	1
36		Suicide (165-174)	486	1	-	-	4	1	-	1	2	1
(35)		Homicide (197-200)	109	-	-	-	-	-	-	-	-	-
(37)		All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-153, 161b, 162, 163)	4,941	5	1	9	11	4	-	11	8	9
38		Ill-defined or unknown causes (204, 205)	123	2	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	ATTLEBORO.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
1	253	16	12	9	23	97	254	27	24	38	107	25	11	11	34	29	115	10	14
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	1	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
9	2	-	-	-	-	-	5	1	-	-	2	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	1	-	-
(37)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(12)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
13	9	-	-	-	1	2	34	1	1	1	2	2	1	1	2	1	5	1	-
14	1	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
15	2	-	-	1	-	1	3	1	-	-	-	-	-	-	2	-	1	-	-
16	35	2	3	-	2	13	23	2	3	7	10	3	1	-	-	3	8	2	3
(37)	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-
(37)	3	-	-	-	1	-	1	-	2	-	3	-	-	-	-	-	-	-	-
(37)	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
18	30	5	1	-	6	13	14	1	3	1	12	4	-	1	10	-	19	3	4
(37)	2	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	1
(37)	3	-	-	-	-	-	2	-	-	-	6	-	1	-	-	-	2	-	-
19	42	3	4	3	4	15	40	2	5	10	16	2	1	3	5	6	29	-	2
(37)	13	-	-	-	-	2	2	3	-	4	8	-	1	-	-	8	3	-	-
20, 21	-	1	-	-	-	1	2	-	-	1	3	-	-	-	-	1	-	-	-
(23)	15	-	-	2	5	6	7	2	1	3	1	1	-	1	2	3	5	-	-
22	14	-	-	-	-	7	7	2	1	1	-	3	-	1	2	2	3	-	-
(23)	3	-	-	-	-	1	3	1	-	-	1	-	-	-	-	-	-	-	-
24	5	-	-	-	-	-	1	-	-	2	2	-	1	-	2	-	-	-	-
25	-	-	-	-	-	2	3	1	1	1	-	1	-	-	1	1	-	-	-
26	3	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	-	-	-
27	4	-	-	-	-	-	2	-	-	-	4	-	-	-	-	1	2	-	-
28	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	1	-	-	-
29	13	-	1	1	1	4	18	5	2	-	6	2	3	1	1	3	9	-	1
30	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-
31	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
32	2	-	-	1	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-
33	8	-	-	-	-	6	12	-	1	1	3	-	1	-	1	-	5	-	1
34	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-
(35)	15	3	2	-	-	4	19	2	2	2	11	-	-	-	1	1	2	-	-
(35)	2	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-
(35)	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-
(35)	5	-	-	-	-	1	5	-	1	1	1	-	-	-	1	-	1	-	-
(35)	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
(35)	4	-	1	-	-	-	3	-	-	1	6	-	-	-	-	1	-	-	-
(35)	3	1	1	-	-	1	7	2	1	-	1	-	-	-	-	-	-	-	-
36	2	-	-	-	1	-	4	1	1	-	2	-	-	1	-	-	2	-	1
(35)	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
(37)	23	1	-	-	2	12	26	2	1	3	8	3	-	1	4	4	7	1	1
38	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	3	-	-

* Exclusive of stillbirths.

Abridged Int. List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Barnardston.	BEVERLY.	Billerica.	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford.
		All Causes. ²	8	267	52	38	6	9	10937	43	3	5
1		Typhoid fever (1)	-	1	-	-	-	-	15	-	-	-
3		Malaria (5)	-	-	-	-	-	-	1	-	-	-
4		Smallpox (6)	-	-	-	-	-	-	-	-	-	-
5		Measles (7)	-	-	2	-	-	-	41	-	-	-
6		Scarlet fever (8)	-	-	-	-	-	-	52	-	-	-
7		Whooping cough (9)	-	-	-	-	-	-	21	-	-	-
8		Diphtheria and croup (10)	-	-	-	-	-	1	178	-	-	-
9		Influenza (11)	-	1	-	-	-	-	23	-	-	-
(12)		Erysipelas (21)	-	2	-	-	-	-	32	-	-	-
(37)		Poliomyelitis (22)	-	-	-	-	-	-	6	-	-	-
(12)		Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	-	-	-	-	-	27	-	-	-
17		Meningitis (24, 71)	-	1	-	-	-	-	63	-	-	-
13		Tuberculosis of the lungs (31)	-	13	5	3	-	-	642	7	-	-
14		Tuberculous meningitis (32)	-	-	-	-	-	-	73	-	-	-
15		Other forms of tuberculosis (33-37)	-	-	-	-	-	-	73	-	-	-
16		Cancer (43-49)	1	32	5	4	-	-	1,195	7	-	1
(37)		Rheumatism (51, 52)	-	-	-	-	-	1	44	-	-	-
(37)		Diabetes (57)	-	5	-	2	-	-	188	2	-	-
(37)		Alcoholism (66)	-	-	-	-	-	-	136	-	-	-
18		Cerebral hemorrhage and softening (74, 83)	1	36	5	2	-	2	823	4	2	3
(37)		Endocarditis and myocarditis (acute) (88)	-	1	-	-	-	-	76	-	-	-
(37)		Angina pectoris (89)	-	6	1	-	-	-	77	-	-	-
19		Other diseases of the heart (90)	-	60	13	6	3	3	1,646	6	-	1
20		Diseases of the arteries (91)	-	3	5	-	-	-	240	1	-	-
21		Bronchitis (99)	-	1	2	-	-	-	43	-	1	-
(23)		Bronchopneumonia (100)	1	9	-	1	1	-	640	1	-	-
22		Pneumonia (101)	1	13	-	2	-	-	481	3	-	-
(23)		Other respiratory diseases (60, 61, 97, 98, 102-107)	1	2	-	-	-	-	75	2	-	-
24		Diseases of the stomach (111, 112)	1	-	-	1	-	-	79	-	-	-
25		Diarrhea and enteritis (under 2 years) (113)	-	2	1	-	-	-	156	-	-	-
26		Appendicitis (117)	-	2	-	-	-	-	156	-	-	-
27		Hernia, intestinal obstruction (118)	-	1	-	-	-	-	117	-	-	-
28		Cirrhosis of the liver (122)	-	1	-	-	-	-	50	-	-	-
29		Nephritis and Bright's disease (128, 129)	-	18	1	5	1	-	617	1	-	-
30		Noncancerous tumors and other diseases of the female genital organs (137-141)	-	1	-	-	-	-	62	-	-	-
31		Puerperal fever (146)	-	2	-	-	-	-	43	-	-	-
32		Other puerperal affections (143-145, 147-150)	-	1	-	-	-	-	104	-	-	-
33		Congenital debility and malformations (159-161a)	-	9	4	3	-	-	577	1	-	-
34		Senility (164)	1	-	-	-	-	-	3	-	-	-
(35)		Violent deaths (excluding suicide and homicide) (175-196, 201-203)	1	9	3	4	-	2	677	1	-	-
(35)		Burns (conflagration excepted) (179)	-	-	1	-	-	-	72	-	-	-
(35)		Accidental drowning (182)	-	-	1	2	-	2	53	-	-	-
(35)		Traumatism by fall (185)	-	5	-	2	-	-	177	1	-	-
(35)		Railroad accidents and injuries (188a)	-	-	-	-	-	-	16	-	-	-
(35)		Automobile accidents and injuries (188c)	-	3	1	-	-	-	144	-	-	-
(35)		All others	1	1	-	-	-	-	215	-	-	-
36		Suicide (165-174)	-	3	-	-	-	-	110	1	-	-
(35)		Homicide (197-200)	-	1	-	-	-	-	36	1	-	-
(37)		All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	-	31	3	5	1	-	1,223	4	-	-
38		Ill-defined or unknown causes (204, 205)	-	-	2	-	-	-	16	1	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	BROCKTON.	Brookfield.	Brookline.	Buckland.	Burlington.	CAMBRIDGE.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	CHELSEA.
1	5	159	13	143	7	721	19	444	19	3	1436	81	5	10	14	29	15	55	568
3	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	1	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	4
6	-	-	-	1	-	-	-	3	-	-	1	-	-	-	-	1	-	-	1
7	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1
8	-	1	-	-	-	8	-	-	-	-	9	-	-	-	-	-	-	-	3
9	-	2	-	1	-	5	-	3	-	-	3	-	-	-	-	-	-	2	-
(12)	-	-	-	-	-	6	-	1	-	-	5	-	-	-	-	-	-	-	-
(37)	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	1
17	-	-	-	-	-	5	-	-	-	-	6	-	-	-	-	-	-	-	2
13	-	49	-	10	-	22	-	12	-	1	122	3	-	-	1	2	-	3	39
14	-	-	-	-	-	5	-	1	-	-	5	2	-	-	-	-	-	-	1
15	-	3	-	4	-	5	-	7	-	-	15	3	-	-	-	-	1	7	2
16	1	13	1	6	1	93	2	91	4	-	161	13	-	2	-	2	2	7	64
(37)	-	1	-	-	-	5	-	1	-	-	8	-	-	-	-	-	-	-	2
(37)	-	-	-	-	-	21	-	11	1	-	21	-	-	-	-	-	2	1	5
(37)	-	-	-	4	-	4	-	-	-	-	12	1	-	-	-	1	-	-	3
18	2	20	2	23	2	69	3	39	3	-	132	7	-	1	-	6	2	2	41
(37)	-	1	-	1	-	7	-	6	-	-	16	-	-	-	-	-	3	-	1
(37)	-	2	1	-	-	12	-	11	1	-	19	-	-	-	2	2	3	-	9
19	1	15	5	46	2	97	3	89	4	1	245	9	3	2	5	6	-	6	92
(37)	-	12	-	4	-	17	1	10	-	-	49	-	1	-	1	1	1	6	32
20, 21	-	-	-	2	-	9	-	1	-	-	6	-	-	1	-	-	-	-	4
(23)	-	7	-	4	-	19	-	13	2	-	59	5	-	1	-	-	-	2	33
22	-	4	2	4	1	23	-	13	1	-	49	1	-	1	1	2	-	2	36
(23)	-	-	-	-	-	6	-	3	-	-	7	1	-	1	1	-	-	-	-
24	-	-	-	-	-	4	1	4	-	-	6	-	-	-	-	1	1	-	4
25	-	2	-	-	-	6	-	1	-	-	10	1	-	-	1	1	-	3	2
26	-	-	-	-	-	13	-	6	-	-	17	-	-	-	-	-	-	-	4
27	-	1	-	1	-	6	-	6	-	-	13	3	-	-	-	-	-	-	2
28	-	1	-	1	-	3	-	1	-	1	4	-	-	-	-	-	-	-	3
29	-	6	-	9	-	53	4	33	1	-	97	11	-	-	1	1	2	8	46
30	-	-	-	-	-	3	-	7	-	-	5	-	-	-	-	-	-	-	2
31	-	1	-	-	-	7	-	-	-	-	4	-	-	-	-	-	-	-	3
32	-	-	-	-	1	5	-	4	-	-	9	-	-	-	-	-	-	-	6
33	1	4	-	2	-	56	2	6	-	-	80	8	1	-	-	-	-	2	24
34	-	-	-	1	-	4	-	-	-	-	1	-	-	-	-	-	-	1	-
(35)	-	7	1	2	-	47	1	15	-	-	88	9	-	1	-	-	-	1	39
(35)	-	1	-	-	-	6	-	2	-	-	15	-	-	-	-	-	-	-	2
(35)	-	3	-	1	-	1	-	-	-	-	2	-	-	1	-	-	-	-	6
(35)	-	-	-	-	-	9	1	9	-	-	18	-	-	-	-	-	-	-	9
(35)	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
(35)	-	1	-	-	-	17	-	1	-	-	28	-	-	-	-	-	1	-	13
(35)	-	2	1	1	-	12	-	3	-	-	23	9	-	-	-	-	-	-	9
36	-	2	-	2	-	5	-	3	-	-	8	-	-	-	2	-	-	1	5
(35)	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-
(37)	-	3	1	15	-	68	-	41	2	-	130	4	-	-	1	3	1	4	51
38	-	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1

² Exclusive of stillbirths.

Abridged Int. List No.	Table 15	DEATHS FROM									
		Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	CAUSE OF DEATH. ¹										
	All Causes.²	17	14	2	352	5	7	158	30	11	74
1	Typhoid fever (1)	-	-	-	-	-	-	-	-	-	1
3	Malaria (5)	-	-	-	-	-	-	-	-	-	-
4	Smallpox (6)	-	-	-	-	-	-	-	-	-	-
5	Measles (7)	-	-	-	10	-	-	-	-	-	-
6	Scarlet fever (8)	-	-	-	1	-	-	1	-	-	-
7	Whooping cough (9)	-	-	-	6	-	-	-	-	-	1
8	Diphtheria and croup (10)	-	-	-	10	-	-	3	-	-	-
9	Influenza (11)	-	-	-	3	-	-	1	-	-	-
(12)	Erysipelas (21)	-	-	-	1	-	-	1	-	-	-
(37)	Poliomyelitis (22)	-	-	-	-	-	-	-	-	-	-
(12)	Other epidemic diseases (2-4, 12-20, 23, 25, 42)	1	-	-	1	-	-	-	-	-	-
17	Meningitis (24, 71)	-	-	-	-	-	-	1	-	-	1
13	Tuberculosis of the lungs (31)	-	-	-	34	-	2	1	2	1	2
14	Tuberculous meningitis (32)	-	-	-	6	-	-	1	-	-	1
15	Other forms of tuberculosis (33-37)	-	-	-	5	-	-	3	-	-	-
16	Cancer (43-49)	2	2	1	34	-	-	20	1	2	4
(37)	Rheumatism (51, 52)	1	-	-	1	-	-	-	-	-	-
(37)	Diabetes (57)	-	-	-	3	-	-	2	2	-	2
(37)	Alcoholism (66)	-	-	-	4	-	-	-	-	-	-
18	Cerebral hemorrhage and softening (74, 83)	1	2	-	15	-	1	12	5	1	5
(37)	Endocarditis and myocarditis (acute) (88)	-	1	-	3	-	1	1	-	-	3
(37)	Angina pectoris (89)	-	-	-	4	1	-	3	-	-	-
19	Other diseases of the heart (90)	4	2	-	55	3	2	16	4	1	16
(37)	Diseases of the arteries (91)	-	-	-	4	-	-	8	1	-	2
20, 21	Bronchitis (99)	1	-	-	5	-	-	5	1	-	-
(23)	Bronchopneumonia (100)	-	-	-	22	-	-	7	4	2	1
22	Pneumonia (101)	2	-	-	8	-	-	10	1	-	-
(23)	Other respiratory diseases (60, 61, 97, 98, 102-107)	-	-	-	3	-	-	2	2	-	-
24	Diseases of the stomach (111, 112)	-	-	-	1	-	-	2	-	-	-
25	Diarrhea and enteritis (under 2 years) (113)	-	1	-	20	-	-	4	-	-	-
26	Appendicitis (117)	-	-	-	-	-	-	2	-	-	2
27	Hernia, intestinal obstruction (118)	-	-	-	1	-	-	2	-	-	-
28	Cirrhosis of the liver (122)	-	-	-	2	-	-	-	1	-	-
29	Nephritis and Bright's disease (128, 129)	2	1	-	21	1	-	10	4	2	3
30	Noncancerous tumors and other diseases of the female genital organs (137-141)	-	-	-	-	-	-	1	-	-	-
31	Puerperal fever (146)	-	-	-	3	-	-	-	-	-	1
32	Other puerperal affections (143-145, 147-150)	-	-	-	1	-	-	1	-	-	1
33	Congenital debility and malformations (159-161a)	-	1	-	20	-	-	8	-	-	5
34	Senility (164)	-	-	-	-	-	-	2	-	-	-
(35)	Violent deaths (excluding suicide and homicide) (175-196, 201-203)	1	3	1	15	-	1	11	1	-	8
(35)	Burns (conflagration excepted) (179)	-	-	-	1	-	-	4	-	-	1
(35)	Accidental drowning (182)	-	-	-	5	-	1	1	-	-	-
(35)	Traumatism by fall (185)	1	-	-	2	-	-	4	1	-	2
(35)	Railroad accidents and injuries (188a)	-	1	-	1	-	-	-	-	-	-
(35)	Automobile accidents and injuries (188c)	-	-	-	1	-	-	1	-	-	3
(35)	All others	-	2	1	5	-	-	1	-	-	2
36	Suicide (165-174)	-	-	-	2	-	-	-	-	-	-
(35)	Homicide (197-200)	-	-	-	1	-	-	-	-	-	-
(37)	All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	2	1	-	27	-	-	17	1	2	15
38	Ill-defined or unknown causes (204, 205)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	Conway.	Cumington.	Dalton.	Dana.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
1	17	3	47	11	294	94	110	19	30	23	26	6	81	32	3	30	47	9	26
3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-
6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	2	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
8	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
9	-	-	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1
(12)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
17	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
13	1	-	1	1	26	4	4	-	1	2	2	-	5	2	-	-	4	-	-
14	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	2	1	5	2	18	10	27	1	4	1	3	-	7	3	-	2	7	-	-
(37)	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-
(37)	-	1	1	-	4	3	2	-	-	-	1	-	-	1	-	1	1	-	-
(37)	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
18	1	-	6	2	25	6	7	1	6	-	3	3	8	6	1	8	4	2	3
(37)	-	-	1	2	2	1	-	-	-	-	-	-	2	-	-	1	-	1	1
(37)	-	-	-	-	3	2	2	-	-	-	1	-	-	-	-	2	-	-	2
19	1	1	10	1	34	12	24	3	2	7	3	-	16	2	-	6	12	1	4
(37)	-	-	-	1	33	5	5	2	1	-	-	1	7	5	-	1	1	-	1
(37)	-	-	-	-	4	2	1	-	2	2	-	-	2	1	-	1	-	-	1
(23)	1	-	1	1	19	7	2	-	2	-	-	-	6	2	-	3	-	1	1
22	1	-	2	-	9	2	4	3	4	2	1	-	2	-	-	-	2	1	4
(23)	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	-
25	-	-	-	-	-	4	-	2	-	2	-	-	2	-	-	-	-	-	-
26	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
29	7	-	8	-	19	3	5	1	-	1	2	-	4	3	1	2	2	3	4
30	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1	-	-	1	5	5	4	1	-	-	1	-	4	2	-	1	-	-	1
34	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(35)	-	-	1	1	10	5	10	2	2	-	-	2	4	1	-	2	5	1	2
(35)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(35)	-	-	-	1	1	1	4	1	1	-	-	1	1	-	-	-	1	1	-
(35)	-	-	-	-	4	1	1	-	1	-	-	-	-	-	-	-	1	-	-
(35)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	-	-	-	-	1	2	4	-	-	-	-	-	1	-	-	-	1	-	1
(35)	-	-	-	-	4	1	-	1	-	-	-	1	2	1	-	-	2	-	1
36	1	-	-	-	5	3	1	1	-	1	1	-	3	-	-	-	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
(37)	1	-	3	-	63	11	6	-	2	4	1	-	4	1	1	2	-	-	1
38	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-

² Exclusive of stillbirths.

Abridged Int. List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Eastham.	Easthampton.	Easton.	Edgartown.	Egremont.	Enfield.	Erving.	Essex.	EVERETT.	Fairhaven.
		All Causes.²	9	101²	47	25	5	10	5	15	325	111
1		Typhoid fever (1)	-	-	-	-	-	-	-	-	1	-
3		Malaria (5)	-	-	-	-	-	-	-	-	-	-
4		Smallpox (6)	-	-	-	-	-	-	-	-	-	-
5		Measles (7)	-	-	-	-	-	-	-	-	4	-
6		Scarlet fever (8)	-	1	-	-	-	-	-	-	1	-
7		Whooping cough (9)	-	-	-	-	-	-	-	-	-	3
8		Diphtheria and croup (10)	-	1	-	-	-	-	-	-	1	2
9		Influenza (11)	-	1	-	-	-	-	-	-	1	-
(12)		Erysipelas (21)	-	-	-	-	-	-	-	-	2	2
(37)		Poliomyelitis (22)	-	-	-	-	-	-	-	-	-	-
(12)		Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	-	-	-	-	-	-	-	2	-
17		Meningitis (24, 71)	-	-	-	-	-	-	-	-	1	-
13		Tuberculosis of the lungs (31)	-	4	3	1	-	-	-	-	13	5
14		Tuberculous meningitis (32)	-	1	-	-	-	-	-	-	1	-
15		Other forms of tuberculosis (33-37)	-	2	-	-	-	-	-	-	4	-
16		Cancer (43-49)	1	11	4	3	-	2	2	1	28	14
(37)		Rheumatism (51, 52)	-	-	-	-	-	-	-	-	-	1
(37)		Diabetes (57)	-	-	4	-	-	-	-	-	6	1
(37)		Alcoholism (66)	-	-	-	-	-	-	-	-	1	1
18		Cerebral hemorrhage and softening (74, 83)	1	9	6	-	1	3	1	2	32	10
(37)		Endocarditis and myocarditis (acute) (88)	-	3	-	-	1	-	-	-	3	3
(37)		Angina pectoris (89)	1	2	-	1	-	-	1	-	7	1
19		Other diseases of the heart (90)	2	16	7	6	-	3	-	3	59	14
(37)		Diseases of the arteries (91)	2	2	2	7	-	1	-	2	31	9
20, 21		Bronchitis (99)	1	3	-	-	-	-	-	-	1	3
(23)		Bronchopneumonia (100)	-	8	1	1	-	-	-	2	12	5
22		Pneumonia (101)	-	2	1	1	-	-	-	1	24	2
(23)		Other respiratory diseases (60, 61, 97, 98, 102-107)	-	1	-	1	-	-	-	-	1	1
24		Diseases of the stomach (111, 112)	-	1	-	-	-	-	-	-	3	-
25		Diarrhea and enteritis (under 2 years) (113)	-	5	2	-	-	-	-	-	2	5
26		Appendicitis (117)	-	-	-	1	-	-	-	-	2	-
27		Hernia, intestinal obstruction (118)	-	-	-	-	-	-	-	-	2	1
28		Cirrhosis of the liver (122)	-	-	-	-	-	-	-	-	-	2
29		Nephritis and Bright's disease (128, 129)	-	9	6	2	-	1	-	3	18	8
30		Noncancerous tumors and other diseases of the female genital organs (137-141)	-	-	-	-	-	-	-	-	-	-
31		Puerperal fever (146)	-	-	-	-	-	-	-	-	-	-
32		Other puerperal affections (143-145, 147-150)	-	-	1	-	-	-	-	-	2	1
33		Congenital debility and malformations (159-161a)	-	5	2	-	1	-	-	-	16	6
34		Senility (164)	-	-	-	1	-	-	-	-	-	-
(35)		Violent deaths (excluding suicide and homicide) (175-196, 201-203)	1	5	3	-	-	-	-	1	16	3
(35)		Burns (conflagration excepted) (179)	-	-	-	-	-	-	-	-	1	1
(35)		Accidental drowning (182)	-	3	-	-	-	-	-	-	-	-
(35)		Traumatism by fall (185)	-	1	-	-	-	-	-	-	2	-
(35)		Railroad accidents and injuries (188a)	-	-	-	-	-	-	-	-	1	-
(35)		Automobile accidents and injuries (188c)	-	1	2	-	-	-	-	-	4	-
(35)		All others	1	-	1	-	-	-	-	1	8	2
36		Suicide (165-174)	-	-	2	-	-	-	-	-	5	-
(35)		Homicide (197-200)	-	-	-	-	-	-	-	-	-	-
(37)		All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	-	9	3	-	2	-	1	-	23	8
38		Ill-defined or unknown causes (204, 205)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	FALL RIVER.	Falmouth.	FITCHBURG.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	GARDNER.	Gay Head.	Georgetown.	Gill.	GLOUCESTER.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
1	1,602	52	503	1	95	268	72	21	241	-	18	10	300	4	-	114	6	3	88
3	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	3	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-
6	2	-	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
7	22	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	18	-	8	-	-	1	-	-	2	-	-	-	8	-	-	1	-	-	-
9	8	-	2	-	-	1	2	-	-	-	1	-	2	-	-	1	-	-	2
(12)	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(37)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
17	11	-	1	-	-	2	-	-	3	-	-	-	3	-	-	-	-	-	-
13	93	3	32	-	2	11	4	1	16	-	-	1	3	2	-	25	-	-	5
14	9	-	1	-	-	3	-	-	1	-	1	-	1	-	-	1	-	-	1
15	10	-	2	-	-	1	-	-	4	-	-	-	1	-	-	1	-	-	-
16	143	3	51	-	4	18	8	2	38	-	2	1	39	-	-	6	2	-	6
(37)	4	-	4	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-
(37)	34	1	5	-	1	7	-	-	2	-	-	-	3	-	-	3	-	-	1
(37)	8	-	1	-	-	1	-	-	2	-	-	1	-	-	-	1	-	-	-
18	137	13	27	1	12	20	14	5	24	-	5	-	34	-	-	10	3	1	11
(37)	16	-	2	-	2	6	-	-	6	-	-	-	4	-	-	2	-	-	-
(37)	37	1	8	-	1	4	2	1	2	-	-	-	3	-	-	-	-	-	4
19	163	7	89	-	20	47	14	3	34	-	2	4	60	2	-	21	1	1	13
(37)	39	1	8	-	5	4	1	1	6	-	2	-	6	-	-	3	-	-	1
20,21	36	-	2	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-
(22)	111	2	19	-	11	15	3	-	9	-	1	1	15	-	-	1	-	1	3
(23)	52	1	24	-	3	13	3	2	2	-	1	-	8	-	-	3	-	-	5
(23)	13	1	4	-	1	-	-	-	2	-	-	-	5	-	-	-	-	-	-
24	10	-	1	-	-	3	-	-	6	-	-	-	5	-	-	3	-	-	2
25	83	-	16	-	-	1	1	-	7	-	-	-	4	-	-	-	-	-	1
26	19	-	14	-	-	3	-	-	9	-	-	-	2	-	-	-	-	-	6
27	10	2	6	-	-	6	-	-	-	-	-	-	2	-	-	1	-	-	1
28	7	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
29	130	1	27	-	4	13	8	2	16	-	1	-	21	-	-	6	-	-	4
30	8	-	5	-	-	2	-	-	1	-	-	-	2	-	-	-	-	-	2
31	3	-	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
32	13	-	7	-	-	1	1	-	1	-	-	-	2	-	-	1	-	-	1
33	105	2	32	-	-	17	3	1	17	-	-	-	11	-	-	3	-	-	7
34	5	-	3	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-
(35)	74	6	26	-	3	28	2	1	7	-	-	1	17	-	-	3	-	-	3
(35)	8	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
(35)	11	3	6	-	1	1	-	-	-	-	-	-	8	-	-	1	-	-	-
(35)	18	1	5	-	1	5	1	-	1	-	-	-	3	-	-	1	-	-	-
(35)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	19	1	4	-	-	14	1	1	3	-	-	-	4	-	-	-	-	-	-
(35)	16	1	7	-	1	7	-	-	3	-	-	1	2	-	-	1	-	-	1
36	10	2	7	-	1	5	-	-	3	-	-	-	2	-	-	-	-	-	-
(35)	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(37)	148	4	50	-	24	27	6	1	17	-	2	1	23	-	-	14	-	-	9
38	3	1	1	-	-	3	-	-	-	-	-	-	1	-	-	1	-	-	-

² Exclusive of stillbirths.

Abridged Int. List No.	Table 15	DEATHS FROM									
		Greenfield.	Greenwich.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	CAUSE OF DEATH. ¹										
	All Causes.²	163	9	24	41	23	6	13	4	5	28
1	Typhoid fever (1)	-	-	-	-	-	-	-	-	-	-
3	Malaria (5)	-	-	-	-	-	-	-	-	-	-
4	Smallpox (6)	-	-	-	-	-	-	-	-	-	-
5	Measles (7)	4	-	-	1	-	-	-	-	-	-
6	Scarlet fever (8)	1	-	-	-	-	-	-	-	-	-
7	Whooping cough (9)	-	-	-	-	-	-	-	-	-	1
8	Diphtheria and croup (10)	1	-	-	1	-	-	-	-	-	-
9	Influenza (11)	1	-	-	1	-	-	-	-	-	1
(12)	Erysipelas (21)	-	-	-	-	-	-	-	-	-	-
(37)	Poliomyelitis (22)	-	-	-	-	-	-	-	-	-	1
(12)	Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	-	-	-	-	-	-	-	-	-
17	Meningitis (24, 71)	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the lungs (31)	6	-	-	-	-	-	1	1	1	-
14	Tuberculous meningitis (32)	-	-	-	-	-	-	-	-	-	-
15	Other forms of tuberculosis (33-37)	-	-	-	-	-	-	-	-	-	-
16	Cancer (43-49)	16	2	5	3	3	-	2	-	-	3
(37)	Rheumatism (51, 52)	-	-	-	-	1	-	1	-	-	-
(37)	Diabetes (57)	-	-	-	-	-	-	-	-	-	-
(37)	Alcoholism (66)	2	-	-	-	-	-	-	-	-	-
18	Cerebral hemorrhage and softening (74, 83)	21	-	2	12	1	-	-	-	-	3
(37)	Endocarditis and myocarditis (acute) (88)	1	-	1	-	-	-	-	-	-	-
(37)	Angina pectoris (89)	3	-	-	1	-	-	-	-	-	-
19	Other diseases of the heart (90)	23	2	3	3	2	-	5	1	1	5
(37)	Diseases of the arteries (91)	3	-	1	7	-	2	-	-	-	-
20, 21	Bronchitis (99)	4	-	-	1	-	-	-	-	-	-
(23)	Bronchopneumonia (100)	5	-	3	3	2	1	-	1	1	1
22	Pneumonia (101)	3	-	-	2	-	1	1	-	1	4
(23)	Other respiratory diseases (60, 61, 97, 98, 102-107)	1	-	-	-	-	-	-	-	-	-
24	Diseases of the stomach (111, 112)	2	3	-	-	-	-	-	-	-	1
25	Diarrhea and enteritis (under 2 years) (113)	-	-	-	-	-	-	-	-	-	-
26	Appendicitis (117)	3	-	1	-	-	-	-	-	-	-
27	Hernia, intestinal obstruction (118)	2	-	-	1	-	-	-	-	-	-
28	Cirrhosis of the liver (122)	1	-	-	-	-	-	-	-	-	-
29	Nephritis and Bright's disease (128, 129)	10	1	3	2	2	-	-	-	1	3
30	Noncancerous tumors and other diseases of the female genital organs (137-141)	-	-	-	-	-	-	-	-	-	-
31	Puerperal fever (146)	-	-	1	-	-	-	-	-	-	-
32	Other puerperal affections (143-145, 147-150)	1	-	-	-	-	-	-	-	-	-
33	Congenital debility and malformations (159-161a)	14	-	-	2	3	-	1	-	-	-
34	Senility (164)	3	-	1	-	-	-	-	-	-	-
(35)	Violent deaths (excluding suicide and homicide) (175-196, 201-203)	16	1	2	1	1	1	-	-	-	1
(35)	Burns (conflagration excepted) (179)	1	-	-	-	1	-	-	-	-	-
(35)	Accidental drowning (182)	-	-	1	1	-	1	-	-	-	-
(35)	Traumatism by fall (185)	5	-	-	-	-	-	-	-	-	-
(35)	Railroad accidents and injuries (188a)	1	-	-	-	-	-	-	-	-	-
(35)	Automobile accidents and injuries (188c)	3	1	-	-	-	-	-	-	-	-
(35)	All others	6	-	1	-	-	-	-	-	-	1
36	Suicide (165-174)	1	-	1	1	-	-	1	-	-	1
(35)	Homicide (197-200)	-	-	1	-	-	-	-	-	-	-
(37)	All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	14	-	2	2	3	1	1	1	-	3
38	Ill-defined or unknown causes (204, 205)	1	-	-	-	2	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
1	67	19	11	36	21	643	5	6	55	8	41	50	3	27	804	32	39	14	76
2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	6	-	-	-	5
6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1
7	-	-	-	-	-	3	-	-	-	-	-	1	-	-	7	-	-	-	-
8	-	-	-	-	-	10	-	-	-	-	-	-	-	-	9	-	-	-	-
9	-	-	-	1	-	5	-	-	-	-	1	-	-	-	9	-	-	-	-
(12)	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1
(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	2	-	-	-	-	-	-	1	-	-	2	-	-	-	-
17	-	-	-	-	-	1	-	-	-	-	-	-	-	-	6	-	-	-	-
13	29	-	-	1	-	22	-	1	-	2	3	1	-	1	44	1	1	-	2
14	-	-	-	-	-	1	-	-	-	-	-	-	-	-	5	-	-	-	1
15	2	1	-	1	-	5	-	-	1	-	-	-	-	-	8	-	-	-	-
16	5	2	-	3	-	86	-	1	4	-	6	4	-	3	76	4	5	2	7
(37)	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	1	-	-
(37)	-	1	-	-	-	12	-	-	1	-	1	1	-	-	21	1	-	1	1
(37)	-	-	-	-	-	1	-	-	-	-	1	-	-	-	4	-	-	-	-
18	1	2	4	9	2	65	2	1	9	1	5	4	2	1	61	6	10	2	12
(37)	-	-	-	-	-	11	-	-	-	-	-	-	-	-	6	-	-	-	-
(37)	2	-	-	-	-	13	-	-	1	-	-	1	-	2	12	2	1	-	2
19	10	3	2	4	6	104	2	1	15	1	9	11	1	9	103	1	7	4	8
(37)	2	1	2	1	-	23	-	-	1	1	3	2	-	-	12	1	4	-	-
20, 21	-	-	-	-	-	1	-	-	-	1	-	-	-	-	4	-	-	-	1
(23)	2	2	2	2	1	29	-	-	2	-	1	1	-	-	52	-	1	-	7
22	5	2	-	1	-	18	-	-	5	-	-	4	-	1	28	7	-	1	3
(23)	1	-	-	-	-	5	-	-	-	-	-	-	-	-	7	-	-	-	-
24	-	-	-	1	-	2	-	-	-	-	-	-	-	-	6	1	-	-	-
25	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23	-	-	-	1
26	-	-	-	-	-	7	-	-	-	-	-	2	-	-	15	-	-	-	-
27	-	-	1	-	-	6	-	-	-	-	-	-	-	-	9	-	-	-	-
28	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5	-	-	-	-
29	2	2	-	4	1	38	-	-	2	1	4	2	-	6	55	3	3	-	5
30	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-
32	-	-	-	-	-	9	-	-	-	-	-	2	-	-	7	-	-	-	-
33	-	-	-	-	2	25	1	2	-	-	1	2	-	-	51	-	-	-	3
34	-	-	-	-	-	1	-	-	-	-	2	-	-	1	3	-	-	-	-
(35)	3	1	-	3	2	45	-	-	4	2	2	4	-	2	37	1	-	1	4
(35)	-	-	-	-	-	1	-	-	-	-	1	1	-	-	5	-	-	-	-
(35)	-	-	-	-	1	4	-	-	-	-	-	1	-	-	3	1	-	-	3
(35)	1	-	-	-	-	10	-	-	2	-	1	-	-	1	13	-	-	-	-
(35)	1	-	-	1	1	2	-	-	1	1	-	-	-	1	1	-	-	-	1
(35)	-	1	-	2	-	16	-	-	-	-	-	1	-	-	5	-	-	1	-
36	-	-	-	-	1	15	-	-	2	-	-	-	-	-	4	-	-	-	-
(35)	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-
(37)	2	1	-	3	1	68	-	-	5	-	2	6	-	1	93	4	5	2	10
38	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1

* Exclusive of stillbirths.

Abridged Int. List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Lancsborough.	LAWRENCE.	Lee.	Leicester.
		All Causes. ²	47	12	70	28	86	9	7	1054	45	41
1		Typhoid fever (1)	-	-	-	-	-	-	-	3	-	-
3		Malaria (5)	-	-	-	-	-	-	-	-	-	-
4		Smallpox (6)	-	-	-	-	-	-	-	-	-	-
5		Measles (7)	-	-	-	-	-	-	-	6	-	1
6		Scarlet fever (8)	-	-	-	-	-	-	-	1	-	-
7		Whooping cough (9)	-	-	-	-	-	-	-	7	-	-
8		Diphtheria and croup (10)	-	1	-	-	1	-	-	31	-	-
9		Influenza (11)	-	1	1	-	-	-	-	9	1	-
(12)		Erysipelas (21)	-	-	-	-	-	-	-	2	-	-
(37)		Poliomyelitis (22)	-	-	-	-	-	-	-	-	-	-
(12)		Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	-	-	-	-	-	-	4	-	-
17		Meningitis (24, 71)	-	-	-	-	-	-	-	10	-	-
13		Tuberculosis of the lungs (31)	2	-	3	-	80	2	1	53	-	2
14		Tuberculous meningitis (32)	-	-	-	-	-	-	-	9	-	-
15		Other forms of tuberculosis (33-37)	-	-	1	-	-	-	-	7	1	-
16		Cancer (43-49)	3	-	7	1	-	1	1	101	3	4
(37)		Rheumatism (51, 52)	-	-	-	-	-	-	-	2	-	-
(37)		Diabetes (57)	2	-	-	1	-	-	-	11	1	-
(37)		Alcoholism (66)	1	-	2	-	-	-	-	5	-	-
18		Cerebral hemorrhage and softening (74, 83)	8	-	8	4	1	1	-	123	5	9
(37)		Endocarditis and myocarditis (acute) (88)	-	-	-	-	1	-	-	9	-	-
(37)		Angina pectoris (89)	-	-	-	2	-	-	-	19	1	1
19		Other diseases of the heart (90)	11	4	7	5	-	1	1	128	7	2
(37)		Diseases of the arteries (91)	2	-	2	-	2	-	-	14	1	1
20, 21		Bronchitis (99)	-	-	1	-	-	-	-	6	-	-
(23)		Bronchopneumonia (100)	-	-	5	2	-	-	1	69	4	2
22		Pneumonia (101)	2	1	1	2	-	-	-	25	4	2
(23)		Other respiratory diseases (60, 61, 97, 98, 102-107)	-	-	-	-	-	-	-	9	1	-
24		Diseases of the stomach (111, 112)	1	-	-	1	-	-	-	3	-	-
25		Diarrhea and enteritis (under 2 years) (113)	-	-	-	1	-	-	-	33	-	-
26		Appendicitis (117)	-	-	-	-	-	-	-	15	-	-
27		Hernia, intestinal obstruction (118)	-	1	-	-	-	-	-	5	-	-
28		Cirrhosis of the liver (122)	-	-	-	-	-	-	-	4	2	-
29		Nephritis and Bright's disease (128, 129)	4	2	8	4	-	1	-	64	6	3
30		Noncancerous tumors and other diseases of the female genital organs (137-141)	-	-	-	-	-	-	-	3	-	-
31		Puerperal fever (146)	-	-	-	-	-	-	-	6	-	-
32		Other puerperal affections (143-145, 147-150)	1	-	-	-	-	-	-	12	-	-
33		Congenital debility and malformations (159-161a)	1	1	7	3	-	-	1	80	-	3
34		Senility (164)	-	-	-	-	-	-	-	1	-	-
(35)		Violent deaths (excluding suicide and homicide) (175-196, 201-203)	6	-	8	1	-	-	1	64	4	7
(35)		Burns (conflagration excepted) (179)	-	-	-	-	-	-	-	7	-	-
(35)		Accidental drowning (182)	3	-	1	1	-	-	-	6	-	2
(35)		Traumatism by fall (185)	-	-	1	-	-	-	1	14	1	1
(35)		Railroad accidents and injuries (188a)	-	-	1	-	-	-	-	2	2	-
(35)		Automobile accidents and injuries (188c)	1	-	3	-	-	-	-	22	-	1
(35)		All others	2	-	2	-	-	-	-	13	1	3
36		Suicide (165-174)	-	-	1	-	-	-	-	10	4	-
(35)		Homicide (197-200)	1	-	-	-	-	-	-	4	-	-
(37)		All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	1	1	8	1	1	3	1	76	-	4
38		Ill-defined or unknown causes (204, 205)	1	-	-	-	-	-	-	11	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	Lenox.	LEOMINSTER.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	LOVELL.	Ludlow.	Lunenburg.	LYNN.	Lynnfield.	MALDEN.	Manchester.	Mansfield.	Marblehead.	Marion.	MARLBOROUGH.
1	18	256	4	62	3	6	15	19	1,545	98	22	1,159	14	511	25	68	127	17	168
3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	1
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	1	1	3	-	-	-	2	-	-	-	-	1
6	-	3	-	-	-	-	-	1	1	-	1	3	-	9	-	-	1	-	-
7	-	3	-	-	-	-	2	-	5	-	-	5	-	3	-	-	-	-	-
8	-	3	-	1	-	-	-	-	10	-	-	8	-	12	-	-	-	-	1
9	-	3	-	-	-	-	-	-	4	2	-	13	-	2	1	-	1	-	2
(12)	-	1	-	-	-	-	-	1	2	-	-	-	-	1	-	-	1	-	1
(37)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
(12)	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	1	-	-
17	-	1	-	-	-	-	-	-	9	-	-	5	-	2	-	-	1	-	3
13	1	8	-	4	-	-	1	1	92	7	1	56	-	24	-	-	1	1	7
14	-	1	-	-	-	-	-	-	9	-	-	5	-	4	-	-	-	-	2
15	-	2	-	-	-	-	-	-	14	-	-	8	-	1	1	-	-	-	-
16	3	17	-	11	-	1	3	1	116	5	-	104	2	57	2	12	12	3	9
(37)	1	2	-	-	-	-	-	-	5	-	-	4	-	2	-	-	1	-	1
(37)	-	5	-	2	-	1	-	-	17	-	-	21	-	3	-	2	3	1	4
(37)	-	2	-	-	-	-	1	1	3	1	-	8	-	-	-	1	-	-	-
18	3	33	-	6	-	-	-	1	133	6	7	120	1	43	1	8	17	4	12
(37)	-	-	-	2	-	-	-	-	21	-	-	6	-	13	-	2	-	-	1
(37)	1	5	1	2	-	-	-	1	16	1	-	22	1	7	1	-	8	-	3
19	1	33	-	10	1	-	2	3	174	12	3	197	5	67	10	17	40	-	28
(37)	-	9	-	7	-	-	1	-	145	-	-	35	1	57	4	1	5	1	10
20, 21	-	2	-	-	-	-	-	-	21	1	-	5	-	-	-	-	-	-	1
(23)	-	14	-	3	-	-	-	-	86	9	1	38	-	26	1	1	4	2	6
22	1	11	1	3	-	3	2	1	35	6	-	55	1	24	-	2	4	-	10
(23)	-	1	-	-	-	-	-	-	11	1	-	4	-	2	-	-	-	-	1
24	-	2	-	-	-	-	-	-	20	-	-	13	-	3	-	-	-	-	2
25	-	7	-	-	-	-	-	-	71	7	-	7	-	2	-	1	-	-	2
26	-	5	-	-	-	-	-	-	24	3	-	12	-	7	1	-	2	-	3
27	-	1	-	-	-	-	-	-	11	1	-	5	-	4	-	-	1	-	2
28	1	1	-	1	-	-	-	-	7	1	-	2	-	2	-	1	2	-	-
29	1	17	1	3	1	-	-	5	92	5	1	76	-	26	-	1	3	1	8
30	-	-	-	-	-	-	-	-	8	-	-	4	-	2	-	-	-	-	1
31	-	3	-	-	-	-	-	-	2	1	-	4	-	3	-	-	-	-	1
32	-	1	-	-	-	-	-	-	10	-	-	11	-	5	-	2	-	-	4
33	1	15	-	1	-	-	2	-	104	12	-	63	-	25	-	1	5	-	14
34	1	3	-	2	-	-	-	-	9	-	-	2	-	1	1	2	-	-	-
(35)	1	18	1	-	1	-	-	-	96	3	4	83	2	22	1	1	2	-	12
(35)	-	1	-	-	-	-	-	-	10	-	-	9	-	3	-	-	-	-	1
(35)	-	1	-	-	-	-	-	-	13	-	3	7	-	1	1	-	-	-	1
(35)	-	7	-	-	-	-	-	-	18	-	1	17	-	5	-	-	-	-	3
(35)	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
(35)	1	2	-	-	-	-	-	-	23	1	-	21	-	7	-	1	1	-	6
(35)	-	7	1	-	1	-	-	-	31	2	-	28	2	5	-	1	1	-	1
36	1	2	-	-	-	-	-	-	8	-	-	13	1	4	-	4	2	-	-
(35)	-	-	-	-	-	-	-	-	3	-	-	2	-	1	-	1	-	-	-
(37)	1	26	-	4	-	1	1	1	140	8	4	134	-	44	1	6	11	3	16
38	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-

² Exclusive of stillbirths.

Abridged Int. List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	MEDFORD.	Medway.	MELROSE.	Mendon.	Merrimac.
		All Causes.²	32	6	23	51	106	438	35	232	11	27
1		Typhoid fever (1)	-	-	-	-	-	-	-	-	-	-
3		Malaria (5)	-	-	-	-	-	-	-	-	-	-
4		Smallpox (6)	-	-	-	-	-	-	-	-	-	-
5		Measles (7)	-	-	-	-	-	1	-	-	-	-
6		Scarlet fever (8)	-	-	-	-	-	1	-	2	-	-
7		Whooping cough (9)	-	-	-	-	-	-	-	-	-	-
8		Diphtheria and croup (10)	-	-	-	1	-	4	-	-	-	-
9		Influenza (11)	-	-	-	-	-	3	3	2	-	-
(12)		Erysipelas (21)	-	-	1	-	1	-	-	-	1	-
(37)		Poliomyelitis (22)	-	-	-	-	-	2	-	-	-	-
(12)		Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	-	-	-	-	-	-	1	-	-
17		Meningitis (24, 71)	-	-	-	1	-	-	-	-	-	-
13		Tuberculosis of the lungs (31)	-	-	1	7	28	13	1	4	-	2
14		Tuberculous meningitis (32)	-	-	-	-	-	-	-	2	-	-
15		Other forms of tuberculosis (33-37)	-	-	-	-	-	1	-	1	-	-
16		Cancer (43-49)	2	1	2	1	5	57	5	24	3	1
(37)		Rheumatism (51, 52)	-	-	-	-	-	3	1	1	-	-
(37)		Diabetes (57)	3	-	-	1	1	3	-	3	-	2
(37)		Alcoholism (66)	-	-	-	-	-	3	-	-	-	-
18		Cerebral hemorrhage and softening (74, 83)	7	1	3	2	5	60	5	30	2	4
(37)		Endocarditis and myocarditis (acute) (88)	-	-	1	2	1	3	-	6	-	-
(37)		Angina pectoris (89)	-	-	3	1	2	7	1	5	-	-
19		Other diseases of the heart (90)	6	2	5	13	15	59	6	48	3	7
(37)		Diseases of the arteries (91)	2	-	1	2	7	39	1	2	-	2
20, 21		Bronchitis (99)	-	-	1	1	1	3	-	-	-	1
(23)		Bronchopneumonia (100)	-	-	1	1	9	24	3	9	-	1
22		Pneumonia (101)	-	-	-	1	6	26	-	11	-	-
(23)		Other respiratory diseases (60, 61, 97, 98, 102-107)	-	-	-	1	-	-	-	1	-	-
24		Diseases of the stomach (111, 112)	-	-	-	-	1	2	-	2	-	1
25		Diarrhea and enteritis (under 2 years) (113)	-	-	-	1	-	11	-	1	-	-
26		Appendicitis (117)	-	-	-	-	1	3	-	8	-	-
27		Hernia, intestinal obstruction (118)	-	-	-	-	3	1	1	5	-	-
28		Cirrhosis of the liver (122)	1	-	-	-	2	3	1	-	-	-
29		Nephritis and Bright's disease (128, 129)	3	1	1	2	5	26	2	4	2	2
30		Noncancerous tumors and other diseases of the female genital organs (137-141)	-	-	-	-	-	1	-	3	-	-
31		Puerperal fever (146)	-	-	-	-	-	1	-	2	-	-
32		Other puerperal affections (143-145, 147-150)	-	-	-	-	-	3	-	2	-	-
33		Congenital debility and malformations (159-161a)	-	-	1	3	-	18	1	7	-	-
34		Senility (164)	1	1	-	-	-	-	-	-	-	-
(35)		Violent deaths (excluding suicide and homicide) (175-196, 201-203)	2	-	-	1	3	18	2	10	-	-
(35)		Burns (conflagration excepted) (179)	-	-	-	-	-	1	-	-	-	-
(35)		Accidental drowning (182)	2	-	-	-	1	5	1	-	-	-
(35)		Traumatism by fall (185)	-	-	-	-	-	5	-	4	-	-
(35)		Railroad accidents and injuries (188a)	-	-	-	-	-	-	1	-	-	-
(35)		Automobile accidents and injuries (188c)	-	-	-	-	2	2	-	4	-	-
(35)		All others	-	-	-	1	-	5	-	2	-	-
36		Suicide (165-174)	-	-	1	5	-	5	1	4	-	-
(35)		Homicide (197-200)	1	-	-	-	-	1	-	-	-	-
(37)		All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	3	-	1	4	10	33	1	31	-	3
38		Ill-defined or unknown causes (204, 205)	1	-	-	-	-	-	-	1	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
1	210	106	1	79	192	50	13	15	100	1	126	118	3	1	2	19	50	161	80
3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
9	-	-	-	-	2	1	-	-	-	1	2	-	-	-	-	-	-	2	1
(12)	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-
17	-	-	-	-	1	1	-	-	-	-	1	2	-	-	-	-	-	-	-
13	11	5	-	68	8	3	-	-	3	-	6	6	-	-	-	1	1	5	3
14	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	1
15	1	-	-	2	2	-	-	-	-	-	-	3	-	-	-	-	1	-	1
16	29	11	-	3	14	2	1	1	10	-	6	9	1	-	-	5	2	24	12
(37)	1	1	-	-	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-
(37)	1	-	-	-	5	1	-	-	2	-	-	6	-	-	-	-	-	4	-
(37)	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
18	19	17	-	1	21	6	2	-	19	-	8	7	-	-	-	4	13	16	8
(37)	3	3	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
(37)	3	2	-	-	4	-	-	-	3	-	1	2	-	-	-	1	3	-	2
19	39	24	1	5	22	10	3	4	20	-	12	20	1	-	1	3	9	29	15
(37)	5	12	-	-	2	2	1	-	2	-	-	1	-	-	-	-	5	8	2
20, 21	4	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	2	-
(23)	8	2	-	-	10	2	1	2	3	-	3	4	-	-	-	1	-	4	1
22	4	5	-	-	12	1	-	-	3	-	3	7	-	-	1	-	-	10	4
(23)	2	1	-	-	1	1	-	-	1	-	-	4	-	-	-	-	-	2	1
24	3	1	-	-	2	-	-	-	-	-	2	2	-	-	-	-	-	1	1
25	4	1	-	-	2	1	-	-	2	-	1	3	-	-	-	-	-	1	-
26	3	2	-	-	3	-	-	-	-	-	-	5	-	-	-	-	-	-	-
27	3	1	-	-	4	-	-	-	-	-	-	1	-	-	-	-	1	2	-
28	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
29	15	4	-	-	20	3	1	2	6	-	1	3	-	1	-	1	6	7	6
30	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
31	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	1	-
32	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
33	6	3	-	-	10	4	-	1	4	-	-	3	-	-	-	1	1	11	5
34	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	2	-
(35)	9	5	-	-	18	4	3	-	3	-	6	7	-	-	-	2	1	10	6
(35)	-	3	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	1	-
(35)	5	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	1	-
(35)	1	1	-	-	3	1	1	-	-	-	3	1	-	-	-	-	1	1	2
(35)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(35)	2	1	-	-	10	-	2	-	2	-	-	1	-	-	-	1	-	4	2
(35)	1	-	-	-	2	2	-	-	-	-	1	2	-	-	-	1	-	2	1
36	3	2	-	-	2	1	-	-	-	-	1	2	1	-	-	-	1	1	-
(35)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	18	3	-	-	10	5	-	1	14	-	71	12	-	-	-	-	3	13	8
38	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-

² Exclusive of stillbirths.

Table 15

DEATHS FROM

CAUSE OF DEATH.¹

		New Ashford.	NEW BEDFORD.	New Braintree.	New Marlborough	New Salem.	Newbury.	NEWBURYPORT.	NEWTON.	Norfolk.	NORTH ADAMS.
	All Causes.²	1	1350	8	7	2	21	247	510	7	285
1	Typhoid fever (1)	-	5	-	-	-	-	-	2	-	2
2	Malaria (5)	-	-	-	-	-	-	-	-	-	-
3	Smallpox (6)	-	-	-	-	-	-	-	-	-	-
4	Measles (7)	-	2	-	-	-	-	-	1	-	1
5	Scarlet fever (8)	-	-	-	-	-	-	-	-	-	-
6	Whooping cough (9)	-	7	-	-	-	-	-	2	-	1
7	Diphtheria and croup (10)	-	14	-	1	-	1	5	2	-	2
8	Influenza (11)	-	16	-	-	-	1	-	2	-	-
9	Erysipelas (21)	-	4	-	-	-	-	-	1	-	-
(12)	Poliomyelitis (22)	-	-	-	-	-	-	-	-	-	-
(37)	Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	3	-	-	-	-	3	2	-	-
(12)	Meningitis (24, 71)	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the lungs (31)	-	3	-	-	-	-	-	1	-	1
17	Tuberculous meningitis (32)	-	93	-	1	-	2	6	15	-	6
14	Other forms of tuberculosis (33-37)	-	14	-	-	-	-	1	2	-	1
15	Cancer (43-49)	-	11	-	-	-	-	-	-	-	2
16	Rheumatism (51, 52)	-	98	1	1	-	1	30	67	1	38
(37)	Diabetes (57)	-	2	-	-	-	-	-	1	-	2
(37)	Alcoholism (66)	-	21	-	-	-	-	4	7	-	8
(37)	Cerebral hemorrhage and softening (74, 83)	-	3	-	-	-	-	-	-	-	-
18	Endocarditis and myocarditis (acute) (88)	-	119	2	-	1	1	27	66	1	23
(37)	Angina pectoris (89)	-	26	-	-	-	-	2	3	-	1
(37)	Other diseases of the heart (90)	-	13	-	-	-	1	9	23	-	4
19	Diseases of the arteries (91)	-	177	1	1	1	2	36	87	4	38
(37)	Bronchitis (99)	-	59	-	-	-	1	7	27	-	5
20, 21	Bronchopneumonia (100)	-	6	-	-	-	1	1	2	-	2
(23)	Pneumonia (101)	-	109	-	1	-	1	3	16	-	18
22	Other respiratory diseases (60, 61, 97, 98, 102-107)	-	38	-	-	-	3	6	23	1	7
(23)	Diseases of the stomach (111, 112)	-	8	-	-	-	1	2	4	-	6
24	Diarrhea and enteritis (under 2 years) (113)	-	12	-	-	-	-	2	5	-	2
25	Appendicitis (117)	-	33	-	-	-	-	2	7	-	3
26	Hernia, intestinal obstruction (118)	-	20	-	-	-	-	-	4	-	6
27	Cirrhosis of the liver (122)	-	10	-	-	-	-	3	5	-	6
28	Nephritis and Bright's disease (128, 129)	-	4	-	-	-	-	-	3	-	-
29	Noncancerous tumors and other diseases of the female genital organs (137-141)	1	92	3	1	-	1	21	32	-	24
30	Puerperal fever (146)	-	4	-	-	-	-	6	-	-	2
31	Other puerperal affections (143-145, 147-150)	-	6	-	-	-	-	1	4	-	-
32	Congenital debility and malformations (159-161a)	-	12	-	-	-	-	1	3	-	-
33	Senility (164)	-	87	1	-	-	-	9	16	-	20
34	Violent deaths (excluding suicide and homicide) (175-196, 201-203)	-	1	-	-	-	-	-	-	-	1
(35)	Burns (conflagration excepted) (179)	-	56	-	-	-	1	19	33	-	16
(35)	Accidental drowning (182)	-	9	-	-	-	-	2	1	-	-
(35)	Traumatism by fall (185)	-	4	-	-	-	-	-	4	-	1
(35)	Railroad accidents and injuries (188a)	-	10	-	-	-	-	8	15	-	8
(35)	Automobile accidents and injuries (188c)	-	-	-	-	-	-	-	1	-	-
(35)	All others	-	14	-	-	-	1	7	5	-	2
36	Suicide (165-174)	-	19	-	-	-	-	2	7	-	5
(35)	Homicide (197-200)	-	12	-	-	-	-	2	6	-	3
(37)	All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	-	2	-	-	-	-	-	-	-	2
38	Ill-defined or unknown causes (204, 205)	-	142	-	1	-	3	38	34	-	32
		-	6	-	-	-	-	1	1	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
1	57	99	42	62	400	28	89	16	24	17	134	22	3	64	21	4	36	90	3
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
6	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
7	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-
8	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
9	1	-	2	-	4	1	2	-	-	-	1	-	-	-	-	-	2	1	-
(12)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
17	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	2	3	-	49	41	-	4	-	1	-	3	1	-	3	-	-	3	3	1
14	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
15	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	10	12	5	2	31	2	11	4	-	1	8	2	-	3	4	-	4	4	1
(37)	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1	-
(37)	-	2	2	-	6	-	2	-	1	1	-	1	-	3	-	-	1	2	-
(37)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	12	20	6	-	45	3	10	3	-	-	18	3	1	17	5	-	3	5	-
(37)	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	2	-
(37)	2	1	-	-	2	-	1	1	1	-	1	1	-	2	-	-	1	1	-
19	10	22	6	-	74	12	6	2	3	5	19	6	1	12	4	-	7	12	-
20, (21)	1	1	1	3	10	1	1	-	2	-	4	1	-	1	1	-	1	-	-
(23)	-	-	2	-	5	-	2	-	-	1	1	-	-	-	1	-	1	2	-
22	-	3	2	-	9	1	7	-	1	-	5	-	-	1	1	-	1	3	-
(23)	-	5	2	-	11	1	2	-	4	2	12	1	-	2	1	-	3	3	-
(23)	-	-	1	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
24	-	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-
25	-	-	-	-	2	-	3	-	1	1	1	-	-	-	-	-	2	2	-
26	-	1	-	-	3	-	-	-	-	-	2	-	-	-	-	-	-	3	-
27	1	1	-	-	5	-	-	-	-	-	3	1	-	-	-	-	-	-	-
28	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
29	5	5	1	-	33	1	5	-	6	3	4	-	-	4	3	-	1	7	-
30	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	-	1	5	-	1	-	-	-	2	-	-	1	-	1	-	1	-
33	4	8	3	2	17	1	7	1	1	1	7	2	-	1	-	1	2	15	-
34	-	-	2	1	2	-	-	-	-	1	2	1	-	-	-	-	-	-	-
(35)	2	2	3	1	20	1	7	2	1	-	12	-	-	4	-	-	1	3	1
(35)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(35)	-	-	-	1	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-
(35)	-	-	2	-	1	1	2	-	-	-	1	-	-	2	-	-	1	-	-
(35)	-	-	-	-	2	-	-	-	-	-	3	-	-	-	-	-	-	-	-
(35)	-	2	-	-	7	-	3	2	1	-	5	-	-	1	-	-	-	3	-
(35)	2	-	1	-	5	-	1	-	-	-	1	-	-	1	-	-	-	-	1
36	-	-	1	-	1	1	1	2	1	-	2	-	-	1	-	-	-	1	-
(35)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(37)	3	5	5	2	50	-	13	1	1	-	23	2	1	4	1	1	2	18	-
38	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-

² Exclusive of stillbirths.

Abridged Int. List No.	Table 15	DEATHS FROM									
		PEABODY.	Pelham.	Pembroke.	Pepperell.	Peru.	Petersham.	Phillipston.	PITTSFIELD.	Plainfield.	Plainville.
	CAUSE OF DEATH. ¹										
	All Causes.²	240	5	17	33	3	8	3	574	6	21
1	Typhoid fever (1)	1	-	-	-	-	-	-	1	-	-
3	Malaria (5)	-	-	-	-	-	-	-	-	-	-
4	Smallpox (6)	-	-	-	-	-	-	-	-	-	-
5	Measles (7)	1	-	1	-	-	-	-	3	-	-
6	Scarlet fever (8)	1	-	-	-	-	-	-	9	-	-
7	Whooping cough (9)	-	-	-	-	-	-	-	4	-	-
8	Diphtheria and croup (10)	6	-	-	-	-	-	-	3	-	-
9	Influenza (11)	3	-	-	-	1	-	-	4	-	-
(12)	Erysipelas (21)	-	-	-	-	-	-	-	2	-	-
(37)	Poliomyelitis (22)	-	-	-	-	-	-	-	-	-	-
(12)	Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	-	-	-	-	-	-	1	-	-
17	Meningitis (24, 71)	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the lungs (31)	5	-	-	-	-	-	-	24	-	1
14	Tuberculous meningitis (32)	1	-	-	-	-	-	-	2	-	-
15	Other forms of tuberculosis (33-37)	2	-	-	-	-	-	-	3	-	-
16	Cancer (43-49)	16	1	3	6	-	2	-	54	-	3
(37)	Rheumatism (51, 52)	-	-	1	-	-	-	-	4	-	-
(37)	Diabetes (57)	1	-	-	1	-	-	-	13	-	-
(37)	Alcoholism (66)	1	-	-	-	-	-	-	1	-	-
18	Cerebral hemorrhage and softening (74, 83)	26	1	3	6	-	1	-	52	1	2
(37)	Endocarditis and myocarditis (acute) (88)	2	-	-	-	-	-	-	5	-	-
(37)	Angina pectoris (89)	3	-	-	-	-	-	-	5	-	-
19	Other diseases of the heart (90)	34	-	1	9	1	4	-	73	3	3
(37)	Diseases of the arteries (91)	8	-	1	3	-	-	-	7	-	-
20, 21	Bronchitis (99)	2	-	1	-	-	-	1	1	-	-
(23)	Bronchopneumonia (100)	14	-	2	-	-	-	1	18	-	1
22	Pneumonia (101)	6	-	-	2	-	-	-	20	-	-
(23)	Other respiratory diseases (60, 61, 97, 98, 102-107)	2	-	-	-	-	-	-	5	-	-
24	Diseases of the stomach (111, 112)	6	-	-	-	-	-	-	5	-	1
25	Diarrhea and enteritis (under 2 years) (113)	4	-	-	-	-	-	-	5	-	-
26	Appendicitis (117)	3	-	-	-	-	-	-	14	-	-
27	Hernia, intestinal obstruction (118)	3	-	-	-	-	-	-	9	-	-
28	Cirrhosis of the liver (122)	-	-	1	-	-	-	-	2	-	-
29	Nephritis and Bright's disease (128, 129)	16	-	-	1	-	-	-	49	-	4
30	Noncancerous tumors and other diseases of the female genital organs (137-141)	-	-	-	-	-	-	-	4	-	-
31	Puerperal fever (146)	-	-	-	-	-	-	-	2	-	-
32	Other puerperal affections (143-145, 147-150)	1	-	-	-	-	-	-	6	-	-
33	Congenital debility and malformations (159-161a)	14	2	-	-	-	-	-	37	1	1
34	Senility (164)	2	-	-	-	-	-	-	1	-	-
(35)	Violent deaths (excluding suicide and homicide) (175-196, 201-203)	26	-	-	1	-	1	-	44	-	2
(35)	Burns (conflagration excepted) (179)	4	-	-	-	-	-	-	7	-	1
(35)	Accidental drowning (182)	1	-	-	1	-	-	-	6	-	-
(35)	Traumatism by fall (185)	5	-	-	-	-	-	-	10	-	-
(35)	Railroad accidents and injuries (188a)	-	-	-	-	-	-	-	2	-	-
(35)	Automobile accidents and injuries (188c)	8	-	-	-	-	1	-	7	-	1
(35)	All others	8	-	-	-	-	-	-	12	-	-
36	Suicide (165-174)	6	-	-	-	-	-	-	8	-	-
(35)	Homicide (197-200)	1	-	-	-	-	-	-	-	-	-
(37)	All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	22	1	1	3	1	-	1	72	1	3
38	Ill-defined or unknown causes (204, 205)	-	-	2	1	-	-	-	2	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	Plymouth.	Plympton.	Prescott.	Princeton.	Provincetown.	QUINCY.	Randolph.	Raynham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
1	161	7	4	13	60	484	41	25	86	23	192	14	16	55	29	4	8	13	6
2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
7	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
8	1	-	-	-	2	6	-	-	-	-	2	-	-	-	-	-	-	-	1
9	4	-	-	-	-	8	-	-	-	1	-	-	-	-	1	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1
(37)	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	2	-	-	-	-	4	-	-	-	1	2	-	-	-	-	-	-	-	-
13	4	-	-	-	-	18	1	1	6	1	8	1	-	4	1	-	-	1	-
14	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	4	2	-	-	-	1	-	-	-	-	-	-	-	-
16	16	1	-	2	5	53	5	5	12	-	22	2	-	7	3	-	-	1	-
(37)	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
(37)	-	-	-	1	-	6	-	-	4	-	2	-	-	-	1	-	-	-	1
(37)	1	-	-	-	-	2	1	-	-	-	3	-	-	-	-	-	-	-	-
18	19	1	-	3	8	50	6	2	9	3	24	2	4	7	4	-	1	3	1
(37)	2	-	-	-	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-
(37)	4	-	1	-	3	2	1	1	-	-	2	-	1	-	-	1	-	-	-
19	20	2	2	1	10	93	6	1	17	5	38	3	2	12	4	-	2	1	-
(37)	6	2	-	-	6	10	8	3	5	-	2	-	-	3	6	-	-	1	-
20, 21	1	-	-	1	-	2	-	1	-	-	-	1	1	-	-	-	-	-	-
(23)	4	-	-	1	4	18	4	-	3	1	15	1	1	1	2	-	-	1	-
22	8	-	-	-	6	23	-	1	2	2	14	-	-	3	-	-	1	-	-
(23)	1	-	-	-	-	4	-	-	1	-	2	-	-	1	-	-	-	-	-
24	2	-	-	-	1	8	-	-	-	2	-	-	-	-	1	-	-	-	1
25	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
26	1	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
27	3	1	-	-	-	5	-	-	1	-	1	-	-	-	-	-	-	-	-
28	-	-	-	-	1	1	-	-	-	-	1	1	2	-	-	-	-	-	-
29	12	1	-	-	5	33	-	3	7	2	11	1	1	3	-	2	-	-	1
30	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
32	1	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-
33	8	-	-	-	2	17	1	3	1	3	8	-	1	2	2	-	-	-	-
34	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(35)	12	-	-	1	2	42	1	1	5	1	13	1	-	2	2	1	1	1	-
(35)	1	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	-	-	-	-	-	6	-	-	-	-	3	-	-	-	1	1	-	1	-
(35)	3	-	-	1	1	14	-	1	1	-	-	1	-	1	-	-	-	-	-
(35)	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	4	-	-	-	-	8	-	-	2	1	6	-	-	1	-	-	1	-	-
(35)	4	-	-	-	1	8	1	-	2	-	4	-	-	-	1	-	-	-	-
36	4	-	-	1	-	4	1	1	1	-	1	-	1	1	-	-	-	-	-
(35)	1	-	-	-	-	3	-	-	-	-	2	-	-	-	-	-	-	-	-
(37)	13	-	1	2	4	43	2	1	7	1	8	1	1	4	1	-	2	3	-
38	-	-	-	-	-	4	1	-	-	-	-	-	-	2	-	-	-	-	-

² Exclusive of stillbirths.

Abridged Int. List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Rutland.	SALEM.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
		All Causes.²	118	516	20	7	15	98	4	34	39	37
1		Typhoid fever (1)	-	-	-	-	-	-	-	-	-	-
3		Malaria (5)	-	-	-	-	-	-	-	-	-	-
4		Smallpox (6)	-	-	-	-	-	-	-	-	-	-
5		Measles (7)	-	2	-	-	-	-	-	-	-	-
6		Scarlet fever (8)	-	1	-	-	-	-	-	-	-	-
7		Whooping cough (9)	-	1	-	-	-	-	-	-	-	-
8		Diphtheria and croup (10)	-	8	-	-	-	2	-	-	-	-
9		Influenza (11)	-	2	-	-	-	1	-	1	1	-
(12)		Erysipelas (21)	-	1	-	-	-	-	-	-	-	-
(37)		Poliomyelitis (22)	-	1	-	-	-	-	-	-	-	-
(12)		Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	1	-	-	-	1	-	-	-	-
17		Meningitis (24, 71)	-	1	-	-	-	1	-	-	-	-
13		Tuberculosis of the lungs (31)	103	26	-	-	-	3	-	1	5	11
14		Tuberculous meningitis (32)	-	6	-	-	-	-	-	-	-	1
15		Other forms of tuberculosis (33-37)	1	3	-	-	-	2	-	-	1	1
16		Cancer (43-49)	2	47	3	1	2	10	-	3	3	2
(37)		Rheumatism (51, 52)	-	1	-	-	-	-	-	-	-	-
(37)		Diabetes (57)	-	8	-	-	-	4	1	3	-	-
(37)		Alcoholism (66)	-	-	-	-	-	-	-	-	-	-
18		Cerebral hemorrhage and softening (74, 83)	-	42	3	1	4	10	-	6	7	3
(37)		Endocarditis and myocarditis (acute) (SS)	-	5	-	1	1	1	-	-	-	-
(37)		Angina pectoris (89)	-	5	1	-	1	2	-	-	1	1
19		Other diseases of the heart (90)	7	111	6	1	1	21	2	7	7	6
(37)		Diseases of the arteries (91)	-	14	1	-	-	8	-	-	-	-
20, 21		Bronchitis (99)	-	1	-	-	-	2	-	-	-	-
(23)		Bronchopneumonia (100)	-	21	1	-	3	2	-	1	3	1
22		Pneumonia (101)	-	18	1	-	1	4	-	2	2	1
(23)		Other respiratory diseases (60, 61, 97, 98, 102-107)	-	1	-	-	-	1	-	-	-	1
24		Diseases of the stomach (111, 112)	-	5	-	-	-	-	-	1	-	-
25		Diarrhea and enteritis (under 2 years) (113)	-	6	-	-	-	1	-	-	1	-
26		Appendicitis (117)	-	4	-	-	-	-	-	-	-	-
27		Hernia, intestinal obstruction (118)	-	6	-	-	-	1	-	-	-	-
28		Cirrhosis of the liver (122)	-	2	-	-	-	-	-	-	-	-
29		Nephritis and Bright's disease (128, 129)	-	29	1	-	-	3	-	4	2	3
30		Noncancerous tumors and other diseases of the female genital organs (137-141)	-	-	-	-	-	1	-	-	-	-
31		Puerperal fever (146)	-	4	-	-	-	-	-	-	-	-
32		Other puerperal affections (143-145, 147-150)	-	5	-	-	-	-	-	-	-	-
33		Congenital debility and malformations (159-161a)	-	33	1	-	-	1	-	-	2	-
34		Senility (164)	1	1	-	2	-	-	-	-	-	-
(35)		Violent deaths (excluding suicide and homicide) (175-196, 201-203)	2	33	2	-	-	10	-	2	-	1
(35)		Burns (conflagration excepted) (179)	-	6	-	-	-	-	-	-	-	1
(35)		Accidental drowning (182)	1	2	2	-	-	6	-	1	-	-
(35)		Traumatism by fall (185)	-	10	-	-	-	-	-	1	-	-
(35)		Railroad accidents and injuries (188a)	-	1	-	-	-	-	-	-	-	-
(35)		Automobile accidents and injuries (188c)	-	8	-	-	-	1	-	-	-	-
(35)		All others	1	6	-	-	-	3	-	-	-	-
36		Suicide (165-174)	1	3	-	-	-	2	-	-	-	-
(35)		Homicide (197-200)	-	-	-	-	-	-	-	-	-	-
(37)		All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	-	58	-	1	2	4	1	3	3	5
38		Ill-defined or unknown causes (204, 205)	1	-	-	-	-	-	-	-	1	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	Sheffield.	Sheburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
1	17	27	6	24	48	3	44	979	45	7	16	135	15	70	1,691	16	26	96	89
3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2
6	-	-	-	1	-	-	-	2	-	-	-	-	-	-	11	-	-	-	-
7	-	-	-	-	-	-	-	3	-	-	-	1	-	-	5	-	-	-	-
8	-	-	-	-	1	-	1	15	1	-	-	1	-	-	3	-	-	-	-
9	-	1	-	-	-	-	-	3	-	-	-	-	-	-	25	-	-	-	1
(12)	-	-	-	-	-	-	-	3	-	-	1	-	-	-	11	-	-	-	-
(37)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-
(12)	-	-	-	1	-	-	-	2	-	-	-	2	-	-	2	-	1	1	-
17	-	-	-	-	1	-	-	4	-	-	-	-	-	-	10	-	-	1	-
13	-	-	-	-	2	1	1	36	1	-	-	4	-	5	62	1	1	6	2
14	-	-	-	-	-	-	-	2	-	-	-	1	-	-	15	-	-	-	-
15	-	1	-	-	-	-	1	9	1	-	-	1	-	1	7	-	-	1	-
16	-	4	1	4	2	-	5	112	3	-	5	22	-	6	153	2	3	18	13
(37)	-	1	-	-	-	-	-	4	-	-	-	4	-	-	6	-	-	-	-
(37)	-	2	-	-	1	-	2	10	-	-	-	3	-	2	32	-	-	-	2
(37)	-	1	-	-	-	-	-	8	-	-	-	-	1	-	10	-	-	1	-
18	3	4	1	1	7	-	2	109	3	-	2	15	1	10	164	3	4	6	10
(37)	-	-	-	-	-	-	-	10	-	-	-	-	-	-	18	-	2	2	3
(37)	-	1	1	-	-	-	-	15	4	-	-	3	-	4	33	-	1	2	1
19	1	3	-	4	7	1	5	159	5	3	3	22	3	9	236	3	9	20	17
(37)	2	-	1	3	6	-	1	87	1	-	1	2	1	2	18	-	1	6	1
20, 21	2	1	-	-	3	-	-	6	2	-	-	2	-	-	6	-	-	1	-
(23)	1	-	-	1	2	-	3	49	3	1	-	6	-	1	73	1	-	3	4
22	3	-	-	1	2	-	-	49	1	-	1	6	-	4	63	-	2	3	2
(23)	-	-	-	-	-	-	1	7	-	-	-	1	-	1	7	-	-	-	-
24	1	-	-	-	-	-	-	2	-	-	-	4	-	2	13	-	-	-	-
25	-	-	-	1	3	-	2	6	1	-	-	1	-	-	31	-	1	-	-
26	-	-	-	-	-	-	-	7	-	-	-	-	-	-	28	-	-	-	-
27	-	-	1	-	-	-	-	5	-	-	-	-	-	-	19	-	-	1	-
28	-	-	-	-	-	-	-	2	-	-	-	1	-	-	6	-	-	-	-
29	-	2	-	-	1	1	6	54	5	-	-	3	2	5	166	2	1	6	14
30	-	-	-	-	-	-	-	3	-	-	-	-	-	-	8	-	2	2	1
31	-	-	-	-	-	-	-	3	-	-	-	-	-	-	10	-	-	1	-
32	-	-	-	1	-	-	2	8	-	1	-	1	-	-	17	-	-	1	-
33	-	-	-	3	3	-	4	44	3	-	-	11	1	4	110	3	1	1	3
34	-	2	-	-	-	-	-	1	-	-	-	1	-	1	4	-	-	-	-
(35)	3	1	-	1	5	-	5	40	5	-	2	3	4	8	110	1	-	5	5
(35)	-	-	-	-	-	-	1	3	-	-	-	1	1	1	7	-	-	-	-
(35)	1	-	-	-	3	-	1	-	3	-	-	-	1	1	7	-	-	1	-
(35)	-	-	-	-	-	-	1	12	-	-	-	-	-	1	32	-	-	3	1
(35)	-	-	-	-	-	-	-	2	-	-	1	-	-	-	3	1	-	-	1
(35)	1	-	-	-	1	-	2	10	1	-	-	1	-	1	28	-	-	-	2
(35)	1	1	-	1	1	-	-	13	1	-	1	1	1	4	33	-	-	1	1
36	-	-	-	1	1	-	1	8	-	-	1	2	-	1	14	-	-	-	-
(35)	-	-	1	-	-	-	-	5	-	-	-	-	-	-	4	-	-	-	1
(37)	1	2	-	1	1	-	2	86	4	2	-	11	2	4	171	-	1	8	7
38	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

² Exclusive of stillbirths.

Abridged Int. List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Stow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	TAUNTON.	Templeton.	Tewksbury.
		All Causes. ²	14	28	14	9	21	80	35	581	49	37
1		Typhoid fever (1)	-	-	-	-	-	-	-	-	-	1
3		Malaria (5)	-	-	-	-	-	-	-	-	-	-
4		Smallpox (6)	-	-	-	-	-	-	-	2	-	-
5		Measles (7)	-	-	-	1	-	-	-	2	-	-
6		Scarlet fever (8)	-	-	-	-	-	-	-	-	1	-
7		Whooping cough (9)	-	-	-	-	-	-	-	2	1	-
8		Diphtheria and croup (10)	-	-	-	1	-	-	-	-	-	-
9		Influenza (11)	-	-	1	-	1	1	-	5	1	-
(12)		Erysipelas (21)	-	-	-	-	-	-	-	1	-	-
(37)		Poliomyelitis (22)	-	-	-	-	-	1	-	1	-	-
(12)		Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	-	-	-	-	1	-	1	-	-
17		Meningitis (24, 71)	-	-	-	-	-	-	-	1	-	-
13		Tuberculosis of the lungs (31)	-	-	-	-	-	-	1	28	2	4
14		Tuberculous meningitis (32)	-	-	-	-	-	-	-	4	-	-
15		Other forms of tuberculosis (33-37)	-	1	-	-	-	-	-	4	-	-
16		Cancer (43-49)	2	4	-	-	4	9	5	42	-	1
(37)		Rheumatism (51, 52)	-	-	-	-	-	-	-	2	-	-
(37)		Diabetes (57)	-	1	1	-	-	-	2	5	-	-
(37)		Alcoholism (66)	1	-	-	-	-	-	-	4	-	-
18		Cerebral hemorrhage and softening (74, 83)	3	1	2	-	5	13	5	49	12	-
(37)		Endocarditis and myocarditis (acute) (88)	-	2	-	-	-	-	-	5	-	-
(37)		Angina pectoris (89)	-	1	-	-	-	2	1	5	1	2
19		Other diseases of the heart (90)	5	4	2	3	4	20	6	78	10	13
(37)		Diseases of the arteries (91)	-	-	-	1	-	5	1	58	4	1
20, 21		Bronchitis (99)	-	-	-	-	-	-	1	7	1	2
(23)		Bronchopneumonia (100)	-	1	-	-	-	1	-	39	2	3
22		Pneumonia (101)	-	4	3	-	1	-	1	35	1	-
(23)		Other respiratory diseases (60, 61, 97, 98, 102-107)	-	-	-	1	-	-	-	4	-	1
24		Diseases of the stomach (111, 112)	-	1	1	-	-	-	1	7	-	-
25		Diarrhea and enteritis (under 2 years) (113)	-	1	-	-	-	1	3	7	1	-
26		Appendicitis (117)	-	-	-	-	-	-	-	1	-	-
27		Hernia, intestinal obstruction (118)	-	-	-	-	-	-	-	2	1	1
28		Cirrhosis of the liver (122)	-	-	-	-	-	-	-	1	-	-
29		Nephritis and Bright's disease (128, 129)	2	3	1	-	2	6	4	33	2	1
30		Noncancerous tumors and other diseases of the female genital organs (137-141)	-	-	-	-	-	1	-	1	-	-
31		Puerperal fever (146)	-	-	-	-	-	-	-	1	-	-
32		Other puerperal affections (143-145, 147-150)	-	-	-	-	-	-	-	4	-	-
33		Congenital debility and malformations (159-161a)	-	-	-	1	-	3	1	26	1	3
34		Senility (164)	-	1	-	-	-	1	-	-	-	1
(35)		Violent deaths (excluding suicide and homicide) (175-196, 201-203)	-	1	1	1	2	2	2	35	2	3
(35)		Burns (conflagration excepted) (179)	-	-	-	-	-	-	-	4	-	-
(35)		Accidental drowning (182)	-	-	-	-	-	1	1	5	1	-
(35)		Traumatism by fall (185)	-	-	-	-	1	-	1	8	-	1
(35)		Railroad accidents and injuries (188a)	-	-	-	-	-	-	-	2	-	-
(35)		Automobile accidents and injuries (188c)	-	-	-	1	1	1	-	6	-	2
(35)		All others	-	1	1	-	-	-	-	10	1	-
36		Suicide (165-174)	-	1	1	-	-	-	-	4	1	-
(35)		Homicide (197-200)	-	-	-	-	-	-	-	2	-	-
(37)		All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	1	1	1	-	2	12	1	72	5	-
38		Ill-defined or unknown causes (204, 205)	-	-	-	-	-	1	-	1	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.
1	429	32	1	13	31	11	13	3	21	47	137	6	45	388	103	82	33	3	1
3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	1	-	-	9	1	1	-	-	-
9	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
(12)	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(37)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
13	83	3	-	-	-	-	1	-	-	-	7	-	-	17	7	3	1	-	-
14	2	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-
15	4	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	1	-	-
16	52	7	-	-	2	1	2	1	4	2	15	1	10	37	9	5	2	2	-
(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
(37)	2	1	-	-	1	-	-	-	-	-	2	-	-	9	4	-	2	-	-
(37)	1	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-
18	20	7	-	1	4	2	-	-	2	7	17	1	9	43	11	10	2	-	-
(37)	1	1	-	-	-	-	-	-	-	2	-	-	-	4	2	4	-	-	-
(37)	2	-	1	1	1	-	-	1	-	-	21	-	1	15	-	1	-	-	-
19	45	5	-	2	6	-	6	-	3	11	21	1	8	47	16	19	6	1	-
(37)	104	-	-	2	2	1	1	-	2	2	12	-	-	21	8	1	3	-	-
20, 21	-	-	-	1	1	-	-	-	1	1	3	-	1	4	1	2	-	-	-
(23)	3	-	-	-	-	1	-	-	2	4	8	-	-	14	2	6	-	-	-
22	14	1	-	2	3	-	-	-	-	1	6	-	2	15	6	2	2	-	-
(23)	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
24	1	2	-	-	1	1	-	-	-	-	-	-	-	2	1	-	-	-	-
25	8	-	-	-	-	-	-	-	2	-	2	-	1	4	5	-	-	-	-
26	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
27	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
28	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
29	10	-	-	2	2	2	-	-	-	5	10	2	-	10	2	3	6	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
32	1	-	-	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-
33	8	-	-	-	2	-	1	-	-	4	7	-	1	17	7	5	2	-	-
34	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	1	-	-
(35)	7	3	-	1	1	1	1	1	1	2	9	-	5	24	7	5	3	-	-
(35)	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-
(35)	-	1	-	-	-	1	-	-	-	-	1	-	4	3	1	4	2	-	-
(35)	4	1	-	-	-	-	1	1	-	-	1	-	-	5	-	-	1	-	-
(35)	1	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-
(35)	2	1	-	1	-	-	-	-	1	2	2	-	-	12	4	1	-	-	-
(35)	1	-	-	1	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
36	1	-	-	3	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(37)	52	2	-	-	5	2	1	-	1	2	8	1	3	55	3	9	-	-	-
38	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-

² Exclusive of stillbirths.

Abridged Int. List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Watertown.	Wayland.	Webster.	Wellesley.	Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.
	All Causes.²	143	28	93	66	21	6	12	12	21	18
1	Typhoid fever (1)	1	-	1	-	-	-	-	-	-	-
3	Malaria (5)	-	-	-	-	-	-	-	-	-	-
4	Smallpox (6)	-	-	-	-	-	-	-	-	-	-
5	Measles (7)	1	-	-	-	-	-	-	-	-	-
6	Scarlet fever (8)	5	-	1	2	-	1	-	-	-	-
7	Whooping cough (9)	-	-	-	-	-	-	-	-	-	-
8	Diphtheria and croup (10)	1	-	-	-	-	1	-	-	-	-
9	Influenza (11)	-	-	2	1	-	-	-	-	-	-
(12)	Erysipelas (21)	-	-	-	-	-	-	-	-	-	-
(37)	Poliomyelitis (22)	-	-	-	-	-	-	-	-	-	-
(12)	Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	-	-	-	-	-	-	-	-	-
17	Meningitis (24, 71)	1	-	1	-	-	-	-	-	-	-
13	Tuberculosis of the lungs (31)	8	1	7	1	1	-	-	2	1	2
14	Tuberculous meningitis (32)	1	-	2	-	-	-	-	-	1	-
15	Other forms of tuberculosis (33-37)	1	-	1	-	-	-	-	-	-	-
16	Cancer (43-49)	16	2	9	14	1	-	3	2	7	-
(37)	Rheumatism (51, 52)	-	-	-	-	-	-	-	-	-	-
(37)	Diabetes (57)	-	2	-	-	-	-	-	-	-	1
(37)	Alcoholism (66)	-	-	-	-	-	-	-	-	-	-
18	Cerebral hemorrhage and softening (74, 83)	16	5	8	7	3	1	3	1	1	2
(37)	Endocarditis and myocarditis (acute) (88)	1	-	1	-	-	-	-	-	-	-
(37)	Angina pectoris (89)	4	-	1	-	3	-	-	-	-	-
19	Other diseases of the heart (90)	27	3	16	16	3	2	4	-	5	7
(37)	Diseases of the arteries (91)	6	2	-	2	3	-	-	-	2	-
20, 21	Bronchitis (99)	1	-	1	1	-	-	-	-	-	1
(23)	Bronchopneumonia (100)	7	2	3	2	-	1	-	-	1	1
22	Pneumonia (101)	8	2	1	5	1	-	1	1	-	-
(23)	Other respiratory diseases (60, 61, 97, 98, 102-107)	-	-	1	1	-	-	-	-	-	-
24	Diseases of the stomach (111, 112)	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis (under 2 years) (113)	1	-	1	-	-	-	-	-	-	-
26	Appendicitis (117)	-	-	-	-	-	-	-	-	-	-
27	Hernia, intestinal obstruction (118)	1	-	1	-	-	-	-	-	-	-
28	Cirrhosis of the liver (122)	-	-	-	1	-	-	-	-	-	-
29	Nephritis and Bright's disease (128, 129)	6	3	7	4	4	-	-	2	1	1
30	Noncancerous tumors and other diseases of the female genital organs (137-141)	-	-	-	-	-	-	-	-	-	-
31	Puerperal fever (146)	-	-	-	-	-	-	-	-	-	-
32	Other puerperal affections (143-145, 147-150)	-	-	1	-	-	-	-	1	-	-
33	Congenital debility and malformations (159-161a)	5	-	6	2	-	-	-	-	1	2
34	Senility (164)	1	-	-	-	-	-	-	-	-	-
(35)	Violent deaths (excluding suicide and homicide) (175-196, 201-203)	6	5	8	3	2	-	-	2	1	1
(35)	Burns (conflagration excepted) (179)	-	-	-	-	-	-	-	-	-	-
(35)	Accidental drowning (182)	1	1	2	1	2	-	-	1	-	-
(35)	Traumatism by fall (185)	2	2	2	-	-	-	-	1	-	-
(35)	Railroad accidents and injuries (188a)	1	-	-	-	-	-	-	-	-	-
(35)	Automobile accidents and injuries (188c)	-	2	3	1	-	-	-	-	1	-
(35)	All others	2	-	1	1	-	-	-	-	-	1
36	Suicide (165-174)	2	-	-	-	-	-	1	-	-	-
(35)	Homicide (197-200)	-	-	1	-	-	-	-	-	-	-
(37)	All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	16	-	12	3	-	-	-	1	-	-
38	Ill-defined or unknown causes (204, 205)	-	1	-	1	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
1	24	126	13	10	174	256	30	4	13	17	39	16	168	9	64	26	17	46	29
3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
6	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	3	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-
17	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13	2	3	1	-	9	16	2	-	-	-	2	2	5	-	1	-	-	5	1
14	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
15	-	1	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1
16	4	16	2	2	5	11	1	1	1	4	9	1	23	1	4	-	1	1	3
(37)	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	-	2	-	-	-	-	-	-	1	-	-	1	2	-	3	-	-	-	2
(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	3	16	1	1	6	34	3	-	6	-	3	4	14	1	14	3	3	2	4
(37)	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	1	2	-	-	1	3	-	-	-	2	1	1	4	-	2	1	1	1	-
19	3	13	1	2	27	40	2	1	3	6	4	-	31	1	16	4	2	11	2
(37)	-	3	-	1	37	4	3	-	-	-	3	1	8	-	3	-	1	1	-
20, 21	-	1	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	1	2
(23)	2	9	1	-	12	16	2	-	1	1	2	1	6	-	2	2	1	1	1
22	1	10	-	2	4	11	1	1	-	1	2	4	10	-	1	2	-	3	1
(23)	-	1	-	-	-	4	-	-	-	-	-	-	-	-	-	1	-	-	-
24	-	-	-	-	3	1	1	-	-	-	-	1	2	-	-	-	-	1	-
25	-	3	1	-	-	6	2	-	-	-	3	-	3	-	-	1	1	-	-
26	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	1	-	-	1	6	-	-	-	-	-	-	3	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
29	3	14	2	-	14	20	2	-	-	-	2	-	12	1	8	2	3	5	1
30	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
32	1	1	-	-	1	5	-	-	-	-	-	-	1	-	-	-	-	-	-
33	-	6	1	1	-	9	-	-	-	-	2	-	10	-	2	-	1	-	2
34	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
(35)	-	8	-	-	8	18	4	-	1	2	1	-	18	3	3	3	-	3	2
(35)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	-	3	-	-	-	3	2	-	-	2	-	-	4	1	-	1	-	-	1
(35)	-	3	-	-	3	2	-	-	-	-	-	-	1	-	1	-	-	1	1
(35)	-	-	-	-	2	3	-	-	-	-	-	-	1	-	1	-	-	-	-
(35)	-	1	-	-	3	3	-	-	-	-	1	-	9	1	1	1	-	-	-
(35)	-	1	-	-	3	6	2	-	1	2	-	-	3	1	1	-	-	2	-
36	1	4	1	-	2	2	-	1	-	-	-	-	1	-	1	-	-	1	1
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	3	8	-	-	36	25	5	-	-	1	4	-	9	-	1	3	2	6	3
38	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-

² Exclusive of stillbirths.

Abridged Int. List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM IMPORTANT CAUSES IN EACH MUNICIPALITY: 1924.									
			Winchendon.	Winchester.	Windsor.	Winthrop.	WOBURN.	WORCESTER.	Worthington.	Wrentham.	Yarmouth.	
		All Causes. ²	81	122	4	166	199	2,465	2	41	26	
1		Typhoid fever (1)	-	-	-	-	-	1	-	-	-	
3		Malaria (5)	-	-	-	-	-	-	-	-	-	
4		Smallpox (6)	-	-	-	-	-	-	-	-	-	
5		Measles (7)	-	-	-	-	1	2	-	-	-	
6		Scarlet fever (8)	-	-	-	-	-	17	-	1	-	
7		Whooping cough (9)	-	-	-	-	2	5	-	-	-	
8		Diphtheria and croup (10)	2	-	-	-	2	42	-	2	-	
9		Influenza (11)	4	-	-	-	1	5	-	-	-	
(12)		Erysipelas (21)	1	-	-	1	1	7	-	-	-	
(37)		Poliomyelitis (22)	-	-	-	1	-	1	-	-	-	
(12)		Other epidemic diseases (2-4, 12-20, 23, 25, 42)	-	-	-	-	-	11	-	-	-	
17		Meningitis (24, 71)	-	-	-	-	-	13	-	-	-	
13		Tuberculosis of the lungs (31)	1	2	-	4	10	138	-	2	-	
14		Tuberculous meningitis (32)	-	-	-	-	-	15	-	-	-	
15		Other forms of tuberculosis (33-37)	-	1	-	1	2	10	-	1	-	
16		Cancer (43-49)	7	25	1	22	13	257	-	3	6	
(37)		Rheumatism (51, 52)	-	-	-	1	-	6	-	-	-	
(37)		Diabetes (57)	1	3	1	3	-	4	-	-	-	
(37)		Alcoholism (66)	1	-	-	-	-	37	-	-	-	
18		Cerebral hemorrhage and softening (74, 83)	8	15	-	26	15	210	1	6	1	
(37)		Endocarditis and myocarditis (acute) (88)	-	1	-	2	2	23	-	-	-	
(37)		Angina pectoris (89)	-	2	-	3	4	33	-	1	-	
19		Other diseases of the heart (90)	10	17	2	29	32	347	-	8	7	
(37)		Diseases of the arteries (91)	1	4	-	4	13	76	-	3	3	
20, 21		Bronchitis (99)	-	-	-	1	-	18	-	1	-	
(23)		Bronchopneumonia (100)	3	5	-	10	11	110	-	3	-	
22		Pneumonia (101)	9	6	-	4	9	87	-	1	-	
(23)		Other respiratory diseases (60, 61, 97, 98, 102-107)	-	2	-	1	-	20	-	-	-	
24		Diseases of the stomach (111, 112)	-	1	-	-	-	20	-	-	1	
25		Diarrhea and enteritis (under 2 years) (113)	1	1	-	1	1	35	-	-	-	
26		Appendicitis (117)	1	1	-	3	4	36	-	-	-	
27		Hernia, intestinal obstruction (118)	-	1	-	-	3	31	-	-	-	
28		Cirrhosis of the liver (122)	-	-	-	-	1	7	-	-	-	
29		Nephritis and Bright's disease (128, 129)	4	5	-	21	14	216	1	2	1	
30		Noncancerous tumors and other diseases of the female genital organs (137-141)	1	1	-	-	-	9	-	-	-	
31		Puerperal fever (146)	1	-	-	-	-	13	-	-	-	
32		Other puerperal affections (143-145, 147-150)	1	1	-	3	4	30	-	-	-	
33		Congenital debility and malformations (159-161a)	10	4	-	4	13	119	-	2	-	
34		Senility (164)	-	-	-	-	-	4	-	-	-	
(35)		Violent deaths (excluding suicide and homicide) (175-196, 201-203)	3	6	-	5	19	151	-	2	2	
(35)		Burns (conflagration excepted) (179)	-	1	-	1	2	15	-	-	-	
(35)		Accidental drowning (182)	-	2	-	-	2	12	-	-	1	
(35)		Traumatism by fall (185)	-	1	-	-	4	37	-	-	-	
(35)		Railroad accidents and injuries (188a)	-	-	-	-	-	7	-	-	-	
(35)		Automobile accidents and injuries (188c)	1	2	-	1	6	30	-	1	1	
(35)		All others	2	-	-	3	5	50	-	1	-	
36		Suicide (165-174)	-	1	-	2	2	21	-	-	2	
(35)		Homicide (197-200)	-	-	-	-	-	5	-	-	1	
(37)		All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161b, 162, 163)	11	17	-	12	20	271	-	3	2	
38		Ill-defined or unknown causes (204, 205)	-	-	-	2	-	2	-	-	-	

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

² Exclusive of stillbirths.

Table 16

DEATHS FROM IMPORTANT CAUSES: 1900 TO 1924.

YEARS.	All causes.	Ty- phoid fever.*	Small- pox.*	Mea- sles.*	Scarlet fever.*	Diph- theria.*	Tuber- culosis of the respira- tory sys- tem.*	Cancer.	Alco- holism.	Ne- phritis, Bright's disease, etc.
		1	6	7	8	10	31	43-49	66	128, 129 131
1900	51,156	632	3	330	330	1,475	5,199	1,998	226	2,259
1901	48,275	561	97	173	385	1,166	5,033	2,080	179	2,356
1902	47,491	538	284	333	313	873	4,685	2,141	171	2,341
1903	49,054	527	22	247	510	869	4,531	2,243	195	2,656
1904	48,482	463	9	160	138	699	4,874	2,421	162	2,610
1905	50,486	520	2	177	117	652	4,702	2,501	184	2,589
1906	50,624	477	—	208	135	743	4,608	2,603	161	2,593
1907	54,234	389	6	163	285	752	4,771	2,744	218	2,833
1908	51,788	517	3	331	369	747	4,445	2,814	114	2,631
1909	51,236	390	1	157	259	594	4,393	2,871	174	2,905
1910	54,407	411	—	240	254	679	4,503	3,028	224	3,061
1911	53,062	302	2	158	184	563	4,418	3,199	210	3,567
1912	52,400	269	1	286	118	473	4,212	3,282	197	2,980
1913	53,402	280	—	315	293	628	4,180	3,526	336	3,356
1914	52,978	268	—	149	246	652	4,171	3,586	299	3,420
1915	53,131	246	9	149	182	720	4,194	3,708	186	3,530
1916	56,366	172	—	392	127	629	4,467	3,990	212	3,593
1917	56,628	178	10	371	120	838	4,559	4,057	210	3,591
1918	78,842	160	—	532	78	608	5,078	4,098	111	4,008
1919	52,345	107	2	183	122	593	4,145	4,112	68	3,743
1920	53,632	95	2	352	214	591	3,645	4,494	59	3,644
1921	47,780	119	—	179	191	607	3,272	4,645	97	3,250
1922	51,115	86	—	218	149	606	3,167	4,650	238	3,268
1923	52,380	70	—	321	155	579	3,062	4,775	283	3,466
1924	49,466	68	2	165	158	534	2,953	5,074	287	3,345

Abridged Int. List No.	Table 17 CAUSE OF DEATH. ¹	NUMBER OF DEATHS. ²						
		1924.	1923.	1922.	1921.	1920.	1919.	1918.
	All Causes.²	49,466	52,380	51,115	47,780	53,632	52,345	78,842
I.	Epidemic, endemic and infectious diseases . . .	5,431	6,537	6,299	6,025	14,476	15,210	23,183
II.	General diseases not included above . . .	7,135	6,678	6,671	6,342			
III.	Diseases of the nervous system and of the organs of special sense . . .	6,147	6,220	6,096	5,679	5,869	5,733	5,846
IV.	Diseases of the circulatory system . . .	10,844	11,248	10,921	9,607	9,520	8,896	9,745
V.	Diseases of the respiratory system . . .	4,971	6,618	6,260	4,903	7,467	6,313	16,078
VI.	Diseases of the digestive system . . .	3,255	3,144	3,372	3,718	4,125	3,822	5,326
VII.	Nonvenereal diseases of the genito-urinary system and annexa . . .	3,809	3,914	3,699	3,690	4,127	4,273	4,403
VIII.	The puerperal state* . . .	544	498	559	580	698	622	804
IX.	Diseases of the skin and of the cellular tissue . . .	136	144	156	164	190	169	170
X.	Diseases of the bones and of the organs of locomotion . . .	68	86	64	88	120	88	96
XI.	Malformations* . . .	679	686	722	722	723	727	751
XII.	Early infancy . . .	2,717	2,876	2,820	2,928	2,996	2,839	3,433
XIII.	Old age . . .	133	170	184	159	196	210	229
XIV.	External causes . . .	3,474	3,392	3,140	2,996	2,938	3,242	3,442
XV.	Ill-defined diseases . . .	123	169	152	179	187	201	336
1	Typhoid fever (1)* . . .	68	70	86	119	95	107	160
2	Typhus fever (2)* . . .	-	-	-	-	-	-	1
3	Malaria (5) . . .	2	3	4	2	5	4	5
4	Smallpox (6)* . . .	2	-	-	-	2	2	-
5	Measles (7)* . . .	165	321	218	179	352	183	532
6	Scarlet fever (8)* . . .	158	155	149	191	214	122	78
7	Whooping cough (9)* . . .	147	493	294	201	546	323	729
8	Diphtheria and croup (10)* . . .	534	579	606	607	591	593	608
9	Influenza (11) . . .	277	742	569	153	1,623	2,872	13,783
10	Asiatic cholera (14)* . . .	-	-	-	-	-	-	-
11	Cholera nostras (15) . . .	2	1	5	8	8	7	1
12	Other epidemic diseases (3, 4, 12, 13, 16-23, 25, 42) . . .	245	276	284	336	164	122	252
13	Tuberculosis of the lungs (31) . . .	2,953	3,062	3,167	3,272	3,750	4,221	5,177
14	Tuberculous meningitis (32) . . .	249	246	249	327	368	410	422
15	Other forms of tuberculosis (33-37) . . .	328	282	320	268	282	289	370
16	Cancer and other malignant tumors (43-49) . . .	5,074	4,775	4,650	4,645	4,494	4,112	4,098
17	Simple meningitis (24, 71) . . .	209	262	219	248	274	325	418
18	Cerebral hemorrhage and softening (74, 83) . . .	4,733	4,710	4,618	4,268	4,187	4,272	4,173
19	Organic diseases of the heart (90)* . . .	7,597	7,876	7,607	6,660	6,379	6,031	6,793
20	Acute bronchitis (99a) . . .	169	213	195	206	418	477	644
21	Chronic bronchitis (99b)* . . .	109	129	124	108	273	217	328
22	Pneumonia (101) . . .	1,944	2,313	2,344	1,823	2,842	2,614	10,339
23	Other diseases of the respiratory system (tuberculosis excepted) (60, 61, 97, 98, 99c, 99d, 100, 102-107) . . .	2,805	4,005	3,645	2,815	3,934	3,005	4,767
24	Diseases of the stomach (cancer excepted) (111, 112) . . .	371	384	403	368	385	386	472
25	Diarrhea and enteritis (under 2 years) (113)* . . .	772	867	1,086	1,332	1,667	1,493	2,646
26	Appendicitis and typhlitis (117) . . .	565	513	481	501	457	391	415
27	Hernia, intestinal obstruction (118) . . .	422	387	357	437	440	442	427
28	Cirrhosis of the liver (122)* . . .	177	167	184	147	196	181	256
29	Acute nephritis and Bright's disease (128, 129) . . .	3,227	3,348	3,186	3,157	3,561	3,672	3,945
30	Noncancerous tumors and other diseases of the female genital organs (137-141) . . .	191	182	163	186	190	197	128
31	Puerperal septicemia (puerperal fever, peritonitis) (146)* . . .	161	128	159	178	195	163	159
32	Other puerperal accidents of pregnancy and labor (143-145, 147-150)* . . .	383	370	400	402	503	459	645
33	Congenital debility and malformations (159- 160a) . . .	2,492	2,602	2,673	2,740	2,784	2,775	3,406
34	Senility (164) . . .	133	170	184	159	196	210	229
35	Violent deaths (suicide excepted) (175-203) . . .	2,988	2,940	2,682	2,524	2,547	2,797	2,950
36	Suicide (165-174)* . . .	486	452	458	472	391	445	492
37	Other diseases (26-30, 38-41, 50-59, 62-70, 72, 73, 75-82, 84-89, 91-96, 108-110, 114- 116, 119-121, 123-127, 130-136, 142, 151- 158, 161b-163) . . .	9,205	9,188	9,193	8,561	9,132	8,225	8,658
38	Unknown or ill-defined diseases (204, 205) . . .	123	169	153	179	187	201	336

¹ Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	DEATH RATES ² PER 100,000 POPULATION.							PER CENT DISTRIBUTION.							
	1924.	1923.	1922.	1921.	1920.	1919.	1918.	1924.	1923.	1922.	1921.	1920.	1919.	1918.	
I.	1,235.7	1,319.5	1,298.6	1,229.6	1,392.2	1,364.7	2,017.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
II.	135.7	164.7	160.0	155.1	375.8	396.5	721.2	11.0	12.5	12.3	12.6	27.0	29.1	35.7	
III.	178.2	168.2	169.5	163.2	152.3	149.5	149.6	14.4	12.7	13.1	13.3	10.9	10.9	7.4	
IV.	153.5	156.7	154.9	146.1	152.3	149.5	149.6	12.4	11.9	11.9	11.9	10.9	10.9	7.4	
V.	270.9	283.4	277.5	247.2	247.1	231.9	249.3	21.9	21.5	21.4	20.1	17.8	17.0	12.4	
VI.	124.2	166.7	159.0	126.2	193.8	164.6	411.5	10.0	12.6	12.3	10.3	13.9	12.1	20.4	
VII.	81.3	79.2	85.7	95.7	107.1	99.7	136.3	6.6	6.0	6.6	7.8	7.7	7.3	6.8	
VIII.	95.1	98.6	94.0	95.0	107.1	111.4	112.7	7.7	7.5	7.2	7.7	7.7	8.1	5.6	
IX.	13.6	12.5	14.2	14.9	18.1	16.2	20.6	1.1	.9	1.1	1.2	1.3	1.2	1.0	
X.	3.4	3.6	4.0	4.2	4.9	4.4	4.4	.3	.3	.3	.3	.4	.3	.2	
XI.	1.7	2.2	1.6	2.3	3.1	2.3	2.6	.1	.2	.1	.2	.2	.2	.1	
XII.	17.0	17.3	18.3	18.6	18.8	19.0	19.2	1.4	1.3	1.4	1.5	1.3	1.4	1.0	
XIII.	67.9	72.4	71.6	75.4	77.8	74.0	87.9	5.5	5.5	5.5	6.1	5.6	5.4	4.4	
XIV.	3.3	4.3	4.6	4.1	5.1	5.5	5.9	.3	.3	.4	.3	.4	.4	.3	
XV.	86.8	85.4	79.8	77.1	76.3	84.5	88.1	7.0	6.5	6.1	6.3	5.5	6.2	4.4	
1	3.1	4.3	3.9	4.6	4.9	5.2	8.6	.3	.3	.3	.4	.3	.4	.4	
2	1.7	1.8	2.2	3.1	2.5	2.8	4.1	.1	.1	.2	.2	.2	.2	.2	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	4.1	8.1	5.5	4.6	9.1	4.8	13.6	.3	.6	.4	.4	.7	.3	.7	
6	4.0	3.9	3.8	4.9	5.6	3.2	2.0	.3	.3	.3	.4	.4	.2	.1	
7	3.7	12.4	7.5	5.2	14.2	8.4	18.7	.3	1.0	.6	.4	1.0	.6	.9	
8	13.3	14.6	15.4	15.6	15.3	15.5	15.6	1.1	1.1	1.2	1.3	1.1	1.1	.8	
9	6.9	18.7	14.5	3.9	42.1	74.9	352.7	.6	1.4	1.1	.3	3.0	5.5	17.5	
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	6.1	7.0	7.2	8.6	4.3	3.2	6.4	.5	.5	.6	.7	.3	.2	.3	
13	73.8	77.1	80.5	84.2	97.3	110.0	132.5	6.0	5.8	6.2	6.9	7.0	8.1	6.6	
14	6.2	6.2	6.3	8.4	9.5	10.7	10.8	.5	.5	.5	.7	.7	.8	.5	
15	8.2	7.1	8.1	6.9	7.3	7.5	9.5	.7	.5	.6	.6	.5	.6	.5	
16	126.8	120.3	118.1	119.5	116.7	107.2	104.9	10.3	9.1	9.1	9.7	8.4	7.9	5.2	
17	5.2	6.6	5.6	6.4	7.1	8.5	10.7	.4	.5	.4	.5	.5	.6	.5	
18	118.2	118.7	117.3	109.8	108.7	111.4	106.8	9.6	9.0	9.0	8.9	7.8	8.2	5.3	
19	189.8	198.4	193.3	171.4	165.6	157.3	173.8	15.4	15.0	14.9	13.9	11.9	11.5	8.6	
20	4.2	5.4	5.0	5.3	10.9	12.4	16.5	.3	.4	.4	.4	.8	.9	.8	
21	2.7	3.2	3.2	2.8	7.1	5.7	8.4	.2	.3	.2	.2	.5	.4	.4	
22	48.6	58.3	59.6	46.9	73.8	68.2	264.6	3.9	4.4	4.6	3.8	5.3	5.0	13.1	
23	70.1	100.9	92.6	72.4	102.1	78.3	122.0	5.7	7.7	7.1	5.9	7.3	5.7	6.0	
24	9.3	9.7	10.2	9.5	10.0	10.1	12.1	.7	.7	.8	.8	.7	.7	.6	
25	19.3	21.8	27.6	34.3	43.3	38.9	67.7	1.6	1.7	2.1	2.8	3.1	2.9	3.4	
26	14.1	12.9	12.2	12.9	11.9	10.2	10.6	1.1	1.0	1.0	1.1	.9	.8	.5	
27	10.5	9.7	9.1	11.2	11.4	11.5	10.9	.9	.7	.7	.9	.8	.8	.6	
28	4.4	4.2	4.7	3.8	5.1	4.7	6.6	.4	.3	.4	.3	.4	.4	.3	
29	80.6	84.3	80.9	81.2	92.4	95.7	101.0	6.5	6.4	6.2	6.6	6.6	7.0	5.0	
30	4.8	4.6	4.1	4.8	4.9	5.1	3.3	.4	.4	.3	.4	.4	.4	.2	
31	4.0	3.2	4.0	4.6	5.1	4.3	4.1	.3	.3	.3	.4	.4	.3	.2	
32	9.6	9.3	10.1	10.3	13.0	12.0	16.3	.8	.7	.8	.9	.9	.9	.8	
33	62.3	65.5	67.9	70.5	72.3	72.3	87.2	5.0	5.0	5.2	5.7	5.2	5.3	4.4	
34	3.3	4.3	4.7	4.1	5.1	5.5	5.9	.3	.3	.4	.3	.4	.4	.3	
35	74.7	74.1	68.1	65.0	66.1	72.9	75.5	6.0	5.6	5.2	5.3	4.8	5.3	3.7	
36	12.1	11.4	11.6	12.1	10.1	11.6	12.6	1.0	.9	.9	1.0	.7	.9	.6	
37	230.0	231.5	233.6	220.3	237.0	214.4	221.6	18.6	17.5	18.0	17.9	17.0	15.7	11.0	
38	3.1	4.3	3.9	4.6	4.9	5.2	8.6	.2	.3	.3	.4	.3	.4	.4	

² Exclusive of stillbirths.³ Less than one-tenth of 1 per 100,000.⁴ Less than one-tenth of 1 per cent.

Table 18	DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR: ¹ CENSUS YEARS 1900 TO 1920.									
	YEARS.	All causes. ²	Ty- phoid fever.*	Small- pox.*	Mea- sles.*	Scarlet fever.*	Diph- theria and croup.*	Tuber- culosis of the respira- tory system.*	Cancer.	Ne- phritis, Bright's disease, etc. 128, 129, 131
		1	6	7	8	10	31	43-49		
1900 . . .	1,721.0	21.4	2.9	8.3	10.0	37.5	181.3	71.0	81.1	
1905 . . .	1,677.0	15.8	.3	6.3	7.9	24.6	155.7	83.0	88.1	
1910 . . .	1,566.2	11.2	— ³	6.9	7.0	18.1	130.0	89.9	89.6	
1915 . . .	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7	
1920 . . .	1,472.9	2.9	— ³	7.6	3.9	15.6	100.2	114.2	93.0	

¹ This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.

² Exclusive of stillbirths.

³ Less than one-tenth of 1 per 100,000.

YEARS.	DEATHS PRODUCED BY EXTERNAL CAUSES: 1902 TO 1924.									
	Total.	Burns and scalds.*	Other acute poison- ings.	Acci- dental in- juries.	Acci- dental drown- ings.*	Freez- ing.*	Effects of heat.*	Homi- cide includ- ing infanti- cide.*	Sui- cide.*	Other external causes.
	165-203	179	177	183-189	182	193	194	197-200	165-174	175-203 ¹
1902 . . .	2,108	212	88	1,013	356	19	10	27	255	128
1903 . . .	2,246	207	87	1,126	344	25	14	— ²	314	129
1904 . . .	2,160	223	98	1,056	300	28	16	29	301	109
1905 . . .	2,326	315	90	1,117	303	19	56	24	298	104
1906 . . .	2,358	271	90	1,223	317	15	33	31	280	98
1907 . . .	2,681	322	88	1,363	309	3	36	44	400	116
1908 . . .	2,664	290	104	1,257	350	18	30	66	436	113
1909 . . .	2,578	292	87	1,247	313	16	39	68	416	100
1910 . . .	2,825	268	90	1,477	300	15	23	76	438	138
1911 . . .	3,418	315	78	1,423	301	18	614	85	449	135
1912 . . .	3,097	331	51	1,487	303	21	53	92	478	281
1913 . . .	3,222	311	52	1,525	364	7	25	111	486	341
1914 . . .	3,070	312	52	1,420	304	32	17	106	495	332
1915 . . .	3,206	274	56	1,522	362	11	17	113	515	336
1916 . . .	3,402	282	46	1,718	318	27	26	115	455	415
1917 . . .	3,584	309	55	1,719	315	27	91	106	493	469
1918 . . .	3,442	302	46	1,636	276	17	14	93	492	566
1919 . . .	3,242	296	118	1,491	292	13	26	102	445	459
1920 . . .	2,938	282	52	1,374	224	9	15	78	391	513
1921 . . .	2,996	202	65	1,393	301	9	31	116	472	407
1922 . . .	3,140	243	46	1,471	269	3	12	102	458	536
1923 . . .	3,392	265	43	1,656	260	4	32	106	452	574
1924 . . .	3,474	257	55	1,697	354	14	30	109	486	472

¹ Balance between.

² Not tabulated.

Detailed Int. List No.	Table 20 CAUSE OF DEATH AND AGE PERIOD.	DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1924.									
		MALES.					FEMALES.				
		Single.	Married.	Widowed.	Divorced.	Unknown.	Single.	Married.	Widowed.	Divorced.	Unknown.
43-49	Cancer (all causes).	273	1,343	456	14	1	528	1,380	1,050	25	4
	Under 20 years	26	-	-	-	-	22	1	-	-	-
	20 to 29 years	11	5	-	-	-	11	19	-	-	-
	30 to 39 years	16	49	-	1	-	31	111	3	1	-
	40 to 49 years	40	148	11	3	-	80	300	51	5	-
	50 to 59 years	78	334	54	4	1	132	439	153	10	1
	60 to 69 years	54	480	136	3	-	130	344	279	5	1
	70 to 79 years	38	271	179	3	-	88	136	392	4	1
	80 years and over	10	56	76	-	-	34	30	172	-	1
	Unknown age	-	-	-	-	-	-	-	-	-	-
43	Cancer of the buccal cavity										
	Under 20 years	-	-	-	-	-	1	-	-	-	-
	20 to 29 years	-	-	-	-	-	-	-	-	-	-
	30 to 39 years	-	2	-	-	-	-	-	-	-	-
	40 to 49 years	8	4	1	-	-	1	3	-	-	-
	50 to 59 years	9	25	8	2	-	-	1	2	-	-
	60 to 69 years	9	40	13	-	-	1	3	2	-	-
	70 to 79 years	2	23	13	-	-	2	2	1	-	-
	80 years and over	1	7	8	-	-	-	1	1	-	-
	Unknown age	-	-	-	-	-	-	-	-	-	-
44	Cancer of the stomach and liver										
	Under 20 years	2	-	-	-	-	-	-	-	-	-
	20 to 29 years	3	-	-	-	-	2	2	-	-	-
	30 to 39 years	4	21	-	-	-	7	19	-	-	-
	40 to 49 years	15	56	9	2	-	13	54	13	-	-
	50 to 59 years	32	140	20	1	-	18	99	35	1	-
	60 to 69 years	21	191	65	2	-	36	94	92	1	1
	70 to 79 years	11	112	82	3	-	31	43	141	1	-
	80 years and over	2	19	29	-	-	7	6	55	-	1
	Unknown age	-	-	-	-	-	-	-	-	-	-
45	Cancer of the peritoneum, intestines, rectum										
	Under 20 years	3	-	-	-	-	1	-	-	-	-
	20 to 29 years	2	1	-	-	-	1	4	-	-	-
	30 to 39 years	1	8	-	-	-	2	17	1	-	-
	40 to 49 years	5	27	-	-	-	13	46	7	-	-
	50 to 59 years	14	63	11	-	-	17	73	25	3	-
	60 to 69 years	7	77	21	-	-	26	58	47	1	-
	70 to 79 years	10	43	30	-	-	25	31	89	3	-
	80 years and over	-	8	12	-	-	12	10	45	-	-
	Unknown age	-	-	-	-	-	-	-	-	-	-
46	Cancer of the female genital organs										
	Under 20 years	-	-	-	-	-	-	1	-	-	-
	20 to 29 years	-	-	-	-	-	3	3	-	-	-
	30 to 39 years	-	-	-	-	-	9	44	2	1	-
	40 to 49 years	-	-	-	-	-	14	110	20	3	-
	50 to 59 years	-	-	-	-	-	34	121	41	3	1
	60 to 69 years	-	-	-	-	-	16	75	60	1	-
	70 to 79 years	-	-	-	-	-	6	26	59	-	-
	80 years and over	-	-	-	-	-	6	5	18	-	-
	Unknown age	-	-	-	-	-	-	-	-	-	-
47	Cancer of the breast										
	Under 20 years	-	-	-	-	-	-	-	-	-	-
	20 to 29 years	-	-	-	-	-	1	4	-	-	-
	30 to 39 years	-	-	-	-	-	10	20	-	-	-
	40 to 49 years	-	-	-	-	-	30	49	6	1	-
	50 to 59 years	-	-	-	-	-	48	79	30	1	-
	60 to 69 years	-	2	-	-	-	32	61	32	-	-
	70 to 79 years	-	-	-	-	-	15	15	55	-	1
	80 years and over	-	2	-	-	-	7	7	30	-	-
	Unknown age	-	-	-	-	-	-	-	-	-	-
48	Cancer of the skin										
	Under 20 years	-	-	-	-	-	3	-	-	-	-
	20 to 29 years	-	-	-	-	-	-	1	-	-	-
	30 to 39 years	1	-	-	-	-	-	1	-	-	-
	40 to 49 years	2	4	-	-	-	-	-	1	-	-
	50 to 59 years	2	7	1	-	-	-	4	2	-	-
	60 to 69 years	1	10	3	-	-	-	3	7	-	-
	70 to 79 years	4	3	4	-	-	2	2	8	-	-
	80 years and over	3	4	8	-	-	-	1	10	-	-
	Unknown age	-	-	-	-	-	-	-	-	-	-
49	Cancer of other organs or of organs not specified										
	Under 20 years	21	-	-	-	-	17	-	-	-	-
	20 to 29 years	6	4	-	-	-	4	5	-	-	-
	30 to 39 years	10	18	-	1	-	3	10	-	-	-
	40 to 49 years	10	57	1	1	-	9	38	4	1	-
	50 to 59 years	21	99	14	2	-	15	62	18	2	-
	60 to 69 years	16	160	34	1	-	19	50	39	2	-
	70 to 79 years	11	90	50	-	-	7	17	39	-	-
	80 years and over	4	16	19	-	-	2	-	13	-	-
	Unknown age	-	-	-	-	-	-	-	-	-	-

Table 21		DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1924.				MUNICIPALITIES.		DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1924.			
MUNICIPALITIES.		Total deaths un- der 1 month of age.	Total. Males. Fe-		MUNICIPALITIES.	Total deaths un- der 1 month of age.	Total. Males. Fe-				
			males.				males.				
Infant Mortality Rate. The State.		3,469	67.7	6,191	3,525	2,666	Dighton	—	2	2	—
Abington	1	2	1	1	1	1	Douglas	1	4	3	1
Acton	4	4	3	1	—	—	Dover	—	—	—	—
Acushnet	9	12	7	5	—	—	Dracut	5	12	7	5
Adams	14	19	6	13	—	—	Dudley	—	5	3	2
Agawam	1	3	2	1	—	—	Dunstable	—	—	—	—
Alford	—	—	—	—	—	—	Duxbury	—	3	2	1
Amesbury	7	12	10	2	—	—	East Bridgewater	1	2	2	—
Amherst	5	7	5	2	—	—	East Brookfield	—	—	—	—
Andover	6	9	5	4	—	—	East Longmeadow	1	4	—	4
Arlington	15	19	9	10	—	—	Eastham	—	—	—	—
Ashburnham	—	1	1	—	—	—	Easthampton	10	24	14	10
Ashby	—	—	—	—	—	—	Easton	4	6	2	4
Ashfield	—	—	—	—	—	—	Edgartown	—	—	—	—
Ashland	1	1	—	—	—	—	Egremont	1	1	1	—
Athol	9	19	11	8	—	—	Enfield	—	—	—	—
ATTLEBORO	19	33	15	18	—	—	Erving	—	—	—	—
Auburn	1	2	1	1	—	—	Essex	—	—	—	—
Avon	1	1	—	1	—	—	EVERETT	24	46	32	14
Ayer	2	3	2	1	—	—	Fairhaven	8	16	12	4
Barnstable	5	6	5	1	—	—	FALL RIVER	152	337	184	153
Barre	1	3	1	2	—	—	Falmouth	1	3	1	2
Becket	—	1	—	1	—	—	FITCHBURG	38	83	54	29
Bedford	—	—	—	—	—	—	Florida	—	—	—	—
Belchertown	2	6	4	2	—	—	Foxborough	1	3	3	—
Bellingham	1	4	2	2	—	—	Frammingham	29	39	22	17
Belmont	6	9	3	6	—	—	Franklin	4	10	4	6
Berkley	—	—	—	—	—	—	Freetown	1	2	—	2
Berlin	1	1	—	1	—	—	GARDNER	16	36	19	17
Bernardston	—	1	—	1	—	—	Gay Head	—	—	—	—
BEVERLY	16	20	12	8	—	—	Georgetown	—	1	—	1
Billerica	5	7	2	5	—	—	Gill	1	2	2	—
Blackstone	3	5	4	1	—	—	GLOUCESTER	19	27	13	14
Blandford	—	1	1	—	—	—	Goshen	—	—	—	—
Bolton	—	—	—	—	—	—	Gosnold	—	—	—	—
Boston	795	1,468	846	662	—	—	Grafton	3	4	2	2
Bourne	1	2	1	1	—	—	Granby	—	—	—	—
Boxborough	—	—	—	—	—	—	Granville	—	—	—	—
Boxford	—	—	—	—	—	—	Great Barrington	10	12	6	6
Boylston	1	1	—	1	—	—	Greenfield	18	23	14	9
Braintree	5	7	5	2	—	—	Greenwich	—	—	—	—
Brewster	—	—	—	—	—	—	Groton	—	—	—	—
Bridgewater	2	3	2	1	—	—	Groveland	—	3	2	1
Brimfield	—	—	—	—	—	—	Hadley	4	7	5	2
BROCKTON	64	87	49	38	—	—	Halifax	—	—	—	—
Brookfield	1	2	2	—	—	—	Hamilton	—	1	—	1
Brookline	7	11	9	2	—	—	Hampden	—	—	—	—
Buckland	1	1	—	1	—	—	Hancock	—	1	1	—
Burlington	—	—	—	—	—	—	Hanover	—	2	—	2
CAMBRIDGE	111	169	102	67	—	—	Hanson	—	—	—	—
Canton	6	13	8	5	—	—	Hardwick	1	4	3	1
Carlisle	—	1	1	—	—	—	Harvard	—	—	—	—
Carver	—	2	—	2	—	—	Harwich	1	1	1	—
Charlemont	1	2	1	1	—	—	Hatfield	2	3	3	—
Charlton	2	3	—	3	—	—	HAVERHILL	35	58	30	28
Chatham	—	—	—	—	—	—	Hawley	—	1	—	1
Chelmsford	3	7	6	1	—	—	Heath	2	2	—	2
CHELSEA	34	52	26	26	—	—	Hingham	2	3	1	2
Cheshire	—	—	—	—	—	—	Hinsdale	—	—	—	—
Chester	—	2	1	1	—	—	Holbrook	1	1	1	—
Chesterfield	—	—	—	—	—	—	Holden	3	6	5	1
CHICOPEE	36	79	38	41	—	—	Holland	—	—	—	—
Chilmark	—	—	—	—	—	—	Holliston	—	—	—	—
Clarksburg	—	—	—	—	—	—	HOLYOKE	66	128	73	55
Clinton	16	27	16	11	—	—	Hopedale	—	1	1	—
Cohasset	1	4	2	2	—	—	Hopkinton	—	—	—	—
Colrain	—	—	—	—	—	—	Hubbardston	—	—	—	—
Concord	8	13	6	7	—	—	Hudson	3	14	9	5
Conway	1	1	—	1	—	—	Hull	—	5	3	2
Cummington	—	—	—	—	—	—	Huntington	1	1	—	1
Dalton	1	2	—	2	—	—	Ipswich	7	9	5	4
Dana	1	2	2	—	—	—	Kingston	3	3	2	1
Danvers	5	7	5	2	—	—	Lakeville	—	—	—	—
Dartmouth	11	21	15	6	—	—	Lancaster	—	—	—	—
Dedham	5	8	3	5	—	—	Lanesborough	1	2	1	1
Deerfield	—	4	3	1	—	—	LAWRENCE	88	180	106	74
Dennis	—	1	—	1	—	—	Lee	—	—	—	—
							Leicester	3	5	3	2
							Lenox	1	2	—	2

¹ Exclusive of stillbirths.

Table 21		DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1924.				Municipalities.		DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1924.				
Municipalities.		Total deaths under 1 month of age.	Total. Males.		Fe- males.		Municipalities.	Total deaths under 1 month of age.	Total. Males.		Fe- males.	
LEOMINSTER	19	47	25	22	Peru	—	—	—	—	—	—	—
Leverett	—	—	—	—	Petersham	—	—	—	—	—	—	—
Lexington	2	4	3	1	Phillipston	—	—	—	—	—	—	—
Leyden	—	1	—	1	PRITTSFIELD	51	80	40	40	—	—	—
Lincoln	—	—	—	—	Plainfield	—	1	1	—	—	—	—
Littleton	1	4	2	2	Plainville	3	4	2	2	—	—	—
Longmeadow	1	1	—	1	Plymouth	7	15	10	5	—	—	—
LOWELL	133	275	151	124	Plympton	—	1	1	—	—	—	—
Ludlow	15	31	19	12	Prescott	—	—	—	—	—	—	—
Lunenburg	1	2	2	—	Princeton	1	1	—	1	—	—	—
LYNN	96	149	83	66	Provincetown	3	4	3	1	—	—	—
Lynnfield	—	—	—	—	QUINCY	29	52	29	23	—	—	—
MALDEN	32	51	27	24	Randolph	—	3	1	2	—	—	—
Manchester	—	—	—	—	Raynham	3	5	4	1	—	—	—
Mansfield	2	4	4	—	Reading	3	5	2	3	—	—	—
Marblehead	3	8	4	4	Rehoboth	3	5	4	1	—	—	—
Marion	2	4	2	2	REVERE	9	17	11	6	—	—	—
MARLBOROUGH	24	29	19	10	Richmond	—	—	—	—	—	—	—
Marshfield	—	—	—	—	Rochester	1	1	—	1	—	—	—
Mashpee	—	—	—	—	Rockland	2	5	3	2	—	—	—
Mattapoisett	1	1	1	—	Rockport	2	3	2	1	—	—	—
Maynard	3	6	4	2	Rowe	—	—	—	—	—	—	—
Medfield	—	—	—	—	Rowley	—	1	—	1	—	—	—
MEDFORD	30	49	30	19	Royalston	1	1	1	—	—	—	—
Medway	—	1	1	—	Russell	—	1	—	—	—	—	—
MELROSE	13	19	15	4	Rutland	1	1	1	—	—	—	—
Mendon	—	—	—	—	SALEM	37	69	29	40	—	—	—
Merrimac	—	—	—	—	Salisbury	—	1	1	—	—	—	—
Methuen	9	23	11	12	Sandisfield	—	—	—	—	—	—	—
Middleborough	5	8	4	4	Sandwich	—	2	1	1	—	—	—
Middlefield	—	—	—	—	Saugus	1	5	2	3	—	—	—
Middleton	—	—	—	—	Savoy	—	—	—	—	—	—	—
Milford	15	28	24	4	Scituate	—	1	1	—	—	—	—
Millbury	6	6	4	2	Seekonk	3	7	5	2	—	—	—
Millis	—	1	—	1	Sharon	—	1	1	—	—	—	—
Millville	3	4	3	1	Sheffield	—	1	—	1	—	—	—
Milton	8	11	6	5	Shelburne	—	—	—	—	—	—	—
Monroe	—	—	—	—	Sherborn	—	1	1	—	—	—	—
Monson	1	3	1	2	Shirley	4	7	6	1	—	—	—
Montague	12	18	12	6	Shrewsbury	3	8	4	4	—	—	—
Monterey	—	—	—	—	Shutesbury	—	—	—	—	—	—	—
Montgomery	—	—	—	—	Somerset	3	9	3	6	—	—	—
Mount Washington	—	—	—	—	SOMERVILLE	71	110	61	49	—	—	—
Nahant	1	1	1	—	South Hadley	4	5	—	5	—	—	—
Nantucket	2	3	2	1	Southampton	—	—	—	—	—	—	—
Natick	15	19	8	11	Southborough	—	—	—	—	—	—	—
Needham	7	10	6	4	Southbridge	12	25	17	8	—	—	—
New Ashford	—	—	—	—	Southwick	1	1	1	—	—	—	—
NEW BEDFORD	144	250	146	104	Spencer	8	10	4	6	—	—	—
New Braintree	1	1	1	—	SPRINGFIELD	153	243	142	101	—	—	—
New Marlborough	—	1	1	—	Sterling	2	4	2	2	—	—	—
New Salem	—	—	—	—	Stockbridge	1	1	—	1	—	—	—
Newbury	—	—	—	—	Stoneham	4	8	2	6	—	—	—
NEWBURYPORT	16	20	8	12	Stoughton	4	9	5	4	—	—	—
NEWTON	27	45	21	24	Stow	—	—	—	—	—	—	—
Norfolk	—	—	—	—	Sturbridge	—	2	1	1	—	—	—
NORTH ADAMS	23	39	19	20	Sudbury	—	1	1	—	—	—	—
North Andover	3	4	3	1	Sunderland	1	1	1	—	—	—	—
North Attleborough	8	11	3	8	Sutton	1	1	—	1	—	—	—
North Brookfield	1	5	2	3	Swampscott	5	6	3	3	—	—	—
North Reading	2	2	1	1	Swansea	2	6	2	4	—	—	—
NORTHAMPTON	22	29	17	12	TAUNTON	44	63	45	18	—	—	—
Northborough	1	3	2	1	Templeton	4	6	3	3	—	—	—
Northbridge	12	18	8	10	Tewksbury	1	6	4	2	—	—	—
Northfield	—	2	1	1	State Infirmary	4	17	12	5	—	—	—
Norton	2	4	4	—	Tisbury	—	—	—	—	—	—	—
Norwell	1	3	1	2	Tolland	—	—	—	—	—	—	—
Norwood	20	26	15	11	Topsfield	—	1	—	1	—	—	—
Oak Bluffs	2	4	3	1	Townsend	3	5	2	3	—	—	—
Oakham	1	1	—	1	Truro	—	—	—	—	—	—	—
Orange	2	4	3	1	Tyngsborough	1	1	1	—	—	—	—
Orleans	—	2	—	2	Tyringham	—	—	—	—	—	—	—
Otis	—	1	1	—	Upton	—	4	2	2	—	—	—
Oxford	2	6	1	5	Uxbridge	4	6	4	2	—	—	—
Palmer	16	29	18	11	Wakefield	10	16	6	10	—	—	—
Paxton	—	—	—	—	Wales	1	1	—	1	—	—	—
PEABODY	17	37	20	17	Walpole	1	3	3	—	—	—	—
Pelham	1	2	1	1	WALTHAM	28	48	28	20	—	—	—
Pembroke	—	3	2	1	Ware	6	15	7	8	—	—	—
Pepperell	1	1	—	1	Wareham	6	8	7	1	—	—	—

¹ Exclusive of stillbirths.

Table 21		DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1924.			MUNICIPALITIES.		DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1924.		
MUNICIPALITIES.	Total deaths un- der 1 month of age.	Total. Males. Fe- males.			MUNICIPALITIES.	Total deaths un- der 1 month of age.	Total. Males. Fe- males.		
Warren . . .	1	3	2	1	Westminster . . .	—	1	1	—
Warwick . . .	—	—	—	—	Weston . . .	—	—	—	—
Washington . . .	—	—	—	—	Westport . . .	5	11	6	5
Watertown . . .	5	12	6	6	Westwood . . .	—	—	—	—
Wayland . . .	—	—	—	—	Weymouth . . .	10	17	10	7
Webster . . .	10	14	9	5	Whately . . .	—	—	—	—
Wellesley . . .	2	6	5	1	Whitman . . .	1	3	3	—
Wellfleet . . .	—	—	—	—	Wilbraham . . .	1	6	3	3
Wendell . . .	—	—	—	—	Williamsburg . . .	2	2	1	1
Wenham . . .	—	—	—	—	Williamstown . . .	2	2	1	1
West Boylston . . .	—	—	—	—	Wilmington . . .	2	2	2	—
West Bridgewater . . .	1	1	—	1	Winchendon . . .	13	16	14	2
West Brookfield . . .	3	3	2	1	Winchester . . .	10	13	6	7
West Newbury . . .	—	—	—	—	Windsor . . .	—	—	—	—
West Springfield . . .	6	16	11	5	Winthrop . . .	10	13	7	6
West Stockbridge . . .	—	5	1	4	Woburn . . .	17	26	11	15
West Tisbury . . .	1	1	1	—	WORCESTER . . .	179	288	163	125
Westborough . . .	1	3	2	1	Worthington . . .	—	—	—	—
WESTFIELD . . .	20	33	23	10	Wrentham . . .	—	1	1	—
Westford . . .	1	5	3	2	Yarmouth . . .	—	—	—	—
Westhampton . . .	—	—	—	—					

¹ Exclusive of stillbirths.

Table 22	YEARS.	INFANT MORTALITY: 1900 TO 1924.			
		Live births.	DEATHS ¹ UNDER 1 YEAR.		
			Number.	Per 1,000 live births.	Per cent of total deaths.
1900	.	73,386	11,500	156.7	22.5
1901	.	71,976	9,952	138.3	20.6
1902	.	72,219	10,075	139.5	21.2
1903	.	73,584	10,269	138.3	20.9
1904	.	75,014	9,992	133.2	20.6
1905	.	75,022	10,519	140.2	20.8
1906	.	80,237	11,106	138.4	21.9
1907	.	85,001	11,293	132.9	20.9
1908	.	86,911	11,606	133.5	22.4
1909	.	84,039	10,693	127.2	20.9
1910	.	86,539	11,499	132.9	21.1
1911	.	88,327	10,543	119.4	19.9
1912	.	89,882	10,472	116.5	20.0
1913	.	91,644	10,086	110.1	18.9
1914	.	93,399	9,894	105.9	18.7
1915	.	93,155	9,490	101.9	17.9
1916	.	93,487	9,334	99.8	16.6
1917	.	95,731	9,325	97.4	16.5
1918	.	95,607	10,820	113.2	13.7
1919	.	87,827	7,769	88.5	14.8
1920	.	91,859	8,382	91.2	15.6
1921	.	92,245	7,005	75.9	14.7
1922	.	87,636	7,129	81.3	13.9
1923	.	89,210	6,968	78.1	13.3
1924	.	91,463	6,191	67.7	12.5

¹ Exclusive of stillbirths.

Table 23	MUNICIPALITIES. (Grouped in order of population, 1920)	INFANT DEATHS ¹ PER 1,000 LIVE BIRTHS IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1920: 1917 TO 1924.							
		1924.	1923.	1922.	1921.	1920.	1919.	1918.	1917.
	The State. OVER 100,000.	68	78	81	76	91	88	113	97
Boston	.	.74	82	92	77	100	96	115	98
Worcester	.	.61	76	80	77	86	93	97	95
Springfield	.	.69	73	73	72	85	84	108	90
New Bedford	.	.79	106.	104	95	123	122	194	135
Fall River	.	.94	93	127	114	130	120	181	158
Lowell	.	.91	108	99	91	135	123	160	140
Cambridge	.	.54	72	75	64	96	70	109	74
	50,000 to 100,000.								
Lynn	.	.72	79	74	76	82	66	83	79
Lawrence	.	.69	88	88	78	105	103	143	122
Somerville	.	.56	71	62	70	80	63	96	66
Brockton	.	.55	59	70	64	70	78	95	65
Holyoke	.	.87	98	119	92	117	119	145	195
Haverhill	.	.55	74	71	73	92	86	78	95
	25,000 to 50,000.								
Malden	.	.48	59	55	62	54	71	79	65
Quincy	.	.53	70	73	55	66	64	90	71
Newton	.	.46	57	53	50	63	69	73	90
Chelsea	.	.40	53	53	61	63	66	76	81
Salem	.	.70	92	85	77	86	69	119	88
Pittsfield	.	.65	50	66	69	65	63	82	102
Fitchburg	.	.73	78	80	78	68	69	99	75
Everett	.	.61	87	64	63	83	61	83	54
Medford	.	.55	70	50	60	88	68	60	70
Brookline (town)	.	.34	51	75	41	66	56	61	62
Taunton	.	.64	97	81	91	96	124	130	115
Chicopee	.	.87	100	106	105	115	120	124	111
Waltham	.	.56	75	55	65	63	63	103	68
Revere	.	.30	47	47	65	51	66	81	70
	15,000 to 25,000.								
Gloucester	.	60	80	71	70	76	89	94	67
Beverly	.	43	91	37	50	54	48	70	92
North Adams	.	73	61	83	67	70	88	114	80
Northampton	.	53	69	71	66	88	64	110	86
Watertown (town)	.	38	42	79	50	76	77	75	72
Leominster	.	93	51	91	51	66	86	82	51
Attleboro	.	61	67	61	59	65	81	88	84
Peabody	.	72	60	97	65	85	81	100	89
Arlington (town)	.	39	44	50	63	67	-	-	-
Westfield	.	80	87	86	53	86	86	106	113
Melrose	.	49	68	45	54	56	57	80	62
Framingham (town)	.	63	54	41	49	64	72	97	70
Gardner	.	73	85	78	77	102	89	123	101
Woburn	.	61	66	56	66	77	73	97	79
Newburyport	.	47	73	50	62	85	77	101	49
Greenfield (town)	.	67	54	32	55	87	-	-	-
Winthrop (town)	.	55	57	84	66	40	-	-	-
Methuen (town)	.	60	85	92	73	88	78	90	-
Weymouth (town)	.	42	44	51	53	69	-	-	-
Marlborough	.	70	52	59	68	69	67	90	66

¹ Exclusive of stillbirths.

Table 24

MUNICIPALITIES. (Grouped in order of population, 1920.)	BIRTH RATES, DEATH RATES, NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPAL- ITIES HAVING OVER 15,000 INHABITANTS IN 1920: 1924.					
	Births ¹ per 1,000 popula- tion.	Deaths ¹ per 1,000 popula- tion.	Natural increase per 1,000 popula- tion.	Deaths ¹ under 1 year per 1,000 births. ¹	SURVIVORS AT END OF FIRST YEAR OF LIFE.	
					Number.	Per 1,000 births. ¹
The State.	22.8	12.4	10.4	67.7	85,272	932
OVER 100,000.						
Boston	26.3	14.6	11.7	74.2	18,308	926
Worcester	23.2	12.6	10.6	61.1	4,263	937
Springfield	22.7	10.9	11.8	69.0	3,277	931
New Bedford	24.0	10.2	13.8	78.8	2,921	921
Fall River	29.8	13.3	16.5	93.8	3,257	906
Lowell	25.7	13.2	12.5	91.4	2,735	909
Cambridge	28.4	13.0	15.4	53.8	2,974	946
50,000 to 100,000.						
Lynn	20.3	11.3	9.0	71.7	1,928	928
Lawrence	26.6	10.7	15.9	69.0	2,429	931
Somerville	19.9	9.9	10.0	55.8	1,862	944
Brockton	22.6	10.3	12.3	55.0	1,496	945
Holyoke	24.4	13.4	11.0	87.1	1,341	913
Haverhill	18.1	11.1	7.0	55.1	994	945
25,000 to 50,000.						
Malden	21.4	10.4	11.0	48.4	1,001	952
Quincy	17.9	8.9	9.0	53.2	925	947
Newton	20.2	10.4	9.8	45.7	940	954
Chelsea	30.0	13.2	16.8	40.1	1,244	960
Salem	20.8	10.9	9.9	69.8	920	930
Pittsfield	27.9	13.1	14.8	65.4	1,144	935
Fitchburg	26.9	11.9	15.0	72.8	1,057	927
Everett	17.9	7.7	10.2	60.8	711	939
Medford	18.8	9.3	9.5	54.8	845	945
Brookline (town)	7.8	10.6	2.8 ²	33.6	316	966
Taunton	26.0	15.3	10.7	63.6	928	936
Chicopee	21.5	8.4	13.1	87.5	824	913
Waltham	27.3	12.3	15.0	55.7	814	944
Revere	17.7	5.9	11.8	29.8	553	970
15,000 to 25,000.						
Gloucester	19.7	13.1	6.6	59.9	424	940
Beverly	20.7	11.8	8.9	42.8	447	957
North Adams	23.7	12.7	11.0	73.0	495	927
Northampton	24.6	18.0	6.6	53.1	517	947
Watertown (town)	12.0	5.5	6.5	38.2	302	962
Leominster	23.3	11.8	11.5	92.9	459	907
Attleboro	25.9	12.1	13.8	60.9	508	939
Peabody	25.2	11.8	13.4	72.0	477	928
Arlington (town)	21.1	11.4	9.7	39.5	462	960
Westfield	22.1	13.6	8.5	79.7	381	920
Melrose	19.8	11.9	7.9	49.3	366	951
Framingham (town)	33.8	14.8	19.0	63.5	575	936
Gardner	28.3	13.8	14.5	72.6	460	927
Woburn	25.5	11.9	13.6	60.9	401	939
Newburyport	26.8	15.5	11.3	46.9	406	953
Greenfield (town)	19.0	9.0	10.0	66.7	322	933
Winthrop (town)	13.1	9.2	3.9	55.3	222	945
Methuen (town)	23.3	12.9	10.4	60.5	357	939
Weymouth (town)	25.4	10.4	15.0	41.7	391	958
Marlborough	27.4	11.2	16.2	70.4	383	930

¹ Exclusive of stillbirths.

² Decrease.

Table 25

Table 25	INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: 1910 TO 1924.											
	YEARS.	MASSACHUSETTS.			BOSTON.			REMAINDER OF STATE OUTSIDE BOSTON.				
		Live births.	DEATHS UNDER 1 YEAR.		Live births.	DEATHS UNDER 1 YEAR.		Live births.	DEATHS UNDER 1 YEAR.			
			Num- ber.	Per 1,000 live births.		Num- ber.	Per 1,000 live births.		Num- ber.	Per 1,000 live births.		
1910	.	.	.	86,539	11,499	132.9	17,672	2,252	127.4	68,867	9,247	134.3
1911	.	.	.	88,327	10,543	119.4	17,844	2,242	125.6	70,483	8,301	117.8
1912	.	.	.	89,882	10,472	116.5	18,745	2,192	116.9	71,137	8,280	116.4
1913	.	.	.	91,644	10,086	110.1	19,109	2,109	110.4	72,535	7,977	110.0
1914	.	.	.	93,399	9,894	105.9	19,467	2,011	105.2	73,932	7,883	106.6
1915	.	.	.	93,155	9,490	101.9	19,713	2,047	103.8	73,442	7,443	101.3
1916	.	.	.	93,487	9,334	99.8	19,604	2,046	104.4	73,883	7,288	98.6
1917	.	.	.	95,731	9,325	97.4	19,950	1,965	98.5	75,781	7,360	97.1
1918	.	.	.	95,607	10,820	113.2	20,092	2,304	114.7	75,515	8,516	112.8
1919	.	.	.	87,827	7,769	88.5	18,798	1,814	96.5	69,029	5,955	86.3
1920	.	.	.	91,859	8,382	91.2	19,573	1,962	100.2	72,286	6,420	88.8
1921	.	.	.	92,245	7,005	75.9	19,397	1,497	77.2	72,848	5,508	75.6
1922	.	.	.	87,636	7,129	81.3	18,536	1,711	92.3	69,100	5,418	78.4
1923	.	.	.	89,210	6,968	78.1	19,056	1,570	82.4	70,154	5,398	76.9
1924	.	.	.	91,463	6,191	67.7	19,776	1,468	74.2	71,687	4,723	65.9

Table 26	YEARS.	SURVIVORS AT END OF FIRST YEAR OF LIFE: 1900 TO 1924.		YEARS.		SURVIVORS AT END OF FIRST YEAR OF LIFE: 1900 TO 1924.	
		Per 1,000 popu- lation.	Per 1,000 live births.			Per 1,000 popu- lation.	Per 1,000 live births.
1900	.	22.1	843	1913	.	22.8	890
1901	.	21.8	862	1914	.	22.9	894
1902	.	21.5	860	1915	.	22.7	898
1903	.	21.6	862	1916	.	22.3	900
1904	.	21.9	867	1917	.	22.5	903
1905	.	21.4	860	1918	.	21.7	887
1906	.	22.3	862	1919	.	20.9	911
1907	.	23.3	867	1920	.	21.7	909
1908	.	23.3	866	1921	.	21.9	924
1909	.	22.2	873	1922	.	20.5	919
1910	.	22.2	867	1923	.	20.7	922
1911	.	22.6	881	1924	.	21.3	932
1912	.	22.6	883				

De- tailed Int. List No.	Table 27	CAUSES.	INFANT DEATHS PER 1,000 LIVE BIRTHS, BY CAUSES: 1917 TO 1924.							
			1924.	1923.	1922.	1921.	1920.	1919.	1918.	1917.
		All Causes.	67.7	78.1	81.3	75.9	91.2	88.5	113.2	97.4
		Developmental and wasting diseases*	26.7	28.7	30.0	29.3	29.7	31.1	35.0	31.5
161a		Premature birth*	16.2	16.5	17.9	17.6	15.5	16.3	19.2	17.5
159		Congenital malformations	7.0	7.3	7.8	7.4	7.4	7.9	7.4	6.4
160		Congenital debility, etc.*	3.5	4.9	4.3	4.3	6.8	6.9	8.4	7.6
113		Diarrhea and enteritis*	7.5	8.5	10.9	12.7	16.2	15.0	24.2	22.7
100a		Bronchopneumonia*	8.4	11.7	11.9	8.2	12.1	10.4	12.8	8.5
101a		Lobar pneumonia*	1.5	1.4	1.9	1.4	2.0	2.0	3.6	4.2
80		Convulsions	.7	.7	.6	.7	.9	.8	.7	.9
99a, 99b, 99c		Bronchitis*	1.1	1.2	1.6	1.5	2.5	3.0	3.7	2.5
9		Whooping cough*	1.0	3.1	1.9	1.1	3.1	2.2	3.5	1.6
24, 71		Meningitis	.8	.8	.6	.5	.8	1.0	1.2	1.0
32		Tuberculous meningitis	.4	.6	.6	.7	.9	.8	.8	.9
38		Syphilis	.3	.6	.8	.6	.7	.9	.8	1.2
101b		Pneumonia, undefined	.3	.4	.3	.1	.2	.1	.4	.3
22		Acute anterior poliomyelitis	—	—	—	—	.1	—	.1	.1
		All other causes	19.0	20.4	20.2	19.1	22.0	21.2	26.4	22.0

Table 28 DEATHS UNDER 2 YEARS OF AGE FROM DIARRHEA AND ENTERITIS (113),* BY MONTHS: 1917 TO 1924.

MONTHS.	The Year.	1924.	1923.	1922.	1921.	1920.	1919.	1918.	1917.
		772	867	1,086	1,332	1,667	1,493	2,646	2,502
January	.	47	51	52	58	68	88	92	88
February	.	39	48	59	43	79	65	73	83
March	.	45	63	72	60	75	80	91	79
April	.	39	59	41	57	67	68	82	90
May	.	50	41	50	57	60	71	95	102
June	.	55	48	50	47	53	82	162	108
July	.	66	72	103	173	137	189	506	249
August	.	106	148	214	303	394	305	612	633
September	.	119	138	199	232	353	220	472	537
October	.	91	98	119	176	208	155	240	301
November	.	66	53	73	62	115	80	143	134
December	.	49	48	51	64	58	90	78	97

PER CENT DISTRIBUTION.

MONTHS.	The Year.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
January	.	6.1	5.9	4.8	4.4	4.1	5.9	3.5	3.5
February	.	5.1	5.5	5.4	3.2	4.7	4.3	2.8	3.3
March	.	5.8	7.3	6.6	4.5	4.5	5.4	3.4	3.2
April	.	5.1	6.8	3.8	4.3	4.0	4.5	3.1	3.6
May	.	6.5	4.8	4.6	4.3	3.6	4.8	3.6	4.1
June	.	7.1	5.5	4.6	3.5	3.2	5.5	6.1	4.3
July	.	8.5	8.3	9.5	13.0	8.2	12.7	19.1	9.9
August	.	13.7	17.1	19.7	22.7	23.6	20.4	23.1	25.3
September	.	15.4	15.9	18.3	17.4	21.2	14.7	17.8	21.5
October	.	11.8	11.3	11.0	13.2	12.5	10.4	9.1	12.0
November	.	8.6	6.1	6.7	4.7	6.9	5.4	5.4	5.4
December	.	6.3	5.5	5.0	4.8	3.5	6.0	3.0	3.9

Table 29		CAUSE OF DEATH.	DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.																
			Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.	
	The State.	T	6,191	1,320	395	342	588	2,645	390	245	189	3,469	490	343	758	608	523		
		M	3,525	730	230	193	335	1,488	217	141	118	1,964	286	194	435	361	285		
		F	2,666	590	165	149	253	1,157	173	104	71	1,505	204	149	323	247	238		
5	Measles	M	27	-	-	-	-	-	1	-	-	-	-	-	2	3	10		
		F	29	-	-	-	-	-	-	-	1	1	-	-	3	10	13		
6	Scarlet fever	M	5	-	-	-	-	-	-	1	-	1	1	-	-	-	1		
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2		
7	Whooping cough	M	46	-	-	-	-	-	-	-	-	1	1	8	7	7	12		
		F	48	-	-	-	-	-	-	-	-	1	5	10	14	13	5		
8	Diphtheria	M	26	-	-	-	-	-	1	1	1	2	2	1	2	9	10		
		F	22	-	-	-	-	-	-	-	-	-	-	-	1	6	15		
9	Influenza	M	14	-	-	-	-	-	-	-	-	-	-	-	1	3	6		
		F	9	-	-	-	-	-	-	-	-	-	-	2	1	5	1		
12	Dysentery	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
12	Erysipelas	M	17	-	-	-	-	-	-	4	2	6	8	2	-	1	-		
		F	15	-	-	-	-	-	1	1	3	5	3	3	1	1	2		
37	Tetanus	M	4	-	-	-	1	1	2	1	-	4	-	-	-	-	-		
		F	2	-	-	-	-	-	-	2	-	2	-	-	-	-	-		
13	Tuberculosis of the respi- ratory system	M	16	-	-	-	-	-	1	-	-	1	-	-	2	6	7		
		F	5	-	-	-	-	-	-	-	-	-	-	-	3	1	1		
14	Tuberculosis of the men- inges and central nerv- ous system	M	24	-	-	-	-	-	-	-	-	-	-	3	5	12	4		
		F	15	-	-	-	-	-	1	-	-	1	-	1	2	4	7		
15	Other forms of tuberculo- sis	M	16	-	-	-	-	-	-	-	-	-	-	-	2	8	6		
		F	14	-	-	-	-	-	-	-	-	-	-	-	4	4	6		
37	Syphilis	M	17	-	1	3	-	4	-	2	2	8	3	1	3	2	-		
		F	14	-	-	-	-	-	2	2	-	4	1	2	6	1	-		
17	Meningitis	M	48	1	-	1	1	3	3	2	1	9	4	6	11	12	6		
		F	21	-	-	1	1	2	1	2	-	5	3	2	5	3	3		
37	Convulsions	M	39	1	4	1	5	11	1	-	1	13	6	4	7	5	4		
		F	21	1	1	-	6	8	2	-	1	11	1	-	6	2	1		
19	Diseases of the heart	M	25	-	-	1	-	1	-	1	2	4	6	-	4	3	-		
		F	19	1	-	1	-	2	1	1	2	6	5	2	3	8	3		
20	Acute bronchitis	M	43	-	-	-	-	-	-	2	2	4	10	3	14	5	7		
		F	28	-	-	1	-	1	2	-	1	4	3	5	5	9	2		
22	Pneumonia	M	90	-	1	-	4	5	2	2	3	12	8	5	24	23	18		
		F	77	-	1	2	6	9	1	6	-	16	7	3	14	17	20		
23	Bronchopneumonia	M	435	1	2	3	11	17	16	14	11	58	44	47	103	94	89		
		F	350	-	4	4	15	23	6	18	8	55	29	34	82	67	83		
24	Diseases of the stomach	M	29	-	-	1	-	1	1	1	1	4	6	4	10	4	1		
		F	24	-	-	-	-	-	2	1	3	6	5	3	5	1	4		
25	Diarrhea and enteritis	M	398	-	-	2	4	6	9	15	24	54	58	49	124	69	44		
		F	288	-	-	-	3	3	12	9	7	31	43	38	86	54	36		
33	Malformations	M	345	64	42	38	59	203	27	14	22	266	32	11	16	12	8		
		F	291	71	30	24	42	167	36	15	10	228	31	8	12	8	4		
33	Premature birth	M	829	432	98	69	79	678	56	40	17	791	25	7	3	3	-		
		F	656	348	82	56	66	552	45	17	13	627	22	5	2	-	-		
33	Congenital debility	M	190	11	7	7	29	54	22	13	10	99	29	21	30	7	4		
		F	132	17	3	3	19	42	11	10	7	70	15	15	17	9	6		
33	Injuries at birth	M	257	103	38	26	59	226	22	5	1	254	3	-	-	-	-		
		F	170	70	26	26	33	155	8	4	-	167	1	-	2	-	-		
35	External causes	M	42	2	-	2	1	5	2	2	1	10	6	2	9	6	9		
		F	32	4	-	-	-	4	2	-	-	6	3	3	8	4	5		
38	Unknown or ill-defined diseases	M	20	3	-	-	1	4	2	-	1	7	1	3	5	4	-		
		F	12	-	-	-	-	-	2	-	-	2	1	1	4	3	1		
	All other causes	M	521	112	37	39	81	269	48	22	16	355	26	16	47	42	35		
		F	368	78	18	31	62	189	38	16	14	257	23	10	36	21	21		

¹ Exclusive of stillbirths.

Table 29a		DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.																
		Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.	
Abridged Int. List No.	CAUSE OF DEATH.																	
	Boston.	T	1,468	296	84	84	137	601	82	65	47	795	119	74	183	140	157	
		M	846	164	50	55	81	350	46	31	28	455	67	48	104	89	83	
		F	622	132	34	29	56	251	36	34	19	340	52	26	79	51	74	
5	Measles	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Scarlet fever	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	Whooping cough	M	4	-	-	-	-	-	-	-	-	-	1	1	-	1	1	
		F	6	-	-	-	-	-	-	-	-	-	1	1	1	2	1	
8	Diphtheria	M	18	-	-	-	-	-	-	-	-	1	2	-	1	6	8	
		F	9	-	-	-	-	-	-	1	-	-	-	-	-	1	8	
9	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Erysipelas	M	7	-	-	-	-	-	-	1	1	2	3	2	-	-	-	
		F	5	-	-	-	-	-	1	-	-	2	-	-	-	1	2	
37	Tetanus	M	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
		F	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
13	Tuberculosis of the respi- ratory system	M	8	-	-	-	-	-	1	-	-	1	-	-	2	2	3	
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
14	Tuberculosis of the men- inges and central nerv- ous system	M	5	-	-	-	-	-	-	-	-	-	-	-	-	4	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	Other forms of tuberculo- sis	M	7	-	-	-	-	-	-	-	-	-	-	-	1	3	3	
		F	6	-	-	-	-	-	-	-	-	-	-	-	2	2	2	
37	Syphilis	M	11	-	-	1	-	1	-	1	2	4	2	1	3	1	-	
		F	6	-	-	-	-	-	1	1	-	2	1	1	2	-	-	
17	Meningitis	M	15	-	-	-	-	-	1	-	1	2	2	3	4	4	-	
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
37	Convulsions	M	2	-	-	-	-	-	1	-	1	2	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	
19	Diseases of the heart	M	7	-	-	1	-	1	-	1	-	2	2	-	-	2	1	
		F	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-	
20	Acute bronchitis	M	5	-	-	-	-	-	-	-	-	-	2	2	-	1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	Pneumonia	M	22	-	1	-	1	2	2	1	-	5	2	1	6	6	2	
		F	22	-	-	-	2	2	1	2	-	5	-	-	4	4	9	
23	Bronchopneumonia	M	110	1	-	2	2	5	5	3	1	14	9	11	32	16	28	
		F	102	-	2	1	6	9	3	8	2	22	10	5	23	17	25	
24	Diseases of the stomach	M	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
25	Diarrhea and enteritis	M	84	-	-	-	-	-	1	-	1	2	11	14	31	15	11	
		F	61	-	-	-	-	-	-	1	-	1	9	9	25	9	8	
33	Malformations	M	89	16	9	10	15	50	3	3	8	64	11	3	6	3	2	
		F	79	18	7	3	8	36	8	9	6	59	9	2	3	3	3	
33	Premature birth	M	197	102	22	16	22	162	11	12	4	189	3	2	1	2	-	
		F	150	71	16	8	17	112	13	4	6	135	11	2	2	-	-	
33	Congenital debility	M	28	2	2	1	4	9	3	-	2	14	4	4	2	3	1	
		F	20	2	-	-	3	5	2	-	2	9	3	1	4	2	1	
33	Injuries at birth	M	67	20	9	10	18	57	6	2	-	65	2	-	-	-	-	
		F	46	22	7	8	7	44	1	1	-	46	-	-	-	-	-	
35	External causes	M	13	1	-	1	-	2	1	-	1	4	2	1	3	-	3	
		F	4	-	-	-	-	-	-	-	-	1	2	-	-	1	1	
38	Unknown or ill-defined diseases	M	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	All other causes	M	128	22	7	13	19	61	9	6	6	82	7	3	8	14	14	
		F	85	19	2	8	12	41	6	7	2	56	5	4	9	5	6	

¹ Exclusive of stillbirths.

Abridged Int. List No.	Table 29b	CAUSE OF DEATH.	DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.																
			Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.	
	BROCKTON.	T	87	23	9	7	13	52	8	3	1	64	6	3	9	3	2		
		M	49	14	2	6	8	30	4	1	1	36	4	1	5	1	2		
		F	38	9	7	1	5	22	4	2		28	2	2	4	2			
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	Diphtheria	M	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13	Tuberculosis of the respi- ratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14	Tuberculosis of the men- inges and central nerv- ous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
15	Other forms of tuberculo- sis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
37	Syphilis	M	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
20	Acute bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22	Pneumonia	M	1	-	-	-	1	1	-	-	-	1	-	1	-	-	-		
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
23	Bronchopneumonia	M	5	-	-	-	-	-	-	-	-	-	2	-	1	1	1		
		F	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-		
24	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25	Diarrhea and enteritis	M	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-		
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
33	Malformations	M	4	2	1	-	1	4	-	-	-	4	-	-	-	-	-		
		F	7	-	3	1	2	6	-	1	-	7	-	-	-	-	-		
33	Premature birth	M	21	10	1	3	3	17	3	-	-	20	1	-	-	-	-		
		F	14	6	4	-	3	13	1	-	-	14	-	-	-	-	-		
33	Congenital debility	M	4	-	-	-	1	1	-	1	-	2	1	-	1	-	-		
		F	5	1	-	-	-	1	1	-	-	2	1	1	-	-	-		
33	Injuries at birth	M	6	2	-	2	2	6	-	-	-	6	-	-	-	-	-		
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-		
35	External causes	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
		F	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-		
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	All other causes	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
		F	4	1	-	-	-	1	1	-	-	2	1	-	-	1	1		

¹ Exclusive of stillbirths.

Table 29c		DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.															
		Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
Abridged Int. List No.	CAUSE OF DEATH.																
	CAMBRIDGE.	T	169	36	9	11	25	81	13	12	5	111	9	10	13	14	12
		M	102	19	4	5	16	44	7	6	3	60	7	5	9	12	9
		F	67	17	5	6	9	37	6	6	2	51	2	5	4	2	3
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough . . .	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Diphtheria	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respi- ratory system . . .	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the men- inges and central nerv- ous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Other forms of tuberculo- sis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	4	-	-	-	-	-	1	-	-	1	2	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
19	Diseases of the heart .	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
20	Acute bronchitis . . .	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pneumonia	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2
23	Bronchopneumonia . .	M	16	-	-	-	-	-	1	-	-	1	2	2	-	7	4
		F	5	-	-	-	-	-	-	1	-	1	1	2	1	-	-
24	Diseases of the stomach .	M	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis .	M	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-
		F	6	-	-	-	-	-	1	-	1	2	1	1	1	1	-
33	Malformations	M	14	3	-	-	5	8	-	2	-	10	1	-	-	-	-
		F	6	1	-	2	2	5	1	-	-	6	-	-	-	-	-
33	Premature birth	M	24	11	3	1	4	19	2	2	1	24	-	-	-	-	-
		F	23	13	3	2	2	20	2	1	-	23	-	-	-	-	-
33	Congenital debility . .	M	7	-	-	1	3	4	-	-	1	5	-	2	-	-	-
		F	4	1	-	1	1	2	-	1	-	3	-	-	1	-	-
33	Injuries at birth . . .	M	6	2	1	1	1	5	1	-	-	6	-	-	-	-	-
		F	4	1	1	1	1	4	-	-	-	4	-	-	-	-	-
35	External causes . . .	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes . . .	M	12	3	-	1	3	7	1	2	1	11	1	-	-	-	-
		F	11	1	1	1	3	6	2	2	-	10	-	1	-	-	-

¹ Exclusive of stillbirths.

Table 29d		DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.															
		CAUSE OF DEATH.															
		Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	FALL RIVER.	T M F	337 184 153	71 40 31	24 12 12	10 5 5	22 13 9	127 70 57	10 4 6	8 4 4	7 5 2	152 83 69	27 15 12	26 11 15	54 30 24	44 24 20	34 21 13
5	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
6	Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
7	Whooping cough	M F	9 6	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 1	2 3	2 1	2 -
8	Diphtheria	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
9	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
12	Dysentery	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
12	Erysipelas	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
37	Tetanus	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13	Tuberculosis of the respi- ratory system	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
14	Tuberculosis of the men- inges and central nerv- ous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15	Other forms of tuberculo- sis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
37	Syphilis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
17	Meningitis	M F	5 1	1 -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	1 -	1 1	2 -	- -
37	Convulsions	M F	2 4	1 1	1 -	- -	- 2	2 3	- -	- -	- -	2 3	- -	- -	- 1	- -	- -
19	Diseases of the heart	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- 1	- -
20	Acute bronchitis	M F	5 7	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- 1	2 1	- 5	2 -
22	Pneumonia	M F	5 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	1 -	- 1	- 1	3 2
23	Bronchopneumonia	M F	29 18	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	1 3	2 4	9 4	7 4	9 7
24	Diseases of the stomach	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
25	Diarrhea and enteritis	M F	39 37	- -	- -	- -	- -	- -	1 -	3 2	3 -	7 2	7 8	4 7	12 8	6 9	3 3
33	Malformations	M F	11 8	1 2	1 3	1 1	4 -	7 6	- 1	- 1	- -	8 5	7 4	1 1	- -	- -	- -
33	Premature birth	M F	42 34	27 17	5 7	2 4	5 2	39 30	1 2	- -	1 -	41 33	1 1	- -	- -	- -	- -
33	Congenital debility	M F	3 3	1 1	- -	- -	1 1	2 2	- -	- 1	- -	2 3	1 -	- -	- -	- -	- -
33	Injuries at birth	M F	11 10	5 6	4 2	- -	1 2	10 10	- -	- -	- -	10 10	1 -	- -	- -	- -	- -
35	External causes	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
38	Unknown or ill-defined diseases	M F	1 1	- -	- -	- -	1 -	1 -	- -	- -	- -	1 -	- -	- -	- 1	- 1	- 1
	All other causes	M F	19 20	4 4	1 -	2 -	1 2	8 6	2 3	1 -	- 1	11 10	1 2	- 2	4 5	2 -	1 -

¹ Exclusive of stillbirths.

Abridged Int. List No.	Table 29e CAUSE OF DEATH.	DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.																
		Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.	
	HAVERHILL.	T	58	15	3	8	4	30	4	1	-	35	4	1	8	5	5	
		M	30	10	-	4	3	17	3	-	-	20	3	-	4	3	-	
		F	28	5	3	4	1	13	1	1	-	15	1	1	4	2	5	
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	Whooping cough	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
8	Diphtheria	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
9	Influenza	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Dysentery	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37	Tetanus	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	Tuberculosis of the respi- ratory system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
14	Tuberculosis of the men- inges and central nerv- ous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	Other forms of tuberculo- sis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	Meningitis	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	Diseases of the heart	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
20	Acute bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	Pneumonia	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	Bronchopneumonia	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
24	Diseases of the stomach	F	6	-	-	-	-	-	-	1	-	1	-	-	3	-	2	
25	Diarrhea and enteritis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
33	Malformations	F	3	1	-	1	-	2	1	-	-	3	-	-	-	-	-	
33	Premature birth	M	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	
33	Congenital debility	F	7	4	-	1	1	6	1	-	-	7	-	-	-	-	-	
33	Injuries at birth	M	12	4	3	4	-	11	1	-	-	12	1	-	-	-	-	
35	External causes	F	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-	
38	Unknown or ill-defined diseases	M	3	2	-	1	-	3	-	-	-	3	-	-	-	-	-	
	All other causes	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		M	9	3	-	1	2	6	-	-	-	6	1	-	2	-	2	
		F	4	1	-	-	-	1	-	-	-	1	1	-	-	-	-	

¹ Exclusive of stillbirths.

Table 29f		DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.															
		Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
Abridged Int. List No.	CAUSE OF DEATH.																
	HOLYOKE.	T	128	28	8	1	10	47	13	4	2	66	9	6	17	15	15
		M	73	18	5		4	27	6	3	1	37	2	4	10	10	10
		F	55	10	3	1	6	20	7	1	1	29	7	2	7	5	5
5	Measles	M	2													1	1
		F	2														2
6	Scarlet fever	M															
		F															
7	Whooping cough	M	1											1			
		F	2												1	1	
8	Diphtheria	M															
		F	1														1
9	Influenza	M	2													1	1
		F															
12	Dysentery	M															
		F															
12	Erysipelas	M															
		F															
37	Tetanus	M															
		F															
13	Tuberculosis of the respi- ratory system	M	1													1	
		F															
14	Tuberculosis of the men- inges and central nervo- us system	M	2													1	1
		F															
15	Other forms of tuberculo- sis	M															
		F															
37	Syphilis	M															
		F	1											1			
17	Meningitis	M	1													1	
		F	2														
37	Convulsions	M	3				1	1				1		1		1	
		F											1				
19	Diseases of the heart	M															
		F															
20	Acute bronchitis	M															
		F	2			1		1				1				1	
22	Pneumonia	M	2														
		F															
23	Bronchopneumonia	M	8							2		2		2	1	1	2
		F	7										1		2	2	
24	Diseases of the stomach	M															
		F															
25	Diarrhea and enteritis	M	12							1		1	2	1	3	3	2
		F	6						1			1	2		3		
33	Malformations	M	6	1	4			5				5					1
		F	7	2			1	3	3			6	1				
33	Premature birth	M	17	11	1		1	13	3		1	17					
		F	13	5	3		2	10	1	1		12	1				
33	Congenital debility	M	4						1			1			3		
		F	1													1	
33	Injuries at birth	M	7	4			1	5	2			7					
		F	5	2			2	4	1			5					
35	External causes	M															
		F															
38	Unknown or ill-defined diseases	M															
		F															
	All other causes	M	5	2			1	3				3			1		
		F	6	1			1	2	1		1	4	1			1	

¹ Exclusive of stillbirths.

Abridged Int. List No.	Table 29g	CAUSE OF DEATH.	DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.															
			Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LAWRENCE.	T	180	30	7	10	17	64	13	7	4	88	15	8	23	19	27	
		M	106	19	5	6	9	39	9	2	2	52	9	4	14	16	11	
		F	74	11	2	4	8	25	4	5	2	36	6	4	9	3	16	
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	Whooping cough	M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
		F	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	
8	Diphtheria	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Erysipelas	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	Tuberculosis of the respi- ratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	Tuberculosis of the men- inges and central nerv- ous system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	Other forms of tuberculo- sis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
17	Meningitis	M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
		F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	1	
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	Diseases of the heart	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	Acute bronchitis	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	Pneumonia	M	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
23	Bronchopneumonia	M	14	-	-	-	-	-	1	-	-	1	-	-	2	6	5	
		F	12	-	-	-	2	2	-	-	1	3	-	1	1	1	6	
24	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	Diarrhea and enteritis	M	19	-	-	-	1	1	-	-	2	3	3	1	5	3	4	
		F	11	-	-	-	1	1	-	-	-	1	-	1	5	-	4	
33	Malformations	M	16	5	4	-	2	11	1	-	-	12	1	1	2	-	-	
		F	10	-	-	3	2	5	-	-	-	6	2	-	-	1	1	
33	Premature birth	M	22	12	1	3	1	17	3	-	-	20	1	1	-	-	-	
		F	21	10	2	1	2	15	2	2	1	20	1	-	-	-	-	
33	Congenital debility	M	5	-	-	-	-	-	2	1	-	3	-	-	-	-	-	
		F	5	-	-	-	-	-	1	1	-	2	-	1	2	-	-	
33	Injuries at birth	M	4	1	-	-	2	3	-	1	-	4	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35	External causes	M	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38	Unknown or ill-defined diseases	M	2	-	-	-	-	-	1	-	-	1	-	-	-	1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	All other causes	M	10	1	-	2	2	5	1	-	-	6	-	-	1	2	1	
		F	4	1	-	-	1	2	-	-	-	2	1	-	-	-	-	

¹ Exclusive of stillbirths.

Table 29h		DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.															
		Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
CAUSE OF DEATH.																	
	LOWELL.	T	275	54	19	15	17	105	13	11	4	133	21	22	44	32	23
		M	151	33	11	6	3	53	9	10	3	75	12	11	24	21	8
		F	124	21	8	9	14	52	4	1	1	58	9	11	20	11	15
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
8	Diphtheria	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respi- ratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the men- inges and central nerv- ous system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15	Other forms of tuberculo- sis	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
19	Diseases of the heart	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
22	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Bronchopneumonia	M	21	-	-	1	-	1	-	-	1	2	4	3	6	5	1
		F	14	-	-	1	-	1	-	-	-	1	-	2	4	5	2
24	Diseases of the stomach	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
25	Diarrhea and enteritis	M	35	-	-	1	-	1	-	2	-	3	3	5	13	9	2
		F	33	-	-	-	-	-	1	-	1	2	5	5	11	4	6
33	Malformations	M	13	4	3	2	-	9	-	1	1	11	-	1	-	1	-
		F	11	4	1	3	3	11	-	-	-	11	-	-	-	-	-
33	Premature birth	M	23	16	3	1	-	20	-	2	-	22	-	1	-	-	-
		F	24	12	5	1	3	21	1	-	-	22	1	1	-	-	-
33	Congenital debility	M	17	-	-	-	1	1	4	5	1	11	4	1	-	1	-
		F	15	1	1	-	6	8	-	-	-	9	2	2	1	-	1
33	Injuries at birth	M	8	6	-	-	1	7	1	1	-	8	-	-	-	-	-
		F	4	1	-	2	1	4	-	-	-	4	-	-	-	-	-
35	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	21	7	5	1	1	14	4	-	-	18	-	-	1	-	2
		F	9	3	1	2	-	6	2	-	-	8	-	-	-	1	-

¹ Exclusive of stillbirths.

Table 291		DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.															
		Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
Abridged Int. List No.	CAUSE OF DEATH.																
	LYNN.	T	149	38	16	8	21	83	8	2	3	96	6	7	14	16	10
		M	83	17	10	5	13	43	5	1	3	48	4	4	9	11	7
		F	66	21	6	3	8	40	3	1	3	48	2	3	5	5	3
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Scarlet fever . . .	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough . .	M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
13	Tuberculosis of the respi- ratory system . . .	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the men- inges and central nerv- ous system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15	Other forms of tuberculo- sis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
37	Convulsions	M	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
19	Diseases of the heart .	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis . .	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pneumonia	M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1
		F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
23	Bronchopneumonia .	M	10	-	-	-	1	1	2	-	-	3	1	1	4	1	1
		F	5	-	-	-	-	-	-	-	-	-	1	2	2	1	-
24	Diseases of the stomach .	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis .	M	4	-	-	-	1	1	-	-	-	1	-	-	3	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-
33	Malformations . . .	M	4	-	-	1	1	2	-	-	-	2	-	1	-	-	1
		F	4	1	1	1	-	3	-	-	-	3	-	1	-	-	-
33	Premature birth . . .	M	28	14	7	2	3	26	-	-	-	26	2	-	-	-	-
		F	22	13	3	1	3	20	1	1	-	22	-	-	-	-	-
33	Congenital debility .	M	3	1	-	-	1	2	-	-	-	2	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	1
33	Injuries at birth . .	M	6	1	2	-	3	6	-	-	-	6	-	-	-	-	-
		F	9	5	1	2	1	9	-	-	-	9	-	-	-	-	-
35	External causes . . .	M	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes . .	M	13	1	-	-	3	4	3	-	-	7	-	-	1	3	2
		F	11	2	1	1	3	7	1	1	-	9	-	1	1	-	-

¹ Exclusive of stillbirths.

Abridged Int. List No.	Table 29j	CAUSE OF DEATH.	DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.															
			Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEW BEDFORD.	T	250	50	19	14	19	102	19	13	10	144	15	10	32	21	28	
		M	146	31	10	10	14	65	9	6	4	84	6	4	19	16	17	
		F	104	19	9	4	5	37	10	7	6	60	9	6	13	5	11	
5	Measles	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
8	Diphtheria	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	Tuberculosis of the respi- ratory system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
14	Tuberculosis of the men- inges and central nerv- ous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
15	Other forms of tuberculo- sis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37	Convulsions	M	5	-	-	-	1	1	-	-	-	1	-	-	1	2	1	
		F	2	-	1	-	-	1	-	-	1	2	-	-	-	-	-	
19	Diseases of the heart	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
20	Acute bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
		F	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-	
22	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	Bronchopneumonia	M	28	-	-	-	-	-	1	1	1	3	2	3	5	8	7	
		F	17	-	-	-	-	-	-	-	-	-	2	2	4	2	7	
24	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
25	Diarrhea and enteritis	M	20	-	-	-	-	-	-	3	2	5	1	1	8	3	2	
		F	13	-	-	-	1	1	-	3	1	5	2	1	3	2	-	
33	Malformations	M	13	4	-	4	3	11	1	4	1	12	1	-	-	-	-	
		F	7	2	2	-	-	4	1	1	-	6	-	1	-	-	-	
33	Premature birth	M	30	14	2	3	3	22	4	2	1	29	1	-	-	-	-	
		F	24	11	3	3	2	19	1	3	1	24	-	-	-	-	-	
33	Congenital debility	M	6	2	1	-	3	6	-	-	-	6	-	-	-	-	-	
		F	6	1	-	-	-	1	2	-	1	4	1	1	-	-	-	
33	Injuries at birth	M	6	2	2	1	-	5	1	-	-	6	-	-	-	-	-	
		F	7	2	1	-	2	5	2	-	-	7	-	-	-	-	-	
35	External causes	M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
	All other causes	M	28	9	5	2	4	20	2	-	-	22	1	-	3	1	1	
		F	13	3	2	1	-	6	1	-	1	8	1	-	2	-	2	

¹ Exclusive of stillbirths.

Abridged Int. List No.	Table 29k	CAUSE OF DEATH.	DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.																
			Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.	
	SOMERVILLE.	T	110	23	9	10	12	54	11	2	4	71	8	7	14	8	2		
		M	61	14	7	4	4	29	7	1	1	38	5	4	9	4	1		
		F	49	9	2	6	8	25	4	1	3	33	3	3	5	4	1		
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-		
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13	Tuberculosis of the respi- ratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14	Tuberculosis of the men- inges and central nerv- ous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
15	Other forms of tuberculo- sis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-		
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
37	Convulsions	M	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
19	Diseases of the heart	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
20	Acute bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1		
22	Pneumonia	M	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-		
		F	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-		
23	Bronchopneumonia	M	9	-	-	-	-	-	-	1	-	1	1	1	3	2	-		
		F	5	-	-	1	-	1	1	-	-	2	-	2	-	1	-		
24	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25	Diarrhea and enteritis	M	3	-	-	-	-	-	1	-	1	2	-	-	1	-	-		
		F	2	-	-	-	-	-	2	-	-	2	-	-	-	-	-		
33	Malformations	M	13	2	4	2	1	9	3	-	-	12	-	1	-	-	-		
		F	5	1	-	-	1	2	1	-	-	3	1	-	1	-	-		
33	Premature birth	M	14	10	1	-	1	12	1	-	-	13	1	-	-	-	-		
		F	10	7	1	1	-	9	-	-	1	10	-	-	-	-	-		
33	Congenital debility	M	2	-	-	1	-	1	-	-	-	1	-	1	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	Injuries at birth	M	6	1	1	1	2	5	1	-	-	6	-	-	-	-	-		
		F	10	1	1	3	5	10	-	-	-	10	-	-	-	-	-		
35	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	All other causes	M	4	1	1	-	-	2	1	-	-	3	1	-	-	-	-		
		F	8	-	-	1	2	3	1	-	1	5	1	-	1	1	-		

¹ Exclusive of stillbirths.

Table 291		DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.															
		Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
Abridged Int. List No.	CAUSE OF DEATH.	SPRINGFIELD.															
		T M F	243 142 101	67 33 34	13 7 6	12 8 4	20 13 7	112 61 51	18 12 6	11 11 2	12 10 2	153 94 59	21 15 6	6 4 2	26 10 16	24 12 12	13 7 6
5	Measles	M F	3 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
6	Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
7	Whooping cough	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1
8	Diphtheria	M F	- 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
9	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- 1
12	Dysentery	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
12	Erysipelas	M F	2 -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	1 -	- -	- -	- -	- -
37	Tetanus	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13	Tuberculosis of the respi- ratory system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14	Tuberculosis of the men- inges and central nervo- us system	M F	1 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- 1	- 1	- -
15	Other forms of tuberculo- sis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
37	Syphilis	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -
17	Meningitis	M F	4 -	- -	- -	- 1	- 1	- 2	- -	1 -	- -	3 -	- -	- -	- 1	- 1	- 1
37	Convulsions	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
19	Diseases of the heart	M F	1 2	- 1	- -	- -	- -	- 1	- -	- -	- -	1 1	1 1	- -	- 1	- -	- -
20	Acute bronchitis	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -
22	Pneumonia	M F	4 2	- -	- -	- -	- -	- -	- -	1 -	- -	1 1	1 1	- 1	1 1	1 2	- -
23	Bronchopneumonia	M F	11 7	- -	- -	- 1	- 1	1 2	1 -	1 -	1 -	4 2	1 -	1 1	1 3	3 1	1 -
24	Diseases of the stomach	M F	1 2	- -	- -	- -	- -	- -	- -	1 1	- 1	1 1	- 1	- -	- -	- -	- -
25	Diarrhea and enteritis	M F	23 7	- -	- -	- -	- -	- -	2 -	- 4	- -	6 6	- 1	1 -	4 4	4 1	2 2
33	Malformations	M F	11 11	1 2	1 2	1 -	- 2	3 6	2 3	1 -	1 1	7 9	4 -	- 2	- -	- -	- -
33	Premature birth	M F	46 26	25 22	3 1	4 -	2 1	34 24	5 1	4 -	2 -	45 25	1 1	- -	- -	- -	- -
33	Congenital debility	M F	7 6	- 1	- -	2 -	1 -	3 1	1 -	- -	- -	4 1	1 2	1 1	1 1	- 1	- -
33	Injuries at birth	M F	8 8	3 4	1 3	1 -	3 -	8 7	- 1	- -	- -	8 8	- -	- -	- -	- -	- -
35	External causes	M F	- 2	- 1	- -	- -	- -	- 1	- -	- -	- -	- 1	- -	- -	- -	- -	- 1
38	Unknown or ill-defined diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	All other causes	M F	19 16	4 3	- -	1 3	5 3	10 9	1 1	1 -	2 1	14 11	- 1	- -	2 3	3 1	- -

¹ Exclusive of stillbirths.

Abridged Int. List No.	Table 29m	CAUSE OF DEATH.	DEATHS ¹ FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1924.															
			Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	WORCESTER.	T	288	63	21	20	28	132	25	11	11	179	29	13	28	20	19	
		M	163	30	13	14	13	70	12	6	8	96	20	10	17	9	11	
		F	125	33	8	6	15	62	13	5	3	83	9	3	11	11	8	
5	Measles	M	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
6	Scarlet fever	M	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
7	Whooping cough	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
8	Diphtheria	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
9	Influenza	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Erysipelas	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37	Tetanus	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
13	Tuberculosis of the respi- ratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	Tuberculosis of the men- inges and central nerv- ous system	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
		M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	Other forms of tuberculo- sis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
37	Syphilis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37	Convulsions	M	3	-	-	-	-	-	1	-	-	1	-	1	-	-	1	
		F	2	-	-	1	-	1	-	1	-	2	-	-	-	-	-	
19	Diseases of the heart	M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	Acute bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	5	-	-	-	-	-	-	-	-	-	2	-	2	-	1	
22	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	5	-	-	-	-	-	-	-	1	1	-	-	-	3	1	
23	Bronchopneumonia	M	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	
		F	13	-	-	-	-	-	-	-	-	1	5	1	3	3	-	
24	Diseases of the stomach	M	14	-	-	-	1	1	-	1	1	3	1	1	4	2	3	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	Diarrhea and enteritis	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
		F	13	-	-	-	-	-	-	1	2	3	2	2	3	1	2	
33	Malformations	M	16	-	-	-	-	-	-	-	-	1	3	1	4	5	2	
		F	11	-	2	2	1	5	3	1	1	10	1	-	-	-	-	
33	Premature birth	M	12	3	-	1	3	7	3	-	-	10	1	-	1	-	-	
		F	42	17	7	7	1	32	2	-	2	36	5	1	-	-	-	
33	Congenital debility	M	40	22	4	2	5	33	4	1	1	39	5	1	-	-	-	
		F	9	-	-	1	1	2	1	-	2	5	1	1	1	-	1	
33	Injuries at birth	M	4	-	1	-	1	2	1	-	-	3	1	-	-	-	-	
		F	13	5	3	-	4	12	1	-	-	13	-	-	-	-	-	
35	External causes	M	8	4	-	1	1	6	2	-	-	8	-	-	-	-	-	
		F	2	-	-	-	-	-	1	1	-	2	-	-	-	-	-	
38	Unknown or ill-defined diseases	M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	35	7	1	4	6	18	1	2	-	21	3	2	5	2	2	
	All other causes	M	20	4	3	1	3	11	2	2	1	16	-	-	1	2	1	

¹ Exclusive of stillbirths.

MATERNAL MORTALITY.

Table 30	DEATHS AND DEATH RATES PER 100,000 POPULATION FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT:* 1901 to 1924.								
	DEATHS.			DEATH RATES—					
				PER 100,000 POPULATION.			PER 100,000 FEMALE POPULATION.		
	YEARS.	Total. 143-150.	Puerperal septi- cemia. 146.	All others. 143-145, 147-150.	Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.
1901	273	57	216	9.6	2.0	7.6	18.6	3.9	14.7
1902	277	61	216	9.6	2.1	7.5	18.5	4.1	14.4
1903	310	100	210	10.6	3.4	7.2	20.4	6.6	13.8
1904	339	87	252	11.4	2.9	8.5	21.7	5.6	16.1
1905	318	60	258	10.5	2.0	8.5	20.1	3.8	16.3
1906	340	87	253	11.0	2.8	8.2	21.2	5.4	15.8
1907	386	83	303	12.2	2.6	9.6	23.6	5.1	18.5
1908	357	37	320	11.0	1.1	9.9	21.5	2.2	19.3
1909	456	89	367	13.8	2.7	11.1	27.0	5.3	21.7
1910	402	104	298	11.9	3.1	8.8	23.4	6.1	17.3
1911	506	143	363	14.7	4.2	10.6	29.0	6.0	23.0
1912	435	97	338	12.4	2.8	9.6	24.5	5.5	19.0
1913	467	101	366	13.1	2.8	10.2	25.9	5.6	20.3
1914	538	104	434	14.8	2.9	11.9	29.4	5.7	23.7
1915	462	106	356	12.5	2.9	9.6	24.9	5.7	19.2
1916	525	159	366	13.9	4.2	9.7	27.3	8.3	19.0
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Line No.	Table 32	CAUSE OF DEATH.	DEATHS (INCLUSIVE OF STILLBIRTHS)					
			THE STATE.		COUNTIES.			
			Number.	Per Cent distribution.	Barnstable.	Berkshire.	Bristol.	Dukes.
1		All Causes.	7,341	100.00	75	147	648	13
2		Violence.	3,127	42.6	37	81	238	2
3		Homicide.	106	1.4	3	1	6	—
4		Firearms (197)	50	.7	1	—	2	—
5		Stabbing (198)	12	.1	1	—	1	—
6		Infanticide (200)	8	.1	—	—	—	—
7		Other methods (199)	36	.5	1	1	3	—
8		Suicide.	481	6.6	7	21	39	—
9		Firearms (170)	112	1.5	3	7	10	—
10		Asphyxia by illuminating gas (167)	139	1.9	—	5	12	—
11		Hanging (168)	86	1.2	1	5	6	—
12		Poisons (165, 166)	49	.6	—	3	6	—
13		Drowning (169)	50	.7	3	1	2	—
14		Cutting or piercing instruments (171)	27	.4	—	—	1	—
15		Other methods	18	.3	—	—	2	—
16		Accident or Negligence.	2,540	34.6	27	59	193	2
17		Public travel (railroads, vehicles, etc.) (188)	877	12.0	10	20	61	—
18		Falls, blows and falling bodies (185, 202)	634	8.6	1	7	46	—
19		Burns, scalds and explosions (178, 179)	267	3.6	1	4	25	—
20		Drowning (182)	362	4.9	9	12	23	1
21		Asphyxia (other than drowning) (180, 181)	181	2.5	—	6	24	1
22		Machinery (187)	45	.6	—	1	1	—
23		Weather agencies (193-195)	29	.4	—	2	3	—
24		Poisons (177)	37	.5	1	2	3	—
25		Firearms and other weapons (183)	29	.4	3	2	1	—
26		Other accidental causes	79	1.1	2	4	8	—
27		CAUSES NOT DUE TO VIOLENCE.	4,103	55.9	38	63	362	11
28		Natural causes	3,028	41.3	34	62	327	—
29		Alcoholism	325	4.4	2	1	10	10
30		Unknown or ill-defined causes	105	1.4	1	—	13	—
31		Cremations	645	8.8	1	—	12	1
32		STILLBIRTHS.	111	1.5	—	3	48	—
33		Autopsies.						
34		Number	655	—	2	1	25	—

Table 31

DEATH RATES PER 10,000 CONFINEMENTS AND PER 10,000 BIRTHS¹ FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT (143-150);* 1901 TO 1924.

YEARS.	PER 10,000 CONFINEMENTS ¹			PER 10,000 BIRTHS. ²			PER 10,000 LIVE BIRTHS.			PER 10,000 CONFINEMENTS ¹ 143-150.	
	Total. 143-150.	Puerperal septicemia. 146.	All others. 143-145, 147-150.	Total. 143-150.	Puerperal septicemia. 146.	All others. 143-145, 147-150.	Total. 143-150.	Puerperal septicemia. 146.	All others. 143-145, 147-150.	Three-year averages.	Five-year averages.
1901 . . .	37	8	29	37	8	29	38	8	30	38	40
1902 . . .	37	8	29	37	8	29	38	8	30		
1903 . . .	41	13	28	41	13	28	42	14	28	42	44
1904 . . .	44	11	33	44	11	33	45	12	33		
1905 . . .	41	8	33	41	8	33	42	8	34	45	51
1906 . . .	41	11	30	41	10	31	42	11	31		
1907 . . .	44	10	34	44	9	35	45	10	35	49	51
1908 . . .	40	4	36	40	4	36	41	4	37		
1909 . . .	52	10	42	52	10	42	54	11	43	51	69
1910 . . .	45	12	33	45	12	33	46	12	34		
1911 . . .	56	16	40	55	16	39	57	16	41	67	58
1912 . . .	47	11	36	47	10	37	48	11	37		
1913 . . .	50	11	39	49	11	38	51	11	40	68	58
1914 . . .	56	11	45	56	11	45	58	11	47		
1915 . . .	48	11	37	48	11	37	48	11	37	69	58
1916 . . .	55	17	39	54	16	38	56	17	39		
1917 . . .	63	20	43	62	19	43	64	20	44	68	58
1918 . . .	82	16	66	81	16	65	84	17	67		
1919 . . .	69	18	51	68	18	50	71	19	52	68	58
1920 . . .	74	21	53	73	20	53	76	21	55		
1921 . . .	61	19	42	60	18	42	63	19	44	68	58
1922 . . .	62	18	44	61	17	44	64	18	46		
1923 . . .	54	14	40	54	14	40	56	14	41	68	58
1924 . . .	58	17	41	57	17	40	59	17	42		

¹ Inclusive of stillbirths and making proper deductions for plural births.² Inclusive of stillbirths.

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1924.

Line No.	COUNTIES—Con.									
	Essex.	Frank- lin.	Hamp- den.	Hamp- shire.	Middle- sex.	Nan- tucket.	Norfolk.	Plym- outh.*	Suffolk.	Worce- ster.
1	795	67	633	91	1,468	6	474	234	1,909	781
2	391	39	235	45	554	2	161	118	852	372
3	13	1	6	—	18	—	4	5	37	12
4	4	—	3	—	10	—	3	3	17	7
5	1	—	1	—	4	—	—	—	3	1
6	2	—	1	—	1	—	—	2	1	1
7	6	1	1	—	3	—	1	—	16	3
8	73	9	30	5	80	1	17	23	121	55
9	17	3	11	2	18	1	3	4	21	12
10	25	—	4	—	26	—	2	5	50	10
11	10	1	5	1	12	—	9	5	11	20
12	4	1	4	1	11	—	2	3	14	—
13	9	2	3	1	9	—	—	4	10	6
14	4	1	2	—	2	—	1	—	12	4
15	4	1	1	—	2	—	—	2	3	3
16	305	29	199	40	456	1	140	90	694	305
17	119	11	62	20	190	—	49	34	210	91
18	53	5	59	2	102	—	31	19	234	75
19	37	2	16	2	48	—	17	9	82	24
20	56	3	26	14	55	1	27	17	65	53
21	17	2	14	—	34	—	8	3	54	18
22	5	1	5	1	6	—	1	2	15	7
23	1	—	1	—	4	—	2	4	1	14
24	1	2	4	—	4	—	—	—	17	3
25	3	1	2	—	3	—	3	1	5	5
26	13	2	10	1	10	—	2	1	11	15
27	403	28	391	45	896	4	301	114	1,047	400
28	352	20	266	40	666	4	229	81	574	373
29	20	4	18	1	37	—	7	7	188	20
30	29	2	—	1	33	—	9	10	5	2
31	2	2	107	3	160	—	56	16	280	5
32	1	—	7	1	18	—	12	2	10	9
33										
34	29	2	14	—	63	—	15	27	427	50

* Report from Associate Medical Examiner of Third Plymouth District not received.

Detailed Int. List No.	Table 33 CAUSE OF DEATH.	Sex.	All deaths in- vestigated.	DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY											
				MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	7,341	451	351	358	409	427	424	427	404	372	412	421	417
		M	4,873	224	188	187	182	251	199	184	212	192	211	208	230
		F	2,468	224	188	187	182	251	199	184	212	192	211	208	230
	All Causes (exclusive of stillbirths).	T	7,230	448	346	351	404	416	416	425	400	366	403	419	407
		M	4,801	222	185	183	177	248	195	183	208	186	209	205	228
		F	2,429	222	185	183	177	248	195	183	208	186	209	205	228
	VIOLENCE.	T	3,127	210	140	148	169	186	236	255	204	174	187	209	172
		M	2,290	71	65	52	44	75	84	70	76	71	82	85	62
		F	837	71	65	52	44	75	84	70	76	71	82	85	62
	Suicide.	T	481	31	28	22	30	36	37	31	27	31	28	32	27
		M	360	7	7	8	12	14	8	6	11	9	15	10	14
		F	121	7	7	8	12	14	8	6	11	9	15	10	14
165	Suicide by solid or liquid poisons . (corrosive substances excepted)	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	2	-	-	1	1	1	1	-	-	1	-	-
		F	8	-	1	-	-	-	-	-	1	-	-	1	1
165a	Arsenic and its compounds .	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	1
165b	Opium and its preparations .	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	1	-	1	-	1	-	-	-	-
165c	Carbolic acid	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
165d	Other poisons	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	-	-	1	1	-	-	-	-	-	1	-
		F	3	-	-	-	-	-	-	-	-	1	-	1	1
166	By corrosive substances	T	35	1	1	2	2	2	2	1	1	1	3	1	3
		M	20	1	1	2	2	2	2	1	1	1	3	1	3
		F	15	1	1	2	3	3	3	1	1	1	1	1	1
167	Suicide by poisonous gas	T	139	11	7	3	7	5	9	7	7	11	8	9	8
		M	92	7	3	5	3	4	2	3	4	4	9	3	6
		F	47	1	3	3	4	2	3	4	4	4	9	3	8
168	Suicide by hanging or strangulation	T	86	3	7	5	3	10	9	7	5	5	6	9	5
		M	74	3	7	5	3	10	9	7	5	5	6	9	5
		F	12	1	-	-	1	3	-	1	-	1	2	1	2
169	Suicide by drowning	T	50	3	1	1	5	5	3	3	3	5	2	5	-
		M	36	3	1	1	5	5	3	3	3	5	2	5	-
		F	14	1	-	1	2	-	-	-	-	-	-	-	-
170	Suicide by firearms	T	112	9	9	7	12	8	8	8	7	9	7	6	9
		M	99	9	9	7	12	8	8	8	7	9	7	6	9
		F	13	2	-	1	1	4	-	-	-	1	1	1	2
171	Suicide by cutting or piercing in- struments	T	27	2	2	2	-	2	3	4	3	-	1	2	2
		M	23	2	2	2	-	2	3	4	3	-	1	2	2
		F	4	1	-	1	1	-	-	-	-	-	-	-	1
172	Suicide by jumping from high places	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	1	2	-	3	-	-	1	-	-	-	-
		F	4	-	2	-	-	-	-	1	-	-	-	1	-
173	Suicide by crushing	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	3	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
174	Other suicides	T	3	-	-	-	-	-	-	-	-	-	1	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	1	-	1
	Homicide.	T	106	5	7	4	3	9	5	6	4	8	14	8	4
		M	77	3	4	1	2	2	5	6	1	1	3	1	-
197	By firearms	T	29	3	4	1	2	2	5	6	1	1	3	1	-
		M	50	3	4	1	2	2	5	6	1	1	3	1	-
		F	37	1	3	4	-	2	4	4	3	5	4	4	3
198	By cutting or piercing instruments	T	13	2	1	1	-	-	2	4	-	-	3	-	-
		M	12	2	1	1	-	-	2	4	-	-	-	-	-
		F	1	1	1	-	-	2	-	-	1	1	4	-	1
199	By other means	T	36	3	3	-	2	2	1	2	-	2	6	3	-
		M	24	3	3	-	2	2	1	2	-	2	6	3	-
		F	12	1	3	-	1	2	3	1	-	1	-	-	-
200	Infanticide (murder of infants less than one year of age)	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	3	-	-	-	-	1	-
		F	3	-	-	-	-	-	-	1	1	-	-	-	-
	Accidental.	T	2,540	174	105	122	136	141	194	218	173	135	145	169	141
		M	1,853	61	54	43	30	59	71	58	64	61	64	74	48
		F	687	61	54	43	30	59	71	58	64	61	64	74	48
175	Poisoning by food	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
176	Poisoning by venomous animals .	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
177	Other acute accidental poisonings (gas excepted)	T	37	3	-	-	2	-	3	2	1	2	3	4	2
		M	22	3	-	-	2	-	3	2	1	2	3	4	2
		F	15	-	1	3	-	1	2	-	1	3	1	-	3

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1924.

Detailed Int. List No.	AGE PERIODS.													Unknown.
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	
	131	124	235	227	115	141	357	498	687	792	842	504	218	2
	104	81	128	90	45	55	146	171	256	307	416	393	275	1
	59	124	235	227	115	141	357	498	687	792	842	504	218	2
	65	81	128	90	45	55	146	171	256	307	416	393	275	1
	7	31	136	198	106	116	293	313	339	293	252	148	58	-
	5	23	88	81	35	32	79	79	83	78	105	83	66	-
	-	-	-	-	-	5	30	65	73	76	70	36	5	-
165	-	-	-	-	-	4	21	18	27	29	17	4	1	-
	-	-	-	-	-	-	1	3	1	-	-	1	-	-
165a	-	-	-	-	-	-	3	1	2	2	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-
165b	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165c	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165d	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	2	-	-	-	1	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	5	8	4	2	-	-	-
167	-	-	-	-	-	-	-	-	3	1	1	1	-	-
	-	-	-	-	-	1	9	12	19	20	19	11	1	-
168	-	-	-	-	-	1	3	8	8	17	7	3	-	-
	-	-	-	-	-	2	1	16	16	19	12	8	-	-
169	-	-	-	-	-	-	-	-	3	4	5	-	-	-
	-	-	-	-	-	-	4	3	12	11	4	1	1	-
170	-	-	-	-	-	1	1	4	5	1	2	-	-	-
	-	-	-	-	-	2	13	15	12	18	26	11	2	-
171	-	-	-	-	-	1	8	1	2	-	1	-	-	-
	-	-	-	-	-	-	1	6	7	1	5	3	-	-
172	-	-	-	-	-	-	-	1	2	1	-	-	-	-
	-	-	-	-	-	-	-	1	1	2	2	-	1	-
173	-	-	-	-	-	-	-	-	1	1	1	-	1	-
	-	-	-	-	-	-	1	-	-	1	-	1	-	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	-	-	-	-
197	4	2	2	-	-	3	13	20	20	5	3	3	2	-
	3	2	1	-	-	1	8	8	4	2	-	-	-	-
198	-	1	1	-	-	2	9	11	9	2	2	-	1	-
	-	-	-	-	-	1	1	4	3	2	-	-	-	-
199	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	-	1	1	-	-	-	-	-	1	-	-	-	-	-
200	-	1	1	-	-	-	3	4	9	2	1	2	1	-
	-	-	-	-	-	-	6	4	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-
175	2	29	134	198	106	108	250	228	246	212	179	109	51	-
	-	21	87	81	35	27	50	53	52	47	88	79	65	-
176	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-
177	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	6	-	-	-	1	3	4	2	4	2	-	-
	-	-	4	-	-	-	2	2	3	3	1	-	-	-

Detailed Int. List No.	Table 33	CAUSE OF DEATH.	Sex.	DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY											
				All deaths in- vestigated.	MONTHS.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
178	Conflagration	T	36	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	-	1	2	7	1	2	2	1	1	2	2	3
		F	10	-	1	-	2	1	6	-	-	-	-	-	-
179	Accidental burns (conflagration excepted)	T	231	-	-	-	-	-	-	-	-	-	-	-	-
		M	97	14	11	7	12	5	5	10	6	-	9	11	7
		F	134	19	17	6	6	7	15	10	10	10	8	11	15
180	Accidental mechanical suffocation	T	48	-	-	-	-	-	-	-	-	-	-	-	-
		M	37	4	4	2	2	5	3	5	3	1	4	1	3
		F	11	1	1	1	-	5	-	1	1	-	-	-	1
181	Accidental absorption of irres- pirable or poisonous gas	T	133	-	-	-	-	-	-	-	-	-	-	-	-
		M	90	15	8	7	7	8	5	4	2	2	12	9	11
		F	43	3	4	5	1	2	2	1	-	6	6	9	4
182	Accidental drowning	T	362	-	-	-	-	-	-	-	-	-	-	-	-
		M	330	38	6	9	23	24	53	74	46	25	9	10	13
		F	32	1	-	2	1	1	9	6	6	4	1	-	1
183	Accidental traumatism by firearms (wounds of war excepted)	T	29	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	2	1	-	1	2	5	3	2	1	2	2	4
		F	4	-	-	-	-	-	-	-	1	-	-	1	2
184	Accidental traumatism by cutting or piercing instruments	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	2	1	-	-	3	1	-	-	-	-	2	2
		F	3	-	-	1	-	-	1	-	1	-	-	-	-
185	Accidental traumatism by fall	T	495	-	-	-	-	-	-	-	-	-	-	-	-
		M	339	28	18	33	21	26	23	24	37	28	34	42	25
		F	156	14	19	13	7	13	16	15	17	6	14	17	5
186	Accidental traumatism in mines and quarries	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
187	Accidental traumatism by ma- chines	T	45	-	-	-	-	-	-	-	-	-	-	-	-
		M	40	3	2	5	5	1	7	4	3	1	1	2	6
		F	5	-	1	-	-	-	1	1	1	1	-	-	-
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)	T	877	-	-	-	-	-	-	-	-	-	-	-	-
		M	657	48	35	38	44	55	64	69	60	57	59	72	56
		F	220	14	6	8	12	16	20	21	20	27	30	32	14
188a	Railroad accidents	T	84	-	-	-	-	-	-	-	-	-	-	-	-
		M	79	5	8	5	5	9	7	7	4	7	4	7	11
		F	5	-	-	-	-	1	1	-	-	2	-	-	1
188b	Street car accidents	T	55	-	-	-	-	-	-	-	-	-	-	-	-
		M	40	1	6	7	3	5	3	4	6	-	1	2	2
		F	15	1	1	-	-	1	1	1	2	1	3	2	2
188c	Automobile accidents	T	687	-	-	-	-	-	-	-	-	-	-	-	-
		M	491	39	20	22	30	39	47	54	43	45	51	60	41
		F	196	12	5	8	11	14	19	20	16	24	27	29	11
188d	Aeroplane and balloon accidents	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
188e	Motorcycle accidents	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	-	2	1	1	1	3	3	1	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
188f	Injuries by other vehicles	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	3	1	1	5	-	6	1	4	4	1	1	2
		F	4	1	-	-	-	-	-	-	2	-	-	-	-
188g	Landslide, other crushing	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	-	-	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
189	Injuries by animals (not poisoning)	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	-	1	2	-	3	-	1	4	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
191	Execution of civilians by belliger- ent armies	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
192	Starvation (deprivation of food or water)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
193	Excessive cold	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	3	6	-	1	-	-	-	-	-	-	2	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-
194	Excessive heat	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	-	1	4	6	-	-	-
		F	2	-	-	-	-	-	-	-	-	2	-	-	-
195	Lightning	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
196	Other accidental electric shocks	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	1	1	-	2	2	5	5	1	2	4	-	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
201	Fracture (cause not specified)	T	23	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	2	1	1	2	1	2	1	1	2	1	-	2
		F	7	-	-	-	-	-	3	1	1	1	1	1	-

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1924—Con.

Detailed Int. List No.	AGE PERIODS.													Unknown.
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	
178	-	-	2	1	-	-	5	-	6	-	-	-	-	-
179	-	-	2	3	-	-	-	2	2	-	2	3	-	-
180	-	2	47	9	1	4	7	6	6	6	6	3	1	-
180	-	6	35	15	9	3	7	13	12	7	16	5	6	-
181	2	15	1	1	2	2	4	2	5	2	1	1	-	-
181	-	8	1	-	-	-	-	-	-	1	-	-	-	-
182	-	1	1	2	2	1	6	7	15	18	27	9	2	-
182	-	-	5	2	1	2	3	2	8	4	7	3	5	-
183	1	-	13	57	48	45	55	40	29	31	8	3	1	-
183	-	-	5	4	10	6	1	2	1	-	1	-	1	-
184	-	-	1	3	4	6	3	4	1	2	-	1	-	-
184	-	-	1	1	1	1	-	-	-	-	-	-	-	-
185	-	-	-	1	-	1	2	2	1	1	1	1	-	-
185	-	-	-	1	-	-	-	1	-	-	1	-	-	-
185	-	2	17	11	7	9	31	34	63	51	52	34	28	-
186	-	2	9	1	-	1	5	2	6	19	31	45	40	-
187	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	-	-	-	1	1	3	8	7	6	10	3	1	-	-
188	-	-	-	1	-	-	1	1	1	-	-	1	-	-
188	-	2	41	107	35	29	96	93	79	65	54	40	16	-
188	-	-	22	51	12	12	21	14	14	18	27	21	8	-
188 _a	-	-	1	3	-	3	9	23	15	14	7	3	1	-
188 _b	-	-	-	-	-	-	1	1	1	1	1	1	-	-
188 _b	-	-	1	7	1	1	6	11	-	4	4	2	3	-
188 _c	-	-	2	2	1	1	2	-	-	1	3	2	1	-
188 _c	-	2	36	94	34	23	69	55	55	49	40	32	11	-
188 _d	-	-	19	48	11	11	17	12	13	16	21	18	7	-
188 _e	-	-	-	-	-	-	1	-	-	-	-	-	-	-
188 _e	-	-	-	-	-	-	-	7	3	1	1	1	-	-
188 _f	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 _f	-	-	3	3	-	2	2	1	7	6	2	2	1	-
188 _g	-	-	1	1	-	-	1	1	-	-	-	-	-	-
189	-	-	-	-	-	-	2	-	1	-	-	-	-	-
189	-	-	2	2	-	-	-	-	1	2	3	2	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192	-	-	-	-	-	-	-	-	-	-	-	1	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193	1	-	-	-	-	-	2	3	2	1	2	1	-	-
194	-	-	-	-	-	-	-	1	-	-	-	1	-	-
194	-	1	-	-	-	-	1	1	2	1	2	2	1	-
195	-	-	-	-	-	-	-	-	-	-	-	1	1	-
195	-	-	-	-	-	-	2	-	-	-	-	-	-	-
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	-	-	-	-	-	3	8	8	4	1	1	-	-	-
201	-	-	-	-	-	-	4	-	5	2	3	2	-	-
201	-	-	-	-	-	-	1	-	1	2	2	1	2	-

Detailed Int. List No.	Table 33	CAUSE OF DEATH.	Sex.	All deaths in- vestigated.	DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY											
					MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
202	Other external violence (cause specified)	T	M	139	-	-	-	-	-	-	-	-	-	-	-	-
		F		98	9	9	11	11	7	11	11	3	7	5	8	6
203	Other external violence (cause not specified)	T	M	41	7	4	2	2	5	4	2	4	2	4	2	3
		F		-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT DUE TO VIOLENCE.	T	M	4,103	-	-	-	-	-	-	-	-	-	-	-	-
		F		2,511	238	206	203	235	230	180	170	196	192	216	210	235
		T	M	1,592	151	120	131	133	173	111	113	132	115	127	120	166
		F		111	-	-	-	-	-	-	-	-	-	-	-	-
	Stillbirths.	T	M	72	3	5	7	5	11	8	2	4	6	9	2	10
		F		39	2	3	4	5	3	4	1	4	6	2	3	2

Line No.	Table 34	COUNTIES.	DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1915 TO 1924.											
			10 YEARS, 1915 TO 1924.			1924.		1923.		1922.		1921.		
			Views	AUTOPSIES.		Views	Au- top- sies.	Views	Au- top- sies.	Views	Au- top- sies.	Views	Au- top- sies.	
				Num- ber.	Per cent.									
1	The State.	68715	6,360	9.3	7,341	655	7,549	732	6,939	694	6,368	621		
2	Barnstable	563	20	3.6	75	2	55	1	61	2	53	1		
3	Berkshire	1,422	35	2.5	147	1	151	4	140	3	124	8		
4	Bristol	6,337	173	2.7	648	25	645	22	603	15	561	10		
5	Dukes	104	9	8.7	13	-	26	5	11	-	9	1		
6	Essex	6,851	274	4.0	795	29	767	26	725	32	615	27		
7	Franklin	820	17	2.1	67	2	89	1	67	-	86	-		
8	Hampden	5,200	218	4.2	633	14	610	19	538	31	500	22		
9	Hampshire	1,068	28	2.6	91	-	106	-	103	2	115	4		
10	Middlesex	13,219	638	4.8	1,468	63	1,506	49	1,310	51	1,271	52		
11	Nantucket	48	3	6.2	6	-	2	-	8	1	2	1		
12	Norfolk	3,677	214	5.8	474	15	439	17	419	24	341	20		
13	Plymouth	2,217	172	7.8	234	27	247	17	235	16	241	20		
14	Suffolk	19,972	4,180	20.9	1,909	427	2,142	519	2,029	474	1,775	427		
15	Worcester	7,217	379	5.3	781	50	764	52	689	43	675	28		

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1924—Con.

Detailed Int. List No.	AGE PERIODS.												
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 year.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.
202	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	6	3	3	6	5	15	16	17	14	9	4	-
203	-	4	-	2	-	2	9	14	4	-	1	-	1
	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-
	52	93	99	29	9	25	64	185	348	499	500	356	160
	60	58	40	9	10	23	67	92	173	229	311	310	209
	-	-	-	-	-	-	-	-	-	-	-	-	-
	72	-	-	-	-	-	-	-	-	-	-	-	-
	39	-	-	-	-	-	-	-	-	-	-	-	2
	-	-	-	-	-	-	-	-	-	-	-	-	1
	-	-	-	-	-	-	-	-	-	-	-	-	-

Line No.	DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1915 TO 1924.											
	1920.		1919.		1918.		1917.		1916.		1915.	
	Views	Autop- sies.	Views.	Autop- sies.	Views.	Autop- sies.	Views.	Autop- sies.	Views.	Autop- sies.	Views.	Autop- sies.
1	6,276	573	6,183	486	7,227	553	7,288	626	7,028	791	6,516	629
2	48	1	53	2	48	1	49	3	61	3	60	4
3	134	4	130	5	143	1	147	3	161	2	145	4
4	594	4	569	16	749	16	719	19	631	26	618	20
5	12	1	8	-	2	-	4	1	13	1	6	-
6	630	31	595	13	691	21	682	36	688	35	663	24
7	85	1	70	3	95	2	105	3	86	2	70	3
8	503	20	439	28	487	25	561	21	476	23	452	15
9	127	5	103	4	104	1	94	4	100	4	125	4
10	1,243	38	1,178	45	1,375	25	1,381	57	1,235	133	1,252	125
11	6	-	2	-	6	-	4	-	3	-	9	1
12	336	22	328	15	383	36	341	20	305	23	311	22
13	229	20	202	18	220	13	228	13	205	15	176	13
14	1,664	398	1,867	315	2,153	380	2,193	403	2,280	483	1,960	354
15	665	28	639	22	771	32	780	43	784	41	669	40

PART II. A.

BIRTH STATISTICS

	PAGE
Introduction	116-118
Birth registration	116, 117
Live births	117
Birth rates	117
Changes in birth rate	117
Stillbirths	117
Birth rates, principal cities	117, 118
Sex proportions at birth	118
Nativity of parents	118
Plural births	118
Natural increase	118
Statistical tables	119-126

INTRODUCTION.

Birth Registration.—Like the registration of deaths, birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. The making of authentic birth records presents greater difficulties than that of either marriages or deaths, and probably no State or sizable city claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

Records are made in the first instance by the local registrars, who are the city and town clerks, with the exception of Boston where the City Registrar is the official in charge.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the city or town in which such birth occurred. Parents, within forty days, are required to give notice to the registration official of every child born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also requires the clerk of each town annually in January to ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with the local officials. The law has required the filing at this central record office from 1841. During this time 4,533,438 births have been registered and the annual registration report issued. Since the establishment of the office of the State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. If people generally realized the importance of birth records, complete registration would soon be an accomplished fact.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence to legal age to marry;
6. As evidence to prove the claims of widows and orphans under the Widows and Orphans Pension Law;

*Midwives are not recognized in Massachusetts. It has been held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under years of age for crime and misdemeanor, and various other matters in the criminal code;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are forwarded to the Division of Vital Statistics on or before March 1st, April 1st and May 1st of the year following; the time depending upon the size of the city or town making the return.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections can be accepted unless supported by a deposition made by the parents, physician, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are urged to exercise considerable care in accepting delayed returns for records, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimized through the subsequent marriage of its parents, in these cases the record may be corrected in accordance with Chapter 281 of the Acts of 1925, so that the child will appear on the record as the legitimate offspring of its parents.

The annual canvass is an important factor in eliminating errors from physicians' returns of births, and many local registrars in Massachusetts are guarding against such errors by sending an exact copy of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

Live Births.—In the Commonwealth in 1924 there were 91,463 live births, an increase of 2,253, or 2.5 per cent, as compared with the number registered in 1923. There was a decrease in 1924 of 669, or 2 per cent, in the number of infants born to foreign-born parents. The number of babies born to native parents shows an increase of 2,358, or 5.9 per cent, as compared with 1923, while the births among the mixed parents, namely, one parent native, the other foreign-born, increased by 547, or 3.4 per cent.

Birth Rate.—In proportion to the total population, the total live births were equivalent to a rate of 22.8 per 1,000 population. This was .3 per 1,000 higher than that recorded in 1923, and .2 per 1,000 below the average for the five years 1919 to 1923.

Changes in Birth Rate.—The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths.—Stillbirths registered in 1924 number 3,548, an increase of 216 or 6.5 per cent, as compared with 1923. The rate per 1,000 live births was 38.8 in 1924, 37.3 in 1923 and 1922, 37.2 in 1921 and 36.3 in 1920.

Birth Rates, Principal Cities.—The six municipalities having 25,000 inhabitants or more showing the highest birth rates in 1924 are: Chelsea, 30; Fall River, 29.8; Cambridge, 28.4; Pittsfield 27.9; Waltham 27.3 and Fitchburg, 26.9.

The city of Fall River has the largest birth rate (29.8) of any place in the State of over 100,000 population. High birth rates, however, do not necessarily indicate

satisfactory increases in population, since high rates of infant and childhood mortality may nullify the effect of high birth rates.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth.

Sex Proportion at Birth.—It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. The fact remains that this phenomenon is invariably true. Births of males in 1924 numbered 46,957, and those of females 44,500, corresponding to a ratio of 1,055 male births to 1,000 female births.

Nativity of Parents.—The number of births where both parents were native (42,393) exceeded the number of births where both parents were foreign-born (32,380) by 10,013, or 30.9 per cent in 1924. Children born of mixed parents (one parent native and one parent foreign-born) numbered 16,653 in 1924, as compared with 16,106 in 1923.

The proportion of children born of native parents declined from 1890 until about 1910, since when the proportion has steadily increased. In 1924 the proportion was 46.3 per cent.

The proportion of children born of parents one of whom was native and the other foreign-born was 18.2 in 1924, as compared with 18.1 in 1923. The number of children born of parents whose nativity was not reported on the birth certificate was 37 in 1924.

Plural Births.—In 1924 there were 1,016 plural births, 1,003 pairs of twins and 13 cases of triplets, or 11.1 pairs of twins per 1,000 live births, and .1 cases of triplets per 1,000 live births.

Natural Increase.—The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1924 was 10.4 per 1,000 population, and averaged 9.8 for the five years 1919 to 1923.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact, coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounts to 84.9 in 1924, as compared with 70.3 per cent in 1923, 71.4 per cent in 1922, 93 per cent in 1921, and 71.3 per cent in 1920.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of the Vital Statistics of Massachusetts for the year ending Dec. 31, 1919, Public Document No. 1.

STATISTICAL TABLES.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES¹: 1924.

COUNTIES AND MUNICIPALITIES.	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Fe- male.	Unknown.	Na- tive.	For- eign.	Mixed.	Unknown.	
The State.	91,463	46,957	44,500	6	42,393	32,380	16,653	37	22.8
COUNTIES.									
Barnstable	581	279	302	—	355	118	108	—	21.8
Berkshire	2,610	1,335	1,275	—	1,550	695	365	—	23.1
Bristol	9,679	4,905	4,774	—	3,686	3,951	2,041	1	26.1
Dukes	92	51	41	—	56	18	18	—	21.1
Essex	10,489	5,424	5,065	—	4,836	3,684	1,968	1	21.0
Franklin	1,058	533	525	—	664	238	156	—	21.0
Hampden	7,380	3,801	3,578	1	3,463	2,595	1,317	5	22.0
Hampshire	1,469	772	697	—	773	508	187	1	21.1
Middlesex	18,228	9,333	8,895	—	8,704	6,112	3,411	1	22.2
Nantucket	64	28	36	—	38	13	13	—	22.9
Norfolk	3,996	2,044	1,952	—	2,032	1,199	764	1	17.0
Plymouth	3,008	1,550	1,458	—	1,698	785	524	1	19.2
Suffolk	21,877	11,244	10,628	5	9,422	8,649	3,783	23	25.9
Worcester	10,932	5,658	5,274	—	5,116	3,815	1,998	3	22.9
MUNICIPALITIES.²									
Abington	61	23	38	—	37	14	10	—	—
Acton	24	14	10	—	13	5	6	—	—
Acushnet	139	83	56	—	43	56	38	—	—
Adams	323	170	153	—	144	120	59	—	24.9
Agawam	88	51	37	—	35	38	15	—	—
Alford	1	—	1	—	—	1	—	—	—
Amesbury	155	87	68	—	65	54	36	—	13.5
Amherst	63	33	30	—	42	16	5	—	—
Andover	168	93	75	—	74	62	32	—	—
Arlington	481	225	256	—	289	113	79	—	21.1
Ashburnham	21	9	12	—	15	2	4	—	—
Ashby	8	5	3	—	7	1	—	—	—
Ashfield	11	6	5	—	8	3	—	—	—
Ashland	25	12	13	—	11	11	3	—	—
Athol	220	110	110	—	114	73	33	—	—
ATTLEBORO	541	279	262	—	299	118	124	—	25.9
Auburn	61	28	33	—	37	8	16	—	—
Avon	22	12	10	—	11	4	7	—	—
Ayer	81	37	44	—	56	15	10	—	—
Barnstable	186	93	93	—	119	36	31	—	—
Barre	79	33	46	—	24	41	14	—	—
Becket	9	4	5	—	6	3	—	—	—
Bedford	10	5	5	—	5	2	3	—	—
Belchertown	40	16	24	—	27	10	3	—	—
Bellingham	54	33	21	—	22	21	11	—	—
Belmont	109	51	58	—	41	58	10	—	8.2
Berkley	19	12	7	—	9	7	3	—	—
Berlin	11	6	5	—	5	4	2	—	—
Bernardston	12	5	7	—	10	—	2	—	—
BEVERLY	467	243	224	—	262	130	75	—	20.7
Billerica	74	31	43	—	40	16	18	—	—
Blackstone	101	54	47	—	39	42	20	—	—
Blandford	6	2	4	—	4	2	—	—	—
Bolton	6	3	3	—	2	2	2	—	—
Boston	19,776	10,132	9,639	5	8,696	7,629	3,428	23	26.3
Bourne	56	29	27	—	30	14	12	—	—
Boxborough	—	—	—	—	—	—	—	—	—
Boxford	6	6	—	—	6	—	—	—	—
Boylston	9	6	3	—	6	3	—	—	—
Braintree	207	96	111	—	128	42	37	—	17.6
Brewster	7	4	3	—	7	—	—	—	—
Bridgewater	114	54	60	—	43	56	15	—	—
Brimfield	9	5	4	—	8	1	—	—	—
BROCKTON	1,584	821	763	—	905	404	275	—	22.6
Brookfield	17	9	8	—	13	3	1	—	—
Brookline	327	151	176	—	182	75	69	1	7.8
Buckland	17	7	10	—	13	1	3	—	—
Burlington	15	9	6	—	8	4	3	—	—
CAMBRIDGE	3,144	1,591	1,553	—	1,390	1,242	512	—	28.4
Canton	73	35	38	—	33	26	14	—	—
Carlisle	8	6	2	—	3	4	1	—	—
Carver	27	15	12	—	8	10	9	—	—
Charlemont	13	5	8	—	10	1	2	—	—
Charlton	40	21	19	—	27	6	7	—	—
Chatham	25	10	15	—	21	1	3	—	—
Chelmsford	101	52	49	—	46	32	23	—	—
CHELSEA	1,296	673	623	—	381	722	193	—	30.0

¹ All birth rates are based upon the total number of live births, including births in hospitals and institutions, and the total population. No allowances have been made for differences in the sex and age distribution of the population.² Cities are printed in small capitals.

Table 35	LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES ¹ : 1924.									
	MUNICIPALITIES.	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
			Male.	Fe- male.	Unknown.	Na- tive.	For- eign.	Mixed.	Unknown.	
Cheshire	30	15	15	-	14	14	2	-	-	
Chester	8	4	4	-	5	2	1	-	-	
Chesterfield	4	2	2	-	4	-	-	-	-	
CHICOPEE	903	444	459	-	249	460	189	5	21.5	
Chilmark	3	2	1	-	1	1	1	-	-	
Clarksburg	15	10	5	-	9	4	2	-	-	
Clinton	372	188	184	-	165	154	53	-	28.7	
Cohasset	33	12	21	-	21	7	5	-	-	
Colrain	30	17	13	-	22	2	6	-	-	
Concord	168	77	91	-	87	40	41	-	-	
Conway	10	3	7	-	8	2	-	-	-	
Cummington	11	1	10	-	11	-	-	-	-	
Dalton	33	20	13	-	23	5	5	-	-	
Dana	9	7	2	-	8	-	1	-	-	
Danvers	136	77	59	-	78	37	21	-	12.2	
Dartmouth	161	88	73	-	50	85	26	-	-	
Dedham	221	103	118	-	90	80	51	-	20.5	
Deerfield	56	30	26	-	19	30	7	-	-	
Dennis	25	10	15	-	20	3	2	-	-	
Dighton	90	36	54	-	51	23	16	-	-	
Douglas	45	27	18	-	9	30	6	-	-	
Dover	1	1	-	-	-	-	1	-	-	
Dracut	140	81	59	-	58	38	44	-	-	
Dudley	125	72	53	-	49	55	21	-	-	
Dunstable	1	-	1	-	1	-	-	-	-	
Duxbury	16	12	4	-	8	5	3	-	-	
East Bridgewater	39	19	20	-	21	13	5	-	-	
East Brookfield	15	7	8	-	6	5	4	-	-	
East Longmeadow	33	13	20	-	17	9	7	-	-	
Eastham	8	4	4	-	6	1	1	-	-	
Easthampton	262	153	109	-	94	128	40	-	20.8	
Easton	80	40	40	-	37	27	16	-	-	
Edgartown	13	7	6	-	9	4	-	-	-	
Egremont	5	4	1	-	4	1	-	-	-	
Enfield	9	8	1	-	4	4	1	-	-	
Erving	23	10	13	-	15	3	5	-	-	
Essex	9	7	2	-	7	2	-	-	-	
EVERETT	757	363	394	-	289	313	155	-	17.9	
Fairhaven	208	112	96	-	76	87	45	-	-	
FALL RIVER	3,595	1,830	1,765	-	1,405	1,438	751	1	29.8	
Falmouth	85	38	47	-	21	37	27	-	-	
FITCHBURG	1,140	581	559	-	440	426	274	-	26.9	
Florida	6	4	2	-	3	1	2	-	-	
Foxborough	51	31	20	-	28	7	16	-	-	
Framingham	614	297	317	-	332	168	114	-	33.8	
Franklin	128	64	64	-	48	49	31	-	-	
Freetown	41	17	24	-	21	14	6	-	-	
Gardner	496	261	235	-	214	195	87	-	28.3	
Gay Head	4	2	2	-	4	-	-	-	-	
Georgetown	27	16	11	-	22	1	4	-	-	
Gill	14	8	6	-	4	7	3	-	-	
GLOUCESTER	451	228	223	-	242	115	94	-	19.7	
Goshen	3	2	1	-	3	-	-	-	-	
Gosnold	-	-	-	-	-	-	-	-	-	
Grafton	107	55	52	-	49	34	24	-	-	
Granby	6	1	5	-	2	4	-	-	-	
Granville	12	8	4	-	10	2	-	-	-	
Great Barrington	165	79	86	-	103	46	16	-	-	
Greenfield	345	182	163	-	231	62	52	-	19.0	
Greenwich	3	1	2	-	3	-	-	-	-	
Groton	33	14	19	-	19	7	7	-	-	
Groveland	27	11	16	-	21	3	3	-	-	
Hadley	57	30	27	-	10	44	3	-	-	
Halifax	4	4	-	-	3	1	-	-	-	
Hamilton	13	7	6	-	10	1	2	-	-	
Hampden	4	2	2	-	1	2	1	-	-	
Hancock	10	6	4	-	8	-	2	-	-	
Hanover	46	19	27	-	34	6	6	-	-	
Hanson	29	16	13	-	14	5	10	-	-	
Hardwick	39	20	19	-	12	21	6	-	-	
Harvard	9	6	3	-	4	3	2	-	-	
Harwich	37	14	23	-	25	6	6	-	-	
Hatfield	64	35	29	-	9	51	4	-	-	
HAVERHILL	1,052	549	503	-	572	289	191	-	18.1	
Hawley	5	3	2	-	4	-	1	-	-	
Heath	8	2	6	-	4	-	4	-	-	
Hingham	63	28	35	-	38	12	12	1	-	
Hinsdale	10	6	4	-	9	1	-	-	-	

¹ See footnotes on page 119.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY
AND MUNICIPALITY; AND BIRTH RATES¹: 1924.

MUNICIPALITIES.	Total num- ber.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 popu- lation.
		Male.	Fe- male.	Unknown.	Na- tive.	For- eign.	Mixed.	Unknown.	
Holbrook	35	19	16	-	24	6	5	-	-
Holden	92	43	49	-	59	16	17	-	-
Holland	1	-	1	-	-	1	-	-	-
Holliston	12	3	9	-	8	3	1	-	-
HOLYOKE	1,473	757	716	-	672	493	308	-	24.4
Hopedale	43	17	26	-	23	15	5	-	-
Hopkinton	17	8	9	-	13	1	3	-	-
Hubbardston	15	8	7	-	12	1	2	-	-
Hudson	113	49	64	-	36	60	17	-	-
Hull	27	8	19	-	10	7	10	-	-
Huntington	13	6	7	-	12	-	1	-	-
Ipswich	195	106	89	-	84	79	32	-	-
Kingston	26	14	12	-	9	10	7	-	-
Lakeville	5	3	2	-	2	3	-	-	-
Lancaster	28	11	17	-	20	3	5	-	-
Lanesborough	14	9	5	-	8	1	5	-	-
LAWRENCE	2,610	1,358	1,252	-	777	1,316	517	-	26.6
Lee	61	26	35	-	30	26	5	-	-
Leicester	59	26	33	-	35	14	10	-	-
Lenox	23	6	17	-	12	6	5	-	-
LEOMINSTER	506	242	264	-	219	185	102	-	23.3
Leverett	13	9	4	-	12	-	1	-	-
Lexington	81	43	38	-	36	29	16	-	-
Leyden	6	4	2	-	4	1	1	-	-
Lincoln	9	6	3	-	3	3	3	-	-
Littleton	16	6	10	-	7	8	1	-	-
Longmeadow	10	4	6	-	5	4	1	-	-
LOWELL	3,011	1,589	1,422	-	1,297	1,050	664	-	25.7
Ludlow	271	141	130	-	88	140	43	-	-
Lunenburg	22	13	9	-	11	7	4	-	-
LYNN	2,077	1,086	991	-	1,011	654	412	-	20.3
Lynnfield	11	8	3	-	5	3	3	-	-
MALDEN	1,051	551	500	-	481	388	182	-	21.4
Manchester	17	8	9	-	7	9	1	-	-
Mansfield	96	45	51	-	41	42	13	-	-
Marblehead	101	48	53	-	70	4	27	-	-
Marion	21	10	11	-	10	9	2	-	-
MARLBOROUGH	412	206	206	-	246	102	64	-	27.4
Marshfield	16	10	6	-	12	1	3	-	-
Mashpee	9	5	4	-	7	1	1	-	-
Mattapoisett	24	15	9	-	10	8	6	-	-
Maynard	105	43	62	-	22	73	10	-	-
Medfield	16	5	11	-	4	7	5	-	-
MEDFORD	894	461	433	-	511	206	177	-	18.8
Medway	36	22	14	-	11	22	3	-	-
MELROSE	385	199	186	-	254	66	65	-	19.8
Mendon	18	14	4	-	8	5	5	-	-
Merrimac	40	22	18	-	32	3	5	-	-
Methuen	380	180	200	-	157	129	93	1	23.3
Middleborough	210	110	100	-	136	40	34	-	-
Middlefield	2	1	1	-	1	-	1	-	-
Middleton	13	7	6	-	6	5	2	-	-
Millford	478	259	219	-	191	207	79	1	35.5
Millbury	96	54	42	-	57	18	21	-	-
Millis	7	4	3	-	2	2	3	-	-
Millville	41	19	22	-	19	15	7	-	-
Milton	308	177	131	-	212	38	58	-	-
Monroe	3	2	1	-	2	1	-	-	-
Monson	38	26	12	-	16	11	11	-	-
Montague	249	131	118	-	132	66	51	-	-
Monterey	1	-	1	-	1	-	-	-	-
Montgomery	-	-	-	-	-	-	-	-	-
Mount Washington	-	-	-	-	-	-	2	-	-
Nahant	9	4	5	-	6	1	2	-	-
Nantucket	64	28	36	-	38	13	13	-	-
Natick	327	170	157	-	186	87	54	-	30.0
Needham	138	80	58	-	58	49	31	-	-
New Ashford	-	-	-	-	-	-	-	-	-
NEW BEDFORD	3,170	1,556	1,614	-	948	1,526	696	-	24.0
New Braintree	5	3	2	-	2	1	1	1	-
New Marlborough	19	8	11	-	12	5	2	-	-
New Salem	7	3	4	-	7	-	-	-	-
Newbury	14	9	5	-	11	2	1	-	-
NEWBURYPORT	426	212	214	-	294	76	56	-	26.8
NEWTON	985	529	456	-	518	280	187	-	20.2
Norfolk	18	9	9	-	10	8	-	-	-
NORTH ADAMS	534	281	253	-	331	90	113	-	23.7
North Andover	85	49	36	-	37	29	19	-	-

¹ See footnotes on page 119.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY
AND MUNICIPALITY; AND BIRTH RATES: 1924.

MUNICIPALITIES.	Total num- ber.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 popu- lation.
		Male.	Fe- male.	Unknown.	Na- tive.	For- eign.	Mixed.	Unknown.	
North Attleborough	159	83	76	-	83	42	34	-	-
North Brookfield	49	19	30	-	31	11	7	-	-
North Reading	18	11	7	-	10	4	4	-	-
NORTHAMPTON	546	274	272	-	340	130	75	1	24.6
Northborough	20	10	10	-	14	5	1	-	-
Northbridge	299	150	149	-	116	110	73	-	27.1
Northfield	23	11	12	-	16	7	-	-	-
Norton	31	16	15	-	13	11	7	-	-
Norwell	11	4	7	-	9	2	-	-	-
Norwood	442	220	222	-	192	187	63	-	31.1
Oak Bluffs	58	33	25	-	39	7	12	-	-
Oakham	12	4	8	-	6	1	5	-	-
Orange	103	42	61	-	82	14	7	-	-
Orleans	18	11	7	-	17	1	-	-	-
Otis	9	5	4	-	8	-	1	-	-
Oxford	84	44	40	-	62	8	14	-	-
Palmer	313	148	165	-	140	130	43	-	-
Paxton	4	4	-	-	3	1	-	-	-
PEABODY	518	257	261	-	188	261	69	-	25.2
Pelham	24	12	12	-	20	-	4	-	-
Pembroke	22	15	7	-	17	3	2	-	-
Pepperell	35	19	16	-	31	1	3	-	-
Peru	3	2	1	-	3	-	-	-	-
Petersham	17	10	7	-	14	1	2	-	-
Phillipston	7	5	2	-	5	2	-	-	-
PITTSFIELD	1,224	623	601	-	751	340	133	-	27.9
Plainfield	9	7	2	-	7	2	-	-	-
Plainville	20	10	10	-	12	4	4	-	-
Plymouth	255	128	127	-	136	68	51	-	19.4
Plympton	4	4	-	-	2	1	1	-	-
Prescott	4	2	2	-	3	1	-	-	-
Princeton	12	5	7	-	7	3	2	-	-
Provincetown	73	38	35	-	41	13	19	-	-
QUINCY	977	501	476	-	420	343	214	-	17.9
Randolph	76	33	43	-	59	7	10	-	-
Raynham	34	16	18	-	16	6	12	-	-
Reading	82	47	35	-	41	18	23	-	-
Rehoboth	36	23	13	-	21	9	6	-	-
REVERE	570	297	273	-	188	261	121	-	17.7
Richmond	2	-	2	-	1	1	-	-	-
Rochester	17	7	10	-	9	6	2	-	-
Rockland	82	43	39	-	54	17	11	-	-
Rockport	48	24	24	-	28	16	4	-	-
Rowe	3	1	2	-	3	-	-	-	-
Rowley	17	10	7	-	14	1	2	-	-
Royalston	10	5	5	-	5	2	3	-	-
Russell	15	8	7	-	7	7	1	-	-
Rutland	7	3	4	-	5	1	1	-	-
SALEM	990	505	485	-	504	298	188	-	20.8
Salisbury	17	5	12	-	17	-	-	-	-
Sandisfield	4	3	1	-	1	2	1	-	-
Sandwich	18	7	11	-	11	3	4	-	-
Saugus	185	98	87	-	92	49	44	-	16.1
Savoy	2	-	2	-	1	1	-	-	-
Scituate	47	26	21	-	29	6	12	-	-
Seekonk	63	38	25	-	28	21	14	-	-
Sharon	33	15	18	-	21	10	2	-	-
Sheffield	12	7	5	-	9	3	-	-	-
Shelburne	18	7	11	-	16	1	1	-	-
Sherborn	15	9	6	-	7	5	3	-	-
Shirley	60	34	26	-	27	21	12	-	-
Shrewsbury	79	39	40	-	31	35	13	-	-
Shutesbury	3	1	2	-	-	3	-	-	-
Somersett	84	43	41	-	31	36	17	-	-
SOMERVILLE	1,973	1,037	936	-	897	681	395	-	19.9
South Hadley	79	35	44	-	32	31	16	-	-
Southampton	9	6	3	-	3	6	-	-	-
Southborough	21	10	11	-	4	13	4	-	-
Southbridge	342	178	164	-	159	106	77	-	23.9
Southwick	19	13	6	-	9	5	5	-	-
Spencer	96	49	47	-	71	6	19	-	-
SPRINGFIELD	3,520	1,838	1,681	1	1,942	987	591	-	22.7
Sterling	23	13	10	-	16	4	3	-	-
Stockbridge	24	9	15	-	16	5	3	-	-
Stoneham	179	92	87	-	114	37	28	-	-
Stoughton	132	80	52	-	71	44	17	-	-
Stow	8	5	3	-	4	1	3	-	-
Sturbridge	35	24	11	-	25	4	5	1	-

¹ See footnotes on page 119.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES¹: 1924.

MUNICIPALITIES.	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Sudbury	9	4	5	-	6	1	2	-	-
Sunderland	44	25	19	-	23	15	6	-	-
Sutton	37	17	20	-	19	9	9	-	-
Swampscott	199	93	106	-	119	50	30	-	-
Swansea	58	30	28	-	30	15	13	-	-
TAUNTON	991	510	481	-	447	358	186	-	26.0
Templeton	76	40	36	-	43	21	12	-	-
Tewksbury	49	26	23	-	26	17	6	-	-
State Infirmary	149	87	62	-	104	37	8	-	-
Tisbury	13	6	7	-	3	6	4	-	-
Tolland	1	-	1	-	-	1	-	-	-
Topsfield	9	4	5	-	4	4	1	-	-
Townsend	24	11	13	-	14	4	6	-	-
Truro	12	6	6	-	10	1	1	-	-
Tyngsborough	24	13	11	-	14	5	5	-	-
Tyringham	3	1	2	-	2	1	-	-	-
Upton	20	11	9	-	11	5	4	-	-
Uxbridge	131	72	59	-	52	44	35	-	-
Wakefield	265	134	131	-	110	109	46	-	20.0
Wales	10	6	4	-	6	-	4	-	-
Walpole	87	38	49	-	23	48	16	-	-
WALTHAM	862	439	423	-	379	313	170	-	27.3
Ware	210	119	91	-	118	62	30	-	-
Wareham	132	74	58	-	58	55	19	-	-
Warren	66	39	27	-	24	31	11	-	-
Warwick	10	3	7	-	9	-	1	-	-
Washington	3	2	1	-	1	1	1	-	-
Watertown	314	163	151	-	86	179	49	-	12.0
Wayland	25	12	13	-	21	-	4	-	-
Webster	308	170	138	-	139	102	67	-	22.1
Wellesley	113	70	43	-	45	43	25	-	-
Wellfleet	12	5	7	-	12	-	-	-	-
Wendell	8	3	5	-	8	-	-	-	-
Wenham	4	3	1	-	3	-	-	-	-
West Boylston	32	11	21	-	12	16	4	-	-
West Bridgewater	40	25	15	-	19	14	7	-	-
West Brookfield	17	7	10	-	12	4	1	-	-
West Newbury	13	4	9	-	11	1	1	-	-
West Springfield	180	84	96	-	63	82	35	-	11.7
West Stockbridge	21	12	9	-	7	12	2	-	-
West Tisbury	1	1	-	-	-	-	1	-	-
Westborough	59	31	28	-	38	8	13	-	-
WESTFIELD	414	223	191	-	178	178	58	-	22.1
Westford	78	43	35	-	18	49	11	-	-
Westhampton	5	3	2	-	4	1	-	-	-
Westminster	14	7	7	-	8	6	-	-	-
Weston	22	5	17	-	12	4	6	-	-
Westport	83	48	35	-	35	30	18	-	-
Westwood	12	8	4	-	6	2	4	-	-
Weymouth	408	207	201	-	280	68	60	-	25.4
Whately	24	13	11	-	2	19	3	-	-
Whitman	86	43	43	-	65	9	12	-	-
Wilbraham	52	24	28	-	8	40	4	-	-
Williamsburg	41	23	18	-	19	18	4	-	-
Williamstown	40	22	18	-	31	4	5	-	-
Wilmington	53	29	24	-	30	12	11	-	-
Winchendon	179	99	80	-	109	37	33	-	-
Winchester	346	177	169	-	216	76	54	-	31.7
Windsor	4	1	3	-	2	1	1	-	-
Winthrop	235	142	93	-	157	37	41	-	13.1
WOBBURN	427	203	224	-	224	113	89	1	25.5
WORCESTER	4,551	2,370	2,181	-	2,181	1,625	745	-	23.2
Worthington	5	2	3	-	5	-	-	-	-
Wrentham	21	8	13	-	19	-	2	-	-
Yarmouth	10	5	5	-	8	1	1	-	-

¹ See footnotes on page 119.

Table 36

LIVE BIRTHS, BY MONTH OF BIRTH, IN COUNTIES AND IN CITIES
HAVING OVER 50,000 INHABITANTS: 1924.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1920. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	91,463	7,485	7,413	8,076	7,442	7,942	7,713	8,033	7,896	7,703	7,331	7,188	7,241
Average daily number of births.	250	241	256	261	248	256	257	259	255	257	236	240	234
COUNTIES.													
Suffolk	21,877	1,787	1,750	1,889	1,815	1,926	1,782	1,918	1,859	1,841	1,745	1,735	1,800
Middlesex	18,228	1,472	1,468	1,559	1,434	1,631	1,543	1,585	1,583	1,500	1,542	1,459	1,452
Essex	10,489	878	853	954	874	908	867	897	882	868	862	831	815
Worcester	10,932	884	883	1,007	897	886	942	972	959	944	864	842	852
Bristol	9,679	802	835	866	752	840	846	816	869	822	756	721	754
Hampden	7,380	631	626	673	599	637	625	630	632	625	568	555	579
Norfolk	3,996	313	310	335	333	353	347	363	306	339	327	344	326
Plymouth	3,008	260	231	288	250	240	287	292	285	250	179	244	202
Berkshire	2,610	210	204	239	216	236	205	237	225	220	220	192	206
Hampshire	1,469	103	116	125	119	138	111	115	132	142	132	113	123
Franklin	1,058	87	78	72	101	89	92	97	98	90	89	84	81
Barnstable	581	43	47	55	43	44	56	68	52	44	36	53	40
Dukes	92	9	10	8	8	9	6	7	6	10	7	4	8
Nantucket	64	6	2	6	1	5	4	6	8	8	4	11	3
CITIES OVER 100,000.													
Boston	19,776	1,610	1,574	1,727	1,631	1,748	1,597	1,773	1,679	1,652	1,594	1,547	1,644
Worcester	4,551	351	360	422	378	368	411	412	388	382	346	352	381
Springfield	3,520	292	293	325	256	311	291	305	306	280	294	259	308
New Bedford	3,170	283	271	295	256	276	274	273	265	257	257	229	234
Fall River	3,594	290	314	300	270	314	337	283	325	306	293	270	292
Lowell	3,011	280	235	276	226	267	229	266	245	251	254	233	249
Cambridge	3,144	265	250	249	252	272	272	278	258	244	269	277	258
CITIES 50,000 TO 100,000.													
Lynn	2,077	178	155	191	165	171	166	182	178	182	173	176	160
Lawrence	2,610	221	220	233	228	224	204	210	236	203	224	215	192
Somerville	1,973	141	152	181	161	180	178	177	162	146	153	160	182
Brockton	1,584	134	124	154	130	129	153	149	161	137	100	110	100
Holyoke	1,473	128	132	121	133	130	131	130	122	122	104	114	106
Haverhill	1,052	94	88	103	86	100	107	89	77	91	69	84	64

Table 37

PLURAL BIRTHS, BY SEX, AND STILLBIRTHS,
IN COUNTIES AND IN CITIES HAVING OVER 50,000
INHABITANTS: 1924.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1920. (Grouped in order of population.)	PLURAL BIRTHS.							STILL- BIRTHS.
	TWINS.				TRIPLETS.			
	Total.	Males.	Females.	Unknown.	Total.	Males.	Females.	
The State.	2,006	1,041	964	1	39	22	17	3,548
COUNTIES.								
Suffolk	514	270	243	1	9	3	6	769
Middlesex	352	189	163	-	12	9	3	669
Essex	214	115	99	-	3	-	3	424
Worcester	262	150	112	-	3	3	-	422
Bristol	196	89	107	-	3	2	1	434
Hampden	166	76	90	-	3	2	1	314
Norfolk	90	38	52	-	-	-	-	149
Plymouth	94	48	46	-	3	3	-	124
Berkshire	42	25	17	-	-	-	-	113
Hampshire	46	30	16	-	-	-	-	58
Franklin	16	4	12	-	3	-	3	46
Barnstable	12	6	6	-	-	-	-	22
Dukes	2	1	1	-	-	-	-	2
Nantucket	-	-	-	-	-	-	-	2
CITIES OVER 100,000.								
Boston	460	239	220	1	9	3	6	680
Worcester	126	70	56	-	3	3	-	183
Springfield	78	44	34	-	-	-	-	152
New Bedford	76	38	38	-	-	-	-	157
Fall River	56	24	32	-	3	2	1	157
Lowell	76	42	34	-	-	-	-	125
Cambridge	40	24	16	-	3	2	1	102
CITIES 50,000 TO 100,000.								
Lynn	46	29	17	-	3	-	3	68
Lawrence	66	35	31	-	-	-	-	134
Somerville	40	18	22	-	-	-	-	73
Brockton	54	25	29	-	-	-	-	66
Holyoke	36	19	17	-	-	-	-	63
Haverhill	20	12	8	-	-	-	-	42

Table 38

LIVE BIRTHS AND BIRTH RATES FOR THE STATE AND CITIES HAVING OVER 100,000 INHABITANTS IN 1920: 1900 TO 1924.

YEARS.	The State.	CITIES HAVING OVER 100,000 INHABITANTS IN 1920.							
		Boston.	Worcester.	Springfield.	New Bedford.	Fall River.	Lowell.	Cambridge.	
		LIVE BIRTHS.							
1900		73,386	16,328	3,131	1,560	2,230	4,327	2,596	2,468
1901		71,976	15,561	3,291	1,449	2,440	4,054	2,794	2,525
1902		72,219	15,516	3,349	1,592	2,437	4,341	2,493	2,476
1903		73,584	15,664	3,501	1,647	2,469	4,448	2,519	2,528
1904		75,014	15,730	3,540	1,624	2,620	4,514	2,519	2,528
1905		75,022	15,661	3,510	1,810	2,765	4,092	2,500	2,453
1906		80,237	17,062	3,743	1,816	2,949	4,333	2,547	2,768
1907		85,001	18,229	3,998	2,019	3,272	4,622	2,704	2,826
1908		86,911	18,359	3,978	2,184	3,580	4,838	2,743	2,887
1909		84,039	17,584	3,645	2,258	3,836	4,692	2,648	2,643
1910		86,539	17,672	3,923	2,445	3,863	4,591	2,632	2,436
1911		88,327	17,844	4,122	2,512	4,160	4,617	2,580	2,621
1912		89,882	18,745	4,167	2,779	3,594	4,714	2,748	2,605
1913		91,644	19,109	4,520	2,866	3,647	4,664	2,794	2,713
1914		93,399	19,467	4,667	2,986	3,574	4,703	2,914	2,745
1915		93,155	19,713	4,504	3,099	3,533	3,916	2,944	2,610
1916		93,487	19,604	4,941	3,281	3,497	3,690	3,289	2,691
1917		95,731	19,950	5,276	3,614	3,664	3,807	3,289	2,764
1918		95,607	20,092	5,239	3,770	3,920	3,645	3,279	2,672
1919		87,827	18,799	4,596	3,268	3,386	3,421	3,064	2,757
1920		91,859	19,573	4,812	3,419	3,507	3,537	3,154	2,862
1921		92,207	19,397	4,838	3,392	3,619	3,710	3,157	3,048
1922		87,636	18,536	4,357	3,089	3,344	3,537	2,923	3,007
1923		89,210	19,056	4,517	3,358	3,295	3,645	2,902	3,033
1924		91,463	19,776	4,551	3,520	3,170	3,594	3,011	3,144
BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS 1900 TO 1920.									
1900		26.2	29.1	26.4	25.1	35.7	41.3	27.3	28.8
1905		24.9	26.3	27.4	24.6	37.2	26.4	38.7	25.2
1910		25.6	26.4	26.9	27.5	40.0	38.5	24.8	23.2
1915		25.2	26.4	27.7	30.1	32.2	31.3	27.3	24.0
1920		23.8	26.2	26.8	26.4	28.9	29.4	28.0	26.1

Table 39

LIVE BIRTHS BY SEX AND PARENT NATIVITY: 1900 TO 1924.

YEARS.	Popu-lation.	SEX.					PARENT NATIVITY.			
		Total num-ber.	Males.	Fe-males.	Un-known.	Males to 1,000 fe-males.	Native.	For-eign.	Mixed.	Un-known.
1900	2,805,346	73,386	37,772	35,614	—	1,060	23,006	36,062	14,080	238
1901	2,849,047	71,976	37,004	34,972	—	1,058	22,516	35,370	13,847	243
1902	2,889,386	72,219	37,057	35,162	—	1,054	22,710	35,413	13,897	199
1903	2,929,725	73,584	38,210	35,374	—	1,080	22,941	36,346	14,174	123
1904	2,970,064	75,014	38,689	36,325	—	1,065	23,365	37,047	14,473	129
1905	3,015,872	75,022	38,484	36,538	—	1,080	23,785	37,085	14,021	131
1906	3,089,029	80,237	41,217	39,020	—	1,056	25,748	39,446	14,899	144
1907	3,162,186	85,001	43,486	41,515	—	1,047	26,561	43,004	15,324	112
1908	3,235,343	86,911	44,796	42,090	25	1,064	27,016	43,901	15,861	133
1909	3,308,500	84,039	43,339	40,679	21	1,061	26,525	42,596	14,785	133
1910	3,380,151	86,539	44,243	42,276	20	1,047	26,749	44,398	15,260	132
1911	3,446,079	88,327	45,352	42,961	14	1,056	27,390	45,741	15,054	142
1912	3,512,007	89,882	46,436	43,440	6	1,069	28,424	45,861	15,497	100
1913	3,577,935	91,644	47,099	44,541	4	1,057	29,387	46,737	15,430	90
1914	3,643,863	93,399	47,671	45,725	3	1,043	30,127	47,824	15,378	70
1915	3,709,792	93,155	47,786	45,363	6	1,053	31,325	46,347	15,401	82
1916	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525	71
1917	3,841,648	95,731	49,017	46,714	—	1,049	34,129	45,753	15,786	63
1918	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29
1923	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106	20
1924	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653	37

Table 40	LIVE BIRTHS: 1900 TO 1924.					STILLBIRTHS: 1900 TO 1924.						
	YEARS.	Birth rate per 1,000 population.	Excess of births over deaths. ¹	CASES OF PLURAL BIRTHS.		Total number.	Per 1,000 live births.	SEX.				
				Twins.	Trip-lets.			Males.	Fe-males.	Un-known.	Males to 1,000 females.	
1900 . . .	26.2	22,230	8.0	814	4	2,873	37	1,694	1,128	51	1,502	
1901 . . .	25.3	23,701	8.4	726	9	2,682		1,415	1,208	59	1,171	
1902 . . .	25.0	24,728	8.6	728	7	2,836		1,696	1,098	42	1,545	
1903 . . .	25.1	24,530	8.4	850	11	2,635	36	1,533	1,014	88	1,512	
1904 . . .	25.3	26,532	9.0	834	4	2,846		1,614	1,162	70	1,389	
1905 . . .	24.9	24,536	8.2	803	14	2,618		1,515	1,043	60	1,314	
1906 . . .	26.0	29,613	9.6	878	10	2,760	35	1,586	1,134	40	1,452	
1907 . . .	26.9	30,767	9.7	928	10	3,079		1,757	1,274	48	1,379	
1908 . . .	26.9	35,123	10.9	965	6	3,179		1,863	1,278	38	1,457	
1909 . . .	25.4	32,803	9.9	881	4	3,102	36	1,834	1,219	49	1,505	
1910 . . .	25.6	32,132	9.5	940	17	3,158		1,829	1,263	66	1,448	
1911 . . .	25.6	35,265	10.2	915	14	3,280		1,825	1,408	47	1,296	
1912 . . .	25.6	37,482	10.7	996	8	3,188	35	1,871	1,263	29	1,456	
1913 . . .	25.6	38,242	10.7	996	13	3,175		1,872	1,275	28	1,468	
1914 . . .	25.6	40,426	11.1	1,008	15	3,349		1,936	1,369	44	1,414	
1915 . . .	25.2	40,045	10.8	952	9	3,161	36	1,815	1,312	34	1,383	
1916 . . .	24.8	37,121	9.9	942	13	3,300		1,916	1,334	50	1,436	
1917 . . .	24.9	39,103	10.2	1,065	7	3,324		1,937	1,330	57	1,456	
1918 . . .	24.5	16,765	4.3	1,054	10	3,779	37	2,173	1,570	36	1,384	
1919 . . .	22.9	35,482	9.3	986	7	3,092		1,750	1,332	10	1,314	
1920 . . .	23.8	38,227	9.9	1,006	6	3,336		1,948	1,374	14	1,418	
1921 . . .	23.7	44,427	11.4	1,059	13	3,428	37	1,983	1,429	16	1,388	
1922 . . .	22.3	36,521	9.3	916	11	3,268		1,886	1,373	9	1,374	
1923 . . .	22.5	36,830	9.3	976	8	3,332		1,891	1,413	28	1,338	
1924 . . .	22.8	41,997	10.4	1,003	13	3,548	39	1,965	1,490	93	1,319	

¹ Exclusive of stillbirths.

PART II. B.

MARRIAGE STATISTICS

	PAGE
Introduction	127, 128
Marriage registration	127
Accuracy	127, 128
Purpose, marriage requirements	127, 128
Statistical tables	129-139

INTRODUCTION.

Marriage Registration.—As in the case of births and deaths the public registration of marriages has been required for many years in Massachusetts. Originally, and as is the case now, records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth and from 1841 to 1924, inclusive, there have been 1,611,562 marriages reported, recorded and tabulated in this department.

Accuracy.—The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by one of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license or licenses must be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention is filed the marriage license is issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

Marriages may be performed by a minister of the gospel, ordained according to the usage of his denomination, who resides in the Commonwealth and continues to perform the functions of his office; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the town where he resides a certificate of the establishment of the synagogue, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a town, or a registrar or assistant registrar, in the town where he holds such office, or if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or if he has been designated as a justice of the peace; and it may be solemnized among Friends or Quakers according to the usage of their societies; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose.—The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.

5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

Every precaution has been taken to see that all the statutes pertaining to the solemnization of marriage are strictly enforced, but because there is no public registration of ministers of the gospel required in Massachusetts, it is not, of course, possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks together with posters setting forth the legal impediments to marriage which are posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

A marriage license is good throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized.

The following tables contain the number of marriages solemnized:

STATISTICAL TABLES.

Table 41

Table 41 COUNTIES AND MUNICIPALITIES.	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.						MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.							
	NATIVITY.						Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.				
	Total couples.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.	Foreign groom and native bride.									
		Native.	For- eign.											
The State.	32,080	18,420	6,419	3,074	4,167	18,175	1,846	7,512	4,547					
Barnstable	234	178	20	17	19	100	24	45	65					
Berkshire	768	551	82	55	80	465	27	166	110					
Bristol	3,021	1,562	650	298	511	1,989	107	498	427					
Dukes	47	28	7	6	6	22	2	11	12					
Essex	3,777	2,174	715	393	495	2,178	238	900	461					
Franklin	338	265	24	8	41	139	26	80	93					
Hampden	2,328	1,371	430	217	310	1,387	105	571	265					
Hampshire	508	352	44	44	68	243	13	159	93					
Middlesex	6,453	3,865	1,235	632	721	2,962	426	2,042	1,023					
Nantucket	27	14	3	4	6	16	3	2	6					
Norfolk	1,682	1,065	274	161	182	645	124	566	347					
Plymouth	1,095	756	141	87	111	571	63	247	214					
Suffolk	8,385	4,209	2,167	876	1,133	5,364	532	1,474	1,015					
Worcester	3,417	2,030	627	276	484	2,094	156	751	416					
MUNICIPALITIES. ¹														
Abington	34	27	1	2	4	13	4	8	9					
Acton	6	4	1	—	1	1	1	3	1					
Acushnet	14	11	2	—	1	3	1	6	4					
Adams	89	54	15	8	12	57	1	27	4					
Agawam	22	21	—	—	1	7	2	8	5					
Alford	2	2	—	—	—	—	—	1	1					
Amesbury	84	49	7	10	18	47	4	20	13					
Amherst	35	29	1	4	1	10	2	8	15					
Andover	70	42	10	10	8	32	6	23	9					
Arlington	200	139	22	18	21	50	17	80	53					
Ashburnham	12	8	—	2	2	4	1	4	3					
Ashby	2	1	—	1	—	1	—	—	1					
Ashfield	2	2	—	—	—	1	—	1	—					
Ashland	13	8	2	1	2	4	—	8	1					
Athol	82	51	14	6	11	47	5	19	11					
ATTLEBORO	199	118	28	22	31	67	6	30	96					
Auburn	19	14	—	2	3	6	2	8	3					
Avon	10	7	1	—	2	3	1	3	3					
Ayer	25	21	1	2	1	4	6	6	9					
Barnstable	40	29	4	6	1	18	2	6	14					
Barre	18	9	5	—	4	12	1	3	2					
Becket	1	1	—	—	—	—	—	1	—					
Bedford	10	8	1	—	1	4	—	1	5					
Belchertown	7	4	1	—	2	4	—	—	3					
Bellingham	8	6	1	—	1	2	—	4	2					
Belmont	88	47	22	11	8	12	5	29	42					
Berkley	2	2	—	—	—	1	—	—	1					
Berlin	2	2	—	—	—	1	—	—	1					
Bernardston	7	6	1	—	—	3	—	1	3					
BEVERLY	149	104	16	14	15	70	21	36	22					
Billerica	29	19	4	3	3	7	7	11	4					
Blackstone	36	24	2	3	7	5	3	18	10					
Blandford	3	3	—	—	—	2	—	—	1					
Bolton	2	2	—	—	—	—	—	1	1					
BOSTON	7,688	3,887	1,966	809	1,026	4,991	484	1,285	928					
Bourne	16	13	1	1	1	5	3	3	5					
Boxborough	2	2	—	—	—	—	—	1	1					
Boxford	—	—	—	—	—	—	—	—	—					
Boylston	3	2	1	—	—	1	1	—	1					
Braintree	73	57	6	3	7	21	6	29	17					
Brewster	7	7	—	—	—	1	1	2	3					
Bridgewater	35	22	7	4	2	18	4	10	3					
Brimfield	3	2	—	1	—	1	—	—	2					
BROCKTON	470	313	67	39	51	299	20	98	53					
Brookfield	6	6	—	—	—	1	—	3	2					
Brookline	399	224	94	47	34	82	26	179	112					
Buckland	21	16	2	1	2	3	4	5	9					
Burlington	2	1	1	—	—	—	—	2	—					
CAMBRIDGE	1,093	568	282	108	135	526	80	316	171					
Canton	36	21	9	4	2	18	2	8	8					
Carlisle	—	—	—	—	—	—	—	—	—					
Carver	7	6	1	—	—	1	1	2	3					
Charlemont	2	2	—	—	—	—	—	1	1					
Charlton	16	10	1	3	2	6	1	6	3					
Chatham	19	16	1	1	1	8	2	4	5					
Chelmsford	51	36	4	3	8	18	3	15	15					
CHELSEA	387	144	153	34	56	223	32	96	36					
Cheshire	9	9	—	—	—	4	—	3	2					
Chester	5	4	1	—	—	3	—	1	1					
Chesterfield	1	1	—	—	—	—	—	—	1					
CHICOPEE	268	146	50	31	41	142	8	102	16					
Chilmark	2	1	—	—	1	2	—	—	—					

¹ Cities are printed in small capitals.

Table 41

Municipalities. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.				MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.			
	NATIVITY.							
	Total couples.	BRIDE AND GROOM BOTH—		Native Foreign groom and groom and native foreign bride.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
		Native.	Fore- eign.					
Clarksburg	1	—	1	—	1	—	—	—
Clinton	98	57	16	13	12	57	2	27
Cohasset	30	20	5	4	1	9	3	8
Colrain	7	6	—	—	1	2	1	1
Concord	30	19	2	7	2	10	—	12
Conway	3	3	—	—	—	1	—	—
Cummington	1	1	—	—	—	—	—	—
Dalton	33	30	1	1	1	13	3	13
Dana	3	2	1	—	—	1	—	—
Danvers	79	57	5	7	10	38	2	28
Dartmouth	26	17	—	4	5	5	4	6
Dedham	69	55	5	2	7	22	3	30
Deerfield	42	23	6	2	11	13	4	7
Dennis	9	7	—	—	—	2	1	3
Dighton	19	11	4	2	4	8	3	4
Douglas	10	4	3	—	3	4	1	4
Dover	3	1	1	1	—	1	—	1
Dracut	6	6	—	—	—	—	—	6
Dudley	2	2	—	—	—	2	—	—
Dunstable	4	4	—	—	—	—	—	1
Duxbury	12	10	1	—	1	5	1	1
East Bridgewater	23	18	2	2	1	6	—	12
East Brookfield	7	4	—	—	3	4	—	2
East Longmeadow	14	10	1	1	2	4	2	5
Eastham	—	—	—	—	—	—	—	—
Easthampton	79	50	9	7	13	49	2	25
Easton	37	28	3	3	3	11	3	17
Edgartown	13	12	1	—	—	5	—	4
Egremont	5	5	—	—	—	—	—	1
Enfield	4	4	—	—	—	—	—	3
Erving	3	3	—	—	—	1	—	—
Essex	5	4	—	1	—	1	1	2
EVERETT	326	181	76	29	40	159	26	97
Fairhaven	70	48	10	3	9	33	2	25
FALL RIVER	1,114	615	205	112	182	822	24	156
Falmouth	35	22	6	1	6	20	1	9
FITCHBURG	370	183	99	28	60	241	19	63
Florida	1	1	—	—	—	1	—	—
Foxborough	27	18	1	5	3	7	7	7
Framingham	187	110	33	18	26	100	11	48
Franklin	39	22	2	3	12	20	1	8
Freetown	6	5	—	1	—	—	1	1
GARDNER	153	77	39	10	27	106	10	24
Gay Head	—	—	—	—	—	—	—	—
Georgetown	5	4	—	1	—	2	—	1
Gill	—	—	—	—	—	—	—	—
GLOUCESTER	202	122	28	23	29	131	14	37
Goshen	5	5	—	—	—	2	—	—
Gosnold	—	—	—	—	—	—	—	—
Grafton	39	28	6	2	3	15	1	19
Granby	6	6	—	—	—	1	—	—
Granville	2	1	—	—	1	—	—	1
Great Barrington	32	24	1	3	4	19	1	7
Greenfield	125	107	6	1	11	70	7	26
Greenwich	2	2	—	—	—	1	—	—
Groton	18	12	2	1	3	6	1	7
Groveland	7	7	—	—	—	4	2	1
Hadley	21	12	4	1	4	5	3	8
Halifax	2	2	—	—	—	—	—	—
Hamilton	11	9	—	1	1	1	1	3
Hampden	4	4	—	—	—	4	—	—
Hancock	1	1	—	—	—	—	—	1
Hanover	15	9	2	1	3	4	—	3
Hanson	13	9	1	1	2	4	1	1
Hardwick	18	12	1	2	3	11	—	6
Harvard	5	3	—	—	2	—	—	2
Harwich	26	18	1	2	5	12	4	6
Hatfield	16	7	4	2	3	8	—	7
HAVERHILL	359	227	60	31	41	204	20	88
Hawley	—	—	—	—	—	—	—	—
Heath	1	1	—	—	—	1	—	—
Hingham	25	21	2	1	1	5	2	7
Hinsdale	4	4	—	—	—	—	—	2
Holbrook	25	21	—	2	2	11	2	9
Holden	21	16	2	1	2	9	1	8
Holland	—	—	—	—	—	—	—	—
Holliston	23	17	1	2	3	8	3	6
HOLYOKE	493	259	103	63	68	305	10	141

¹ Cities are printed in small capitals.

Table 41

Municipalities. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.					MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.			
	NATIVITY.				Total couples.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
	Native.	BRIDE AND GROOM BOTH— Foreign.	Foreign.	Native groom and foreign bride.	Foreign and native bride.				
Hopedale	15	8	4	1	2	6	—	6	3
Hopkinton	9	8	—	1	—	4	1	2	2
Hubbardston	7	5	—	1	1	2	1	1	3
Hudson	58	35	10	6	7	28	4	18	8
Hull	21	13	3	4	1	11	—	7	3
Huntington	12	9	—	—	3	5	—	2	5
Ipswich	40	20	13	4	3	16	4	12	8
Kingston	24	20	—	1	3	3	1	9	11
Lakeville	1	1	—	—	—	—	—	1	—
Lancaster	20	17	—	3	—	5	3	8	4
Lanesborough	1	1	—	—	—	—	—	—	1
LAWRENCE	814	343	268	78	125	559	45	143	67
Lee	17	10	2	3	2	11	—	3	3
Leicester	20	14	1	2	3	5	2	11	2
Lenox	20	14	2	4	—	9	1	5	5
LEOMINSTER	129	70	21	19	19	83	4	32	10
Leverett	4	4	—	—	—	1	1	2	—
Lexington	41	30	6	5	—	11	2	20	8
Leyden	—	—	—	—	—	—	—	—	—
Lincoln	4	3	1	—	—	—	—	2	2
Littleton	12	11	—	1	—	4	—	2	6
Longmeadow	14	12	—	—	2	—	—	4	10
LOWELL	880	470	168	114	128	606	36	174	64
Ludlow	57	18	21	8	10	32	1	20	4
Lunenburg	6	5	—	1	—	2	—	2	2
LYNN	894	507	173	105	109	609	48	164	73
Lynnfield	6	4	—	1	1	3	—	1	2
MALDEN	464	273	108	37	46	204	31	136	93
Manchester	15	11	—	2	2	7	1	5	2
Mansfield	39	25	4	2	8	16	3	11	9
Marblehead	61	51	4	5	1	26	4	22	9
Marion	7	4	2	—	1	2	—	1	4
MARLBOROUGH	136	89	19	11	17	71	1	50	14
Marshfield	9	9	—	—	—	3	—	1	5
Mashpee	4	4	—	—	—	2	—	2	—
Mattapoisett	5	5	—	—	—	3	—	1	1
Maynard	48	23	16	6	3	30	4	6	8
Medfield	16	7	3	4	2	9	—	3	4
MEDFORD	322	235	39	22	26	96	23	120	83
Medway	23	20	1	—	2	10	1	5	7
MELROSE	143	106	9	14	14	51	13	58	21
Mendon	5	5	—	—	—	3	—	2	—
Merrimac	12	9	2	—	1	7	—	1	4
Methuen	92	54	19	8	11	31	4	37	20
Middleborough	77	62	4	6	5	36	7	10	24
Middlefield	2	2	—	—	—	—	—	2	—
Middleton	4	3	—	1	—	—	—	2	2
Milford	123	69	23	7	24	71	5	28	19
Millbury	40	28	4	6	2	19	1	17	3
Millis	5	1	—	2	2	2	—	—	3
Millville	19	15	2	1	1	7	1	11	—
Milton	42	33	3	3	3	12	2	19	9
Monroe	—	—	—	—	—	—	—	—	—
Monson	29	23	1	1	4	12	—	11	6
Montague	60	42	8	1	9	23	5	19	13
Monterey	2	2	—	—	—	2	—	—	—
Montgomery	—	—	—	—	—	—	—	—	—
Mount Washington	—	—	—	—	—	—	—	—	—
Nahant	8	4	1	1	2	—	1	5	2
Nantucket	27	14	3	4	6	16	3	2	6
Natick	98	76	7	4	11	43	10	37	8
Needham	64	41	8	5	10	27	8	18	11
New Ashford	—	—	—	—	—	—	—	—	—
NEW BEDFORD	978	361	320	114	183	754	27	137	60
New Braintree	—	—	—	—	—	—	—	—	—
New Marlborough	6	5	1	—	—	2	1	3	—
New Salem	2	1	—	—	1	—	—	—	2
Newbury	9	7	—	1	1	—	1	2	6
NEWBURYPORT	134	86	13	18	17	79	9	25	21
NEWTON	377	253	62	30	32	123	21	174	59
Norfolk	3	3	—	—	—	1	—	—	2
NORTH ADAMS	184	141	12	10	21	114	6	41	23
North Andover	44	30	4	5	5	15	3	21	5
North Attleborough	74	49	7	5	13	29	2	14	29
North Brookfield	18	15	1	1	1	6	2	7	3
North Reading	14	14	—	—	—	11	2	1	—
NORTHAMPTON	180	128	11	17	24	103	4	53	20
Northborough	8	5	—	1	2	2	1	2	3

¹ Cities are printed in small capitals.

Table 41

Municipalities. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.					MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.			
	NATIVITY.								
	Total couples.	BRIDE AND GROOM BOTH—		Native foreign bride.	Foreign groom and native bride.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
		Native.	For- eign.						
Northbridge	75	35	22	7	11	42	3	24	6
Northfield	10	9	—	1	—	3	1	4	2
Norton	10	9	—	—	1	5	—	1	4
Norwell	4	2	—	1	1	1	1	—	2
Norwood	75	44	19	6	6	35	6	22	12
Oak Bluffs	23	9	4	5	5	11	1	3	8
Oakham	1	1	—	—	—	—	—	—	1
Orange	29	22	1	1	5	12	—	9	8
Orleans	13	12	—	—	1	2	2	3	6
Otis	—	—	—	—	—	—	—	—	—
Oxford	31	25	2	2	2	13	1	9	8
Palmer	63	33	13	8	9	32	1	19	11
Paxton	2	2	—	—	—	—	—	1	1
PEABODY	130	79	23	11	17	58	10	45	17
Pelham	3	3	—	—	—	—	—	—	3
Pembroke	2	2	—	—	—	2	—	—	—
Pepperell	21	16	—	3	2	6	3	3	9
Peru	2	2	—	—	—	1	—	—	1
Petersham	9	8	—	—	1	3	—	3	3
Phillipston	—	—	—	—	—	—	—	—	—
PITTSFIELD	292	196	42	21	33	207	10	39	36
Plainfield	1	1	—	—	—	1	—	—	—
Plainville	7	6	—	—	1	1	1	1	4
Plymouth	121	67	29	11	14	69	9	22	21
Plympton	3	2	—	1	—	1	—	1	1
Prescott	3	3	—	—	—	—	—	—	3
Princeton	1	1	—	—	—	—	—	—	1
Provincetown	25	20	3	1	1	20	2	1	2
QUINCY	392	228	80	35	49	234	28	95	35
Randolph	28	21	1	4	2	7	2	13	6
Raynham	5	4	—	1	—	1	1	1	2
Reading	49	38	2	4	5	19	1	18	11
Rehoboth	9	7	—	1	1	4	1	1	3
REVERE	210	118	36	20	36	100	11	60	39
Richmond	5	5	—	—	—	1	—	—	3
Rochester	3	3	—	—	—	—	—	3	—
Rockland	41	32	3	3	3	15	4	16	6
Rockport	33	21	6	2	4	15	3	8	7
Rowe	1	1	—	—	—	—	—	—	—
Rowley	5	4	—	—	1	1	—	1	3
Royalston	3	2	—	—	1	1	2	—	—
Russell	5	5	—	—	—	3	—	1	1
Rutland	4	3	1	—	—	2	—	1	1
SALEM	358	215	55	36	52	180	17	115	46
Salisbury	12	9	—	1	2	3	1	4	4
Sandisfield	4	3	1	—	—	3	—	—	1
Sandwich	12	6	4	2	—	2	1	4	5
Saugus	56	34	2	9	11	17	7	23	9
Savoy	—	—	—	—	—	—	—	—	—
Scituate	15	12	—	2	1	8	1	4	2
Seekonk	22	16	1	1	4	4	2	4	12
Sharon	17	10	3	2	2	5	1	5	6
Sheffield	7	5	1	1	—	1	—	2	4
Shelburne	7	6	—	1	—	2	—	1	4
Sherborn	7	6	—	—	1	2	—	4	1
Shirley	18	11	—	4	3	6	1	10	1
Shrewsbury	18	15	1	—	2	7	1	7	3
Shutesbury	—	—	—	—	—	—	—	—	—
Somerset	32	20	4	1	7	9	3	15	5
SOMERVILLE	694	402	135	84	73	320	54	223	97
South Hadley	43	27	6	6	4	14	2	19	8
Southampton	2	2	—	—	—	1	—	1	—
Southborough	8	4	—	2	2	2	1	5	—
Southbridge	112	68	15	12	17	77	3	26	6
Southwick	4	4	—	—	—	—	1	1	2
Spencer	39	31	—	3	5	21	1	13	4
SPRINGFIELD	1,148	696	214	88	150	755	61	206	126
Sterling	10	8	—	—	2	1	1	4	4
Stockbridge	8	8	—	—	—	—	—	6	2
Stoneham	66	38	17	3	8	32	5	25	4
Stoughton	45	31	5	3	6	16	5	16	8
Stow	5	3	—	1	1	1	—	2	2
Sturbridge	10	8	1	—	1	4	—	6	—
Sudbury	5	4	—	1	—	2	—	1	2
Sunderland	6	5	—	—	1	2	1	2	1
Sutton	11	4	—	4	3	2	—	2	7
Swampscott	61	42	5	7	7	14	7	22	18
Swansea	23	20	—	2	1	6	1	5	11

¹ Cities are printed in small capitals.

Table 41

Table 41	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.					MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1924.			
	Municipalities. ¹	Nativity.				Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
		Total couples.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.				
		Native.	For- eign.						
TAUNTON	334	189	62	26	57	207	22	62	43
Templeton	28	18	4	1	5	10	—	6	12
Tewksbury	17	14	1	1	1	5	1	9	2
Tisbury	7	4	2	1	—	2	1	4	—
Tolland	—	—	—	—	—	—	—	—	—
Topsfield	6	4	1	—	1	3	—	—	3
Townsend	7	7	—	—	—	5	1	—	1
Truro	5	3	—	1	1	2	1	—	2
Tyngsborough	10	7	1	1	1	3	1	1	5
Tyringham	1	1	—	—	—	1	—	—	—
Upton	16	11	1	1	3	6	1	6	3
Uxbridge	55	37	8	5	5	25	3	15	12
Wakefield	103	63	22	9	9	49	6	36	12
Wales	5	4	—	—	1	—	1	—	4
Walpole	41	22	10	3	6	17	2	15	7
WALTHAM	284	153	64	40	27	153	22	76	33
Ware	65	36	8	7	14	35	—	24	6
Wareham	56	33	9	3	11	34	2	7	13
Warren	23	17	3	—	3	10	4	6	3
Warwick	3	3	—	—	—	1	—	—	2
Washington	—	—	—	—	—	—	—	—	—
Watertown	182	103	50	10	19	66	8	68	40
Wayland	12	9	1	1	1	1	2	8	1
Webster	136	98	20	6	12	51	6	49	30
Wellesley	54	34	7	9	4	13	4	24	13
Wellfleet	9	8	—	—	—	1	1	1	6
Wendell	—	—	—	—	—	—	—	—	—
Wenham	4	4	—	—	—	1	—	3	—
West Boylston	15	9	2	1	3	4	1	3	7
West Bridgewater	6	5	1	—	—	2	—	2	2
West Brookfield	1	1	—	—	—	1	—	—	—
West Newbury	8	8	—	—	—	4	2	—	2
West Springfield	59	43	4	5	7	20	9	22	8
West Stockbridge	13	4	3	1	5	8	1	2	2
West Tisbury	2	2	—	—	—	2	—	—	—
Westborough	28	19	5	2	2	17	—	7	4
WESTFIELD	120	75	22	9	14	61	9	27	23
Westford	27	11	11	2	3	17	—	8	2
Westhampton	5	5	—	—	—	1	—	1	3
Westminster	5	5	—	—	—	—	—	2	3
Weston	17	12	1	3	1	6	2	6	3
Westport	8	7	—	—	1	4	1	2	1
Westwood	3	3	—	—	—	2	—	1	—
Weymouth	135	103	9	10	13	54	13	43	25
Whately	3	3	—	—	—	—	1	1	1
Whitman	64	47	6	5	6	26	5	20	13
Wilbraham	10	8	—	2	—	4	—	2	4
Williamsburg	13	13	—	—	—	3	—	6	4
Williamstown	27	23	—	3	1	9	2	9	7
Wilmington	29	21	4	1	3	9	1	12	7
Winchendon	69	49	3	5	12	37	4	15	13
Winchester	65	42	12	4	7	22	2	33	8
Windsor	1	—	—	—	1	1	—	—	—
Winthrop	100	60	12	13	15	50	5	33	12
WOBTUN	114	76	15	5	18	46	8	50	10
WORCESTER	1,375	779	293	110	193	1,014	56	197	108
Worthington	2	2	—	—	—	—	—	—	2
Wrentham	13	6	—	4	3	4	—	—	9
Yarmouth	14	13	—	—	1	5	3	1	5

¹ Cities are printed in small capitals.

Table 42

Table 42	MARRIAGES BY SEX, AGE, AND MARITAL CONDITION: 1924.											
	AGE AT MARRIAGE.	Both sexes.	MALES.					FEMALES.				
			Total.	Single.	Widowed.	Divorced.	Unknown.	Total.	Single.	Widowed.	Divorced.	Unknown.
The State.												
13 Years and Over.	64,160	32,080	27,887	3,016	1,177	-	32,080	28,338	2,276	1,466	-	
Under 20 years	6,985	959	959	-	-	-	6,026	6,013	3	10	-	
20 to 29 years	39,827	20,559	20,166	210	183	-	19,268	18,428	314	526	-	
30 to 39 years	11,473	6,881	5,549	815	517	-	4,592	3,188	808	596	-	
40 to 49 years	3,581	2,153	963	875	315	-	1,428	557	612	259	-	
50 to 59 years	1,649	1,061	212	720	129	-	588	137	385	66	-	
60 to 69 years	547	382	35	316	31	-	165	15	141	9	-	
70 to 79 years	89	77	3	72	2	-	12	-	12	-	-	
80 years and over	9	8	-	8	-	-	1	-	1	-	-	

Line No.	Table 43 MONTHS.	MARRIAGES BY MONTHS IN COUNTIES									
		THE STATE.		COUNTIES.							
		Total number.	Average daily number.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.
1	The Year.	32,080	88	234	768	3,021	47	3,777	338	2,328	508
2	January	1,979	64	11	27	215	5	255	19	142	22
3	February	1,911	66	8	36	206	4	233	20	122	29
4	March	1,499	48	9	30	136	2	179	16	99	32
5	April	2,425	81	23	72	220	4	296	23	169	38
6	May	2,109	68	10	54	230	4	241	23	137	44
7	June	5,360	179	27	135	467	8	597	48	396	91
8	July	2,292	74	19	55	241	4	272	25	171	43
9	August	2,666	86	30	62	202	3	336	29	207	41
10	September	3,346	112	30	87	345	7	395	35	266	52
11	October	3,588	116	26	103	317	3	415	44	259	52
12	November	3,188	106	22	77	308	2	360	39	240	45
13	December	1,717	55	19	30	134	1	198	17	120	19

Line No.	Table 44 COUNTIES AND SEX.	MARRIAGES IN EACH COUNTY.								
		All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
1	The State.									
2	Grooms	32,080	—	—	1	9	69	266	614	10,803
3	Brides	32,080	2	22	135	478	1,029	2,018	2,342	12,488
4	Barnstable:									
5	Grooms	234	—	—	—	—	1	—	6	87
6	Brides	234	—	1	1	3	11	26	18	83
7	Berkshire:									
8	Grooms	768	—	—	—	—	2	8	18	269
9	Brides	768	—	—	5	23	23	56	70	274
10	Bristol:									
11	Grooms	3,021	—	—	—	2	6	35	70	1,167
12	Brides	3,021	—	4	15	55	118	244	261	1,213
13	Dukes:									
14	Grooms	47	—	—	—	—	—	—	—	18
15	Brides	47	—	—	—	1	—	2	4	18
16	Essex:									
17	Grooms	3,777	—	—	—	—	11	44	91	1,331
18	Brides	3,777	—	3	12	66	116	254	287	1,422
19	Franklin:									
20	Grooms	338	—	—	—	1	—	4	9	126
21	Brides	338	—	—	1	16	13	34	42	110
22	Hampden:									
23	Grooms	2,328	—	—	1	—	3	18	44	835
24	Brides	2,328	—	3	2	39	93	166	184	929
25	Hampshire:									
26	Grooms	508	—	—	—	1	2	4	13	180
27	Brides	508	—	—	2	10	19	41	46	191
28	Middlesex:									
29	Grooms	6,453	—	—	—	1	15	47	119	2,078
30	Brides	6,453	—	1	18	73	178	346	438	2,523
31	Nantucket:									
32	Grooms	27	—	—	—	—	—	1	—	10
33	Brides	27	—	—	—	2	3	3	1	7
34	Norfolk:									
35	Grooms	1,682	—	—	—	—	2	10	18	549
36	Brides	1,682	—	1	2	17	40	96	99	679
37	Plymouth:									
38	Grooms	1,095	—	—	—	1	4	13	26	402
39	Brides	1,095	—	—	13	21	54	84	64	421
40	Suffolk:									
41	Grooms	8,385	—	—	—	3	16	41	104	2,472
42	Brides	8,385	2	7	48	84	203	392	532	3,336
43	Worcester:									
44	Grooms	3,417	—	—	—	—	7	41	96	1,279
45	Brides	3,417	—	2	16	68	158	274	296	1,282

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1924.

Line No.	COUNTIES—Con.						CITIES HAVING OVER 100,000 INHABITANTS.						
	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	New Bedford.	Fall River.	Lowell.	Cambridge.
1	6,453	27	1,682	1,095	8,385	3,417	7,688	1,375	1,148	978	1,114	880	1,093
2	337	2	87	58	615	184	571	82	71	58	89	59	55
3	373	2	82	51	554	191	522	86	69	61	74	48	75
4	276	1	102	49	456	112	415	52	56	50	41	34	48
5	493	1	103	95	635	254	598	110	72	73	78	64	85
6	422	2	82	67	501	292	466	103	73	68	99	80	60
7	1,113	3	323	184	1,406	562	1,288	219	198	140	181	147	187
8	428	7	116	84	562	265	508	100	88	87	84	60	78
9	526	2	145	95	699	289	630	100	103	62	71	74	87
10	721	3	154	99	809	343	727	140	110	118	133	91	118
11	780	4	216	117	860	392	800	166	131	107	110	78	117
12	629	1	176	131	770	388	694	144	109	103	109	96	116
13	355	1	96	65	518	145	469	73	68	51	45	49	67

Line No.	BY SEX AND AGE: 1924.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	9,756	4,550	2,331	1,253	900	642	419	225	157	57	20	8
2	6,780	2,904	1,688	842	586	370	218	115	50	9	3	1
3	64	25	16	8	9	4	2	6	4	2	—	—
4	37	20	10	8	4	2	5	2	3	—	—	—
5	208	124	49	26	21	23	12	5	2	—	1	—
6	160	53	46	24	12	11	5	4	1	—	1	—
7	860	365	182	111	88	60	39	17	14	3	1	1
8	534	243	146	73	52	22	19	16	4	1	—	1
9	15	2	5	2	1	1	2	—	—	1	—	—
10	10	2	6	2	—	2	—	—	—	—	—	—
11	1,072	511	261	147	122	70	51	35	23	6	1	1
12	795	323	208	101	82	47	39	13	5	3	1	—
13	92	39	22	15	9	11	2	3	2	3	—	—
14	61	29	8	8	6	4	1	2	2	1	—	—
15	736	298	187	77	45	36	26	11	9	1	—	1
16	483	198	109	50	30	23	10	7	2	—	—	—
17	156	75	24	12	13	7	9	3	7	1	—	1
18	101	39	23	11	7	8	3	5	2	—	—	—
19	2,053	888	482	249	179	133	85	62	42	15	4	1
20	1,445	633	328	188	115	83	45	26	11	1	1	—
21	6	2	4	—	2	1	1	—	—	—	—	—
22	4	1	3	1	1	—	1	—	—	—	—	—
23	521	273	129	63	46	27	20	10	9	3	1	1
24	394	177	84	40	25	8	8	9	2	1	—	—
25	316	139	62	44	31	18	17	7	10	2	2	1
26	216	93	49	25	22	10	14	3	5	1	—	—
27	2,680	1,347	684	384	272	181	116	44	24	10	6	1
28	1,865	810	524	234	166	106	51	15	9	1	—	—
29	977	462	224	115	62	70	37	22	11	10	4	—
30	675	283	144	77	64	44	17	13	4	—	—	—

MARRIAGES, BY SEX AND AGE: 1924.

Table 45

AGE OF GROOMS.	AGE OF BRIDES.															
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.	
All Ages.	32,080	6,026	12,488	6,780	2,904	1,688	842	586	370	218	115	50	9	3	1	
Under 20	959	695	249	11	3	1	—	—	—	—	—	—	—	—	—	
20 to 24	10,803	3,690	5,986	1,000	102	23	—	2	—	—	—	—	—	—	—	
25 to 29	9,756	1,325	4,592	3,147	563	105	18	2	3	1	—	—	—	—	—	
30 to 34	4,550	249	1,239	1,687	1,050	275	43	6	—	1	—	—	—	—	—	
35 to 39	2,331	47	302	641	687	494	116	32	9	3	—	—	—	—	—	
40 to 44	1,253	12	84	184	272	361	227	89	18	6	—	—	—	—	—	
45 to 49	900	7	25	71	127	231	207	158	59	13	1	1	—	—	—	
50 to 54	642	1	7	22	62	111	131	152	108	34	12	—	1	—	1	
55 to 59	419	—	2	8	25	67	65	83	77	67	18	5	1	1	—	
60 to 64	225	—	2	3	7	10	24	39	57	33	31	17	1	1	—	
65 to 69	157	—	—	3	2	8	8	19	28	36	34	18	1	—	—	
70 to 74	57	—	—	3	3	2	3	4	8	14	9	8	3	—	—	
75 to 79	20	—	—	—	1	—	—	—	1	7	7	1	2	1	—	
80 and over	8	—	—	—	—	—	—	—	2	3	3	—	—	—	—	

FIRST MARRIAGES, BY SEX AND AGE: 1924.

Table 46

AGE OF GROOMS (BACHELORS).	AGE OF BRIDES (MAIDS).															
	All ages.	Un- der 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to over.	
All Ages.	26,078	5,888	11,818	5,654	1,772	649	177	73	35	10	1	1	—	—	—	
Under 20	955	694	246	11	3	1	—	—	—	—	—	—	—	—	—	
20 to 24	10,546	3,663	5,887	910	73	12	—	1	—	—	—	—	—	—	—	
25 to 29	8,982	1,275	4,376	2,841	424	57	7	—	2	—	—	—	—	—	—	
30 to 34	3,526	214	1,056	1,377	732	132	15	—	—	—	—	—	—	—	—	
35 to 39	1,283	32	204	406	374	228	29	7	2	1	—	—	—	—	—	
40 to 44	445	6	39	85	112	128	58	13	4	—	—	—	—	—	—	
45 to 49	222	3	9	20	44	68	42	27	8	—	—	1	—	—	—	
50 to 54	73	1	—	2	7	15	17	14	13	3	1	—	—	—	—	
55 to 59	29	—	—	1	1	7	8	5	5	2	—	—	—	—	—	
60 to 64	11	—	1	—	1	—	1	5	—	3	—	—	—	—	—	
65 to 69	5	—	—	—	1	1	—	1	1	1	—	—	—	—	—	
70 to 74	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
75 to 79	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
80 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1924.

Table 47

AGE OF GROOMS (BACHELORS).	AGE OF BRIDES (WIDOWS). ¹															
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.	
All Ages.	1,809	12	185	454	445	349	176	93	43	37	9	4	2	—	—	
Under 20	4	1	3	—	—	—	—	—	—	—	—	—	—	—	—	
20 to 24	203	9	69	84	29	11	—	1	—	—	—	—	—	—	—	
25 to 29	435	1	73	200	105	41	11	2	1	1	—	—	—	—	—	
30 to 34	405	1	26	108	157	91	16	5	—	1	—	—	—	—	—	
35 to 39	335	—	9	48	103	108	48	13	5	1	—	—	—	—	—	
40 to 44	186	—	4	11	37	54	50	23	3	4	—	—	—	—	—	
45 to 49	110	—	—	2	7	31	30	22	14	4	—	—	—	—	—	
50 to 54	80	—	—	1	6	11	17	12	13	3	—	—	—	—	—	
55 to 59	30	—	1	—	—	2	4	7	5	7	2	1	1	—	—	
60 to 64	12	—	—	—	1	—	—	1	2	4	3	1	—	—	—	
65 to 69	7	—	—	—	—	—	—	2	1	2	1	1	—	—	—	
70 to 74	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
75 to 79	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
80 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

¹ Includes divorced.

Table 48	REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1924.															
	AGE OF BRIDES (MAIDS).															
	All ages.	Un- der 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.	
AGE OF GROOMS (WIDOWERS). ¹																
All Ages.	2,260	125	450	506	404	363	187	120	63	29	13	—	—	—	—	
Under 20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20 to 24	50	18	27	5	—	—	—	—	—	—	—	—	—	—	—	
25 to 29	281	48	134	81	16	2	—	—	—	—	—	—	—	—	—	
30 to 34	470	34	149	158	100	26	2	1	—	—	—	—	—	—	—	
35 to 39	431	15	80	137	114	69	13	1	1	1	—	—	—	—	—	
40 to 44	330	6	38	66	73	90	44	12	1	—	—	—	—	—	—	
45 to 49	259	4	13	35	46	71	51	33	6	—	—	—	—	—	—	
50 to 54	193	—	7	11	34	54	36	33	15	3	—	—	—	—	—	
55 to 59	124	—	1	5	15	40	22	19	10	10	2	—	—	—	—	
60 to 64	64	—	1	3	5	6	14	13	14	4	4	—	—	—	—	
65 to 69	37	—	—	3	1	3	4	7	9	7	3	—	—	—	—	
70 to 74	16	—	—	2	—	2	1	1	5	3	2	—	—	—	—	
75 to 79	3	—	—	—	—	—	—	—	1	1	1	—	—	—	—	
80 and over	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	

¹ Includes divorced.

Table 49	REMARRIAGES OF BOTH PARTIES, BY AGE: 1924.															
	AGE OF BRIDES (WIDOWS). ¹															
	All ages.	Un- der 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.	
AGE OF GROOMS (WIDOWERS). ¹																
All Ages.	1,933	1	35	166	283	327	302	300	229	142	92	45	7	3	1	
Under 20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20 to 24	4	—	3	1	—	—	—	—	—	—	—	—	—	—	—	
25 to 29	58	1	9	25	18	5	—	—	—	—	—	—	—	—	—	
30 to 34	149	—	8	44	61	26	10	—	—	—	—	—	—	—	—	
35 to 39	282	—	9	50	96	89	26	11	1	—	—	—	—	—	—	
40 to 44	292	—	3	22	50	89	75	41	10	2	—	—	—	—	—	
45 to 49	309	—	3	14	30	61	84	76	31	9	1	—	—	—	—	
50 to 54	296	—	—	8	15	31	61	88	68	15	8	—	1	—	1	
55 to 59	236	—	—	2	9	18	31	52	57	48	14	4	—	1	—	
60 to 64	138	—	—	—	—	4	9	20	41	22	24	16	1	1	—	
65 to 69	108	—	—	—	—	—	4	9	17	26	30	17	1	—	—	
70 to 74	39	—	—	—	3	—	2	3	3	11	7	7	3	—	—	
75 to 79	16	—	—	—	1	—	—	—	—	6	6	1	1	1	—	
80 and over	6	—	—	—	—	—	—	—	1	3	2	—	—	—	—	

¹ Includes divorced.

Table 50	FIRST MARRIAGES AND REMARRIAGES: 1924.					
	BRIDES.					GROOMS.
	Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage.	Fifth marriage.
Total Number.	32,080	28,338	3,512	223	7	—
First marriage	27,887	26,078	1,735	71	3	—
Second marriage	3,904	2,145	1,632	123	4	—
Third marriage	269	109	133	27	—	—
Fourth marriage	19	5	12	2	—	—
Fifth marriage	1	1	—	—	—	—

Table 51	MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: 1900 TO 1924.						
	YEARS.	Total Number.	RATES—PERSONS MARRIED PER 1,000 POPULATION.		NATIVITY—PERCENTAGES.		
			Annual.	Five-year averages.	BRIDE AND GROOM— BOTH—		Native groom and foreign bride.
					Native.	Foreign.	
1900	.	24,342	17.4	17.5	43.9	33.2	12.1
1901	.	24,891	17.3		43.6	32.9	12.7
1902	.	25,685	17.5		43.8	33.0	12.3
1903	.	26,940	17.9		43.5	34.6	11.6
1904	.	25,993	16.9		43.7	34.1	11.5
1905	.	27,184	18.1	18.3	44.0	34.2	11.2
1906	.	29,654	19.5		43.6	34.6	11.3
1907	.	31,055	20.1		42.4	37.0	10.7
1908	.	27,071	17.3		42.9	36.6	10.9
1909	.	29,002	16.2		43.1	35.8	10.5
1910	.	30,710	18.2	17.7	43.2	35.8	10.6
1911	.	32,051	18.6		44.5	35.1	9.8
1912	.	30,898	17.6		43.5	36.2	9.6
1913	.	31,403	17.6		43.4	36.4	9.6
1914	.	32,588	17.9		44.4	36.4	9.2
1915	.	31,301	17.0	18.1	45.3	35.0	9.1
1916	.	34,386	18.2		47.0	33.3	9.3
1917	.	37,945	19.8		50.8	28.6	9.8
1918	.	29,163	14.9		52.3	26.6	9.8
1919	.	34,329	17.9		54.8	23.9	9.9
1920	.	38,048	19.7	16.6	56.8	21.7	9.8
1921	.	33,590	17.3		55.5	24.0	9.1
1922	.	32,683	16.6		57.3	21.5	9.3
1923	.	35,200	17.7		57.2	20.7	9.8
1924	.	32,080	16.0		57.4	20.0	9.6

Table 52	PROPORTIONS OF FIRST MARRIAGES AND REMARRIAGES PER 1,000 MARRIAGES: 1900 TO 1924.							
	MALES.		FEMALES.		BACHELORS WHO MARRIED—		WIDOWERS ¹ WHO MARRIED—	
	YEARS.	Bache- lors.	Wid- owers. ¹	Maids.	Widows. ¹	Maids.	Widows. ¹	Maids.
1900	.	87.4	12.6	90.7	9.3	82.6	4.7	8.1
1901	.	87.2	12.8	90.6	9.4	82.5	4.7	8.2
1902	.	87.5	12.5	90.4	9.6	82.7	4.8	7.7
1903	.	88.0	12.0	90.6	9.4	83.2	4.8	7.4
1904	.	87.8	12.2	90.2	9.8	82.7	5.1	7.5
1905	.	88.2	11.8	91.1	8.9	83.6	4.6	7.5
1906	.	88.7	11.3	91.2	8.8	84.1	4.6	7.1
1907	.	88.9	11.1	91.2	8.8	84.3	4.5	6.8
1908	.	88.0	12.0	90.4	9.6	83.0	4.9	7.4
1909	.	88.4	11.6	90.9	9.1	83.8	4.6	7.1
1910	.	88.3	11.7	90.4	9.6	83.5	4.9	7.0
1911	.	89.0	11.0	90.5	9.5	84.0	5.0	6.5
1912	.	89.7	10.3	91.8	8.2	85.4	4.2	6.4
1913	.	89.5	10.5	91.7	8.3	85.4	4.1	6.3
1914	.	89.6	10.4	91.7	8.3	85.3	4.2	6.4
1915	.	89.6	10.4	91.7	8.3	85.3	4.2	6.4
1916	.	89.8	10.2	91.3	8.7	85.3	4.6	6.1
1917	.	89.8	10.2	90.9	9.1	84.9	4.9	6.0
1918	.	86.7	13.3	88.0	12.0	80.6	6.1	7.4
1919	.	85.9	14.1	88.0	12.0	80.2	5.7	7.9
1920	.	86.1	13.9	88.0	12.0	80.3	5.9	7.7
1921	.	85.2	14.8	87.3	12.7	79.2	6.0	8.1
1922	.	86.4	13.6	88.0	12.0	80.5	5.9	7.5
1923	.	86.9	13.1	88.4	11.6	81.2	5.7	7.2
1924	.	86.9	13.1	88.3	11.7	81.3	5.6	7.1

¹ Includes divorced.

Table 53	MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1920: 1900 TO 1924.								
	YEARS.	The State.	CITIES HAVING OVER 100,000 INHABITANTS IN 1920.						
			Boston.	Worcester.	Springfield.	New Bedford.	Fall River.	Lowell.	Cambridge.
1900	24,342	6,044	1,048	549	648	1,082	1,059	714	
1901	24,891	6,311	1,119	565	710	1,070	953	769	
1902	25,685	6,172	1,098	596	806	1,198	1,010	792	
1903	26,940	6,640	1,227	598	809	1,291	939	795	
1904	25,993	6,736	1,138	593	725	1,063	998	790	
1905	27,184	6,775	1,184	654	805	1,164	937	834	
1906	29,654	7,374	1,330	727	872	1,342	1,033	944	
1907	31,055	7,761	1,343	883	944	1,327	1,066	950	
1908	27,071	6,993	1,064	720	889	1,174	872	815	
1909	29,002	7,165	1,233	827	981	1,186	1,030	819	
1910	30,710	7,596	1,395	904	1,092	1,241	999	934	
1911	32,051	8,110	1,457	986	1,193	1,230	955	983	
1912	30,898	7,896	1,404	732	1,056	1,146	997	1,003	
1913	31,403	8,130	1,495	887	1,166	1,126	1,023	1,016	
1914	32,588	8,522	1,411	871	1,229	1,141	1,017	1,058	
1915	31,301	8,141	1,408	828	1,118	1,121	1,035	986	
1916	34,386	8,552	1,687	1,062	1,207	1,163	1,166	1,113	
1917	37,945	9,191	1,836	1,265	1,451	1,297	1,280	1,243	
1918	29,163	7,396	1,325	1,081	1,102	973	1,091	1,111	
1919	34,329	8,122	1,569	1,257	1,248	1,296	1,206	1,132	
1920	38,048	8,545	1,811	1,403	1,565	1,372	1,238	1,271	
1921	33,590	8,241	1,466	1,136	1,211	1,221	996	1,051	
1922	32,683	7,816	1,414	1,104	1,176	1,350	895	1,070	
1923	35,200	8,243	1,505	1,181	1,255	1,340	1,004	1,164	
1924	32,080	7,688	1,375	1,148	978	1,114	880	1,093	
MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS 1900 TO 1920.									
1900	17.4	21.6	17.7	17.7	20.8	20.6	22.3	15.5	
1905	18.1	22.8	18.5	17.8	21.7	22.0	19.7	17.1	
1910	18.2	22.1	19.1	20.3	22.6	20.8	18.8	17.8	
1915	17.0	21.8	17.3	16.1	20.4	18.0	19.2	18.1	
1920	19.8	22.8	20.1	21.7	25.8	22.8	21.9	23.2	

PART II. C.

DIVORCE STATISTICS

	PAGE
Introduction	140, 141
Causes for divorce	140
Source of data	140
Applications for divorce	140
Contested cases	140
Number of divorces	140
Divorce rates	141
Party to which granted	141
Divorces classified by causes, 1900 to 1924	141
Annulment classified as divorce	141
Duration of marriages	141
Statistical tables	142-160

INTRODUCTION

Causes for Divorce.—Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of chapter 208, Sections 1 and 2 of the General Laws, are as follows:—

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data.—The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters, and the filing of returns was in compliance with chapter 208, Sections 46 and 47 of the General Laws. By the provisions of chapter 465 of the Acts of 1921, it was provided in Section 2 that any divorce case in which the libellee has not filed appearance within the time limited should be transferred to the probate court of the county where such case was entered. By chapter 532 of the Acts of 1922 the probate court was given concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner. This Act took effect on *October 1, 1922*.

Applications for Divorce.—The courts granted about 3 petitions out of every 4 filed. This proportion fluctuated considerably during the period 1900 to 1924, the highest proportion of applications being granted in 1924 (89.5 per cent), and the lowest proportion in 1906 (67.1 per cent). During this entire period 81.1 per cent of all applications were granted, .9 per cent were refused, and 18 per cent were dismissed.

Contested Cases.—Of the total number of applications for divorces during the twenty-five years from 1900 to 1924, only 10.9 per cent were contested. In 1924 of the 4,294 applications for divorce, only 895, or 20.8 per cent were contested, and of the 3,845 divorces granted, 654, or 17 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (17.6 per cent) than for those granted to the husband (15.3 per cent).

Number of Divorces.—Divorces granted in 1924 numbered 3,845, an increase of 252, or 7 per cent more than the number granted in 1923, and an increase of 474, or 14.1 per cent, over the average number granted for the five-year period 1919 to 1923.

Divorce Rates.—The number of divorces granted per 100,000 population was 96.1, as compared with 90.5 in 1923, 83.3 in 1922, 97.9 in 1921, and 94.7 in 1920.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 58, page 157, for the census years 1900 to 1920. In this table the number of divorces shown for the census years 1900 to 1920 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce, and makes the figures more typical of the period as a whole.

Party to Which Granted.—Over two-thirds (71.7 per cent) of the total number of divorces in the period 1900 to 1924 were granted to the wife. In other words divorces obtained by the wife are more than twice as numerous as those obtained by the husband. This difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has tangible ground for divorce more frequently than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, cruelty, in so far as it is physical cruelty, is not ordinarily an available ground for a husband, although men are sometimes granted divorces on this ground.

The proportion of divorces granted to the wife fluctuated between 73.8 per cent in 1905 and 68.3 in 1902, as compared with 71.7 per cent for the entire period of 1900 to 1924.

Divorces Classified by Causes, 1900 to 1924.—The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have increased threefold in the twenty-five year period 1900 to 1924, while the increase in the number of divorces granted for adultery has been very slight.

The most common ground on which divorce was granted by the courts was desertion, which accounted for 48 per cent of all the divorces granted in the period 1900 to 1924, for 64.6 per cent of all those granted to the husband in this period, and for 41.5 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five year period 1900 to 1924, are shown in Table 60 page 158.

Annulment Classified as Divorce.—Among the less important classes of causes appears the term "nullity of marriage." In 434 cases, or .8 per cent of the total number of divorces granted during the period 1900 to 1923, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages.—The average number of years libellants were married at the time of application for divorce has fluctuated between 10.4 years in 1923 and 11.4 years in 1903. The average number of years the libellants were married in 1924 was 10.6. Ten and four-tenths years in 1923 was the lowest average since 1900.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1924, 55.7 per cent made application for divorce before they had been married ten years, as compared with 56.3 per cent in 1923, 54 per cent in 1922, 54.4 per cent in 1921, and 52.9 per cent for the twenty-five year period 1900 to 1924.

Table 54

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED BY STATUTORY CAUSES AND SEX OF LIBELLANT: **The State—1924.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-tency.	Im-prison-ment.	Nul-lity of mar-riage.
The State.	4,294 ¹	1,885	1,643	325	198	189	9	6	39
Husband	1,277	815	200	214	32	—	2	—	14
Wife	3,017	1,070	1,443	111	166	189	7	6	25
Granted	3,845	1,776	1,424	271	171	157	8	6	32
Husband	1,074	746	115	176	24	—	2	—	11
Wife	2,771	1,030	1,309	95	147	157	6	6	21
Refused	32	11	18	—	3	—	—	—	—
Husband	15	9	4	—	2	—	—	—	—
Wife	17	2	14	—	1	—	—	—	—
Dismissed	417	98	201	54	24	32	1	—	7
Husband	188	60	81	38	6	—	—	—	3
Wife	229	38	120	16	18	32	1	—	4
Contested	895	214	462	110	56	45	2	—	6
Husband	284	111	83	73	13	—	1	—	3
Wife	611	103	379	37	43	45	1	—	3
Not contested	3,399	1,671	1,181	215	142	144	7	6	33
Husband	993	704	117	141	19	—	1	—	11
Wife	2,406	967	1,064	74	123	144	6	6	22
DURATION OF MARRIAGE.									
Less than 6 months	41	—	24	5	3	3	2	—	4
Husband	9	—	3	3	—	—	1	—	2
Wife	32	—	21	2	3	3	1	—	2
6 to 11 months	71	—	56	3	5	2	1	—	4
Husband	14	—	6	3	2	—	—	—	3
Wife	57	—	50	—	3	2	1	—	1
1 to 4 years	990	237	518	86	48	79	2	1	19
Husband	236	112	53	56	10	—	1	—	4
Wife	754	125	465	30	38	79	1	1	15
5 to 9 years	1,287	595	489	84	47	60	3	3	6
Husband	373	247	56	59	8	—	—	—	3
Wife	914	348	433	25	39	60	3	3	3
10 to 19 years	1,351	716	425	113	60	32	—	1	4
Husband	464	323	59	74	6	—	—	—	2
Wife	887	393	366	39	54	32	—	1	2
20 to 29 years	456	269	113	32	31	9	1	1	—
Husband	143	100	20	17	6	—	—	—	—
Wife	313	169	93	15	25	9	1	1	—
30 years and over	90	65	17	2	4	2	—	—	—
Husband	36	31	3	2	—	—	—	—	—
Wife	54	34	14	—	4	2	—	—	—
Unknown	8	3	1	—	—	2	—	—	2
Husband	2	2	—	—	—	—	—	—	—
Wife	6	1	1	—	—	2	—	—	2
Average number of years	10.6	12.9	8.6	9.9	11.2	7.5	5.6	10.8	3.7
Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)									
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date									
Number of libels for divorce filed during the year 1924									
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924									
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924									
Number of cases finally determined in 1924									

¹ One thousand five hundred seventy-seven libels were received from the Superior Courts; two thousand seven hundred thirty-one from the Probate Courts. Two petitions transferred from Suffolk county and one from Hampden to other counties. Three libels discontinued. Two libels denied and continued on court docket. One libel denied, lack of jurisdiction. Three decrees *nisi* set aside. One petition to vacate decree absolute. One libellee deceased.

Table 54a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Barnstable County**—1924.

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nulity of marriage.
Barnstable County.	40¹	16	17	5	—	2	—	—	—
Husband	13	8	2	3	—	—	—	—	—
Wife	27	8	15	2	—	2	—	—	—
Granted	32	15	13	3	—	1	—	—	—
Husband	10	8	1	1	—	—	—	—	—
Wife	22	7	12	2	—	1	—	—	—
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	8	1	4	2	—	1	—	—	—
Husband	3	—	1	2	—	—	—	—	—
Wife	5	1	3	—	—	1	—	—	—
Contested	13	3	7	3	—	—	—	—	—
Husband	5	2	1	2	—	—	—	—	—
Wife	8	1	6	1	—	—	—	—	—
Not contested	27	13	10	2	—	2	—	—	—
Husband	8	6	1	1	—	—	—	—	—
Wife	19	7	9	1	—	2	—	—	—
DURATION OF MARRIAGE.									
Less than 6 months	1	—	—	1	—	—	—	—	—
Husband	1	—	—	1	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
6 to 11 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
1 to 4 years	11	3	5	1	—	2	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	10	2	5	1	—	2	—	—	—
5 to 9 years	16	6	9	1	—	—	—	—	—
Husband	6	4	1	1	—	—	—	—	—
Wife	10	2	8	—	—	—	—	—	—
10 to 19 years	9	6	2	1	—	—	—	—	—
Husband	5	3	1	1	—	—	—	—	—
Wife	4	3	1	—	—	—	—	—	—
20 to 29 years	3	1	1	1	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	3	1	1	1	—	—	—	—	—
30 years and over	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	8.4	9.9	7.4	10.0	—	1.0	—	—	—
Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)									
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date									
Number of libels for divorce filed during the year 1924									
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924									
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924									
Number of cases finally determined in 1924									

¹ Eight libels were received from the Superior Court; thirty-two from the Probate Court.

Table 54b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Berkshire County**—1924.

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nulity of marriage.
Berkshire County.	143¹	53	73	4	2	2	1	—	8
Husband	42	27	7	4	1	—	—	—	3
Wife	101	26	66	—	1	2	1	—	5
Granted	136	53	66	4	2	2	1	—	8
Husband	41	27	6	4	1	—	—	—	3
Wife	95	26	60	—	1	2	1	—	5
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	7	—	7	—	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—	—
Wife	6	—	6	—	—	—	—	—	—
Contested	15	4	8	3	—	—	—	—	—
Husband	6	2	1	3	—	—	—	—	—
Wife	9	2	7	—	—	—	—	—	—
Not contested	128	49	65	1	2	2	1	—	8
Husband	36	25	6	1	1	—	—	—	3
Wife	92	24	59	—	1	2	1	—	5
DURATION OF MARRIAGE.									
Less than 6 months	1	—	—	—	—	—	—	—	1
Husband	1	—	—	—	—	—	—	—	1
Wife	—	—	—	—	—	—	—	—	—
6 to 11 months	6	—	6	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	6	—	6	—	—	—	—	—	—
1 to 4 years	39	5	26	—	—	1	1	—	6
Husband	5	2	2	—	—	—	—	—	1
Wife	34	3	24	—	—	1	1	—	5
5 to 9 years	33	17	14	1	1	—	—	—	—
Husband	13	10	1	1	1	—	—	—	—
Wife	20	7	13	—	—	—	—	—	—
10 to 19 years	48	20	22	3	1	1	—	—	1
Husband	18	10	4	3	—	—	—	—	1
Wife	30	10	18	—	1	1	—	—	—
20 to 29 years	11	9	2	—	—	—	—	—	—
Husband	3	3	—	—	—	—	—	—	—
Wife	8	6	2	—	—	—	—	—	—
30 years and over	5	2	3	—	—	—	—	—	—
Husband	2	2	—	—	—	—	—	—	—
Wife	3	—	3	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	10.1	13.5	8.5	11.5	9.5	8.0	1.0	—	3.5

Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)	211
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date	59
Number of libels for divorce filed during the year 1924	175
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924	129
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924	128
Number of cases finally determined in 1924	144

¹ Eight libels were received from the Superior Court; one hundred thirty-six from the Probate Court. One decree *nisi* set aside.

Table 54c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Bristol County—1924.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-tency.	Im-prison-ment.	Nul-lity of mar-riage.
Bristol County.	311 ¹	141	106	24	15	22	—	—	3
Husband	93	67	10	14	1	—	—	—	1
Wife	218	74	96	10	14	22	—	—	2
Granted	285	132	98	16	15	21	—	—	3
Husband	80	60	8	10	1	—	—	—	1
Wife	205	72	90	6	14	21	—	—	2
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	26	9	8	8	—	1	—	—	—
Husband	13	7	2	4	—	—	—	—	—
Wife	13	2	6	4	—	1	—	—	—
Contested	49	18	18	6	4	2	—	—	1
Husband	22	14	4	3	1	—	—	—	—
Wife	27	4	14	3	3	2	—	—	1
Not contested	262	123	88	18	11	20	—	—	2
Husband	71	53	6	11	—	—	—	—	1
Wife	191	70	82	7	11	20	—	—	1
DURATION OF MARRIAGE.									
Less than 6 months	5	—	2	—	1	1	—	—	1
Husband	—	—	—	—	—	—	—	—	—
Wife	5	—	2	—	1	1	—	—	1
6 to 11 months	4	—	3	—	1	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	4	—	3	—	1	—	—	—	—
1 to 4 years	78	15	43	7	4	8	—	—	1
Husband	19	10	5	4	—	—	—	—	—
Wife	59	5	38	3	4	8	—	—	1
5 to 9 years	90	46	22	10	2	9	—	—	1
Husband	26	20	—	5	—	—	—	—	1
Wife	64	26	22	5	2	9	—	—	—
10 to 19 years	89	51	28	5	2	3	—	—	—
Husband	35	28	3	4	—	—	—	—	—
Wife	54	23	25	1	2	3	—	—	—
20 to 29 years	31	19	5	2	4	1	—	—	—
Husband	9	5	2	1	1	—	—	—	—
Wife	22	14	3	1	3	1	—	—	—
30 years and over	12	8	3	—	1	—	—	—	—
Husband	3	3	—	—	—	—	—	—	—
Wife	9	5	3	—	1	—	—	—	—
Unknown	2	2	—	—	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
Average number of years	10.8	13.0	8.8	9.3	13.9	6.7	—	—	5.0

Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)	591
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date	132
Number of libels for divorce filed during the year 1924	389
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924	301
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924	284
Number of cases finally determined in 1924	311

¹ Twenty-four libels were received from the Superior Court; two hundred eighty-seven from the Probate Court.

Table 54d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Dukes County—1924.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-tency.	Im-prison-ment.	Nul-lity of mar-riage.
Dukes County.	1¹	1	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
Granted	1	1	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Contested	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Not contested	1	1	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
DURATION OF MARRIAGE.									
Less than 6 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
6 to 11 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
1 to 4 years	1	1	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
5 to 9 years	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
10 to 19 years	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
20 to 29 years	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
30 years and over	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	3.6	3.6	—	—	—	—	—	—	—
Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)									
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date									
Number of libels for divorce filed during the year 1924									
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924									
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924									
Number of cases finally determined in 1924									

¹ One libel was received from the Superior Court.

Table 54e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Essex County—1924.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-tency.	Im-prison-ment.	Nul-lity of mar-riage.
Essex County.	535¹	262	167	48	31	25	2	—	—
Husband	160	112	16	28	4	—	—	—	—
Wife	375	150	151	20	27	25	2	—	—
Granted	484	249	145	40	25	23	2	—	—
Husband	137	104	7	23	3	—	—	—	—
Wife	347	145	138	17	22	23	2	—	—
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	51	13	22	8	6	2	—	—	—
Husband	23	8	9	5	1	—	—	—	—
Wife	28	5	13	3	5	2	—	—	—
Contested	103	28	46	17	8	4	—	—	—
Husband	34	13	7	13	1	—	—	—	—
Wife	69	15	39	4	7	4	—	—	—
Not contested	432	234	121	31	23	21	2	—	—
Husband	126	99	9	15	3	—	—	—	—
Wife	306	135	112	16	20	21	2	—	—
DURATION OF MARRIAGE.									
Less than 6 months	1	—	—	—	1	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	—	—	—	1	—	—	—	—
6 to 11 months	4	—	2	—	2	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	4	—	2	—	2	—	—	—	—
1 to 4 years	107	22	53	12	7	13	—	—	—
Husband	24	10	6	6	2	—	—	—	—
Wife	83	12	47	6	5	13	—	—	—
5 to 9 years	165	74	57	15	11	6	2	—	—
Husband	44	24	7	12	1	—	—	—	—
Wife	121	50	50	3	10	6	2	—	—
10 to 19 years	181	112	46	14	7	2	—	—	—
Husband	61	53	3	5	—	—	—	—	—
Wife	120	59	43	9	7	2	—	—	—
20 to 29 years	60	39	9	7	2	3	—	—	—
Husband	24	18	—	5	1	—	—	—	—
Wife	36	21	9	2	1	3	—	—	—
30 years and over	16	14	—	—	1	1	—	—	—
Husband	6	6	—	—	—	—	—	—	—
Wife	10	8	—	—	1	1	—	—	—
Unknown	1	1	—	—	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	10.9	13.6	8.0	10.0	9.2	8.7	7.0	—	—

Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)	844
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date	242
Number of libels for divorce filed during the year 1924	584
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924	447
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924	482
Number of cases finally determined in 1924	536

¹ Fifty-eight libels were received from the Superior Court; four hundred seventy-eight from the Probate Court. One decree *nisi* revoked.

Table 54f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Franklin County—1924.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nul- lity of marriage.
Franklin County.	44¹	17	24	3	—	—	—	—	—
Husband	12	10	—	2	—	—	—	—	—
Wife	32	7	24	1	—	—	—	—	—
Granted	37	16	20	1	—	—	—	—	—
Husband	10	10	—	—	—	—	—	—	—
Wife	27	6	20	1	—	—	—	—	—
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	7	1	4	2	—	—	—	—	—
Husband	2	—	—	2	—	—	—	—	—
Wife	5	1	4	—	—	—	—	—	—
Contested	12	1	10	1	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	11	—	10	1	—	—	—	—	—
Not contested	32	16	14	2	—	—	—	—	—
Husband	11	9	—	2	—	—	—	—	—
Wife	21	7	14	—	—	—	—	—	—
DURATION OF MARRIAGE.									
Less than 6 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
6 to 11 months	2	—	2	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—	—
1 to 4 years	11	2	8	1	—	—	—	—	—
Husband	2	1	—	1	—	—	—	—	—
Wife	9	1	8	—	—	—	—	—	—
5 to 9 years	18	7	10	1	—	—	—	—	—
Husband	4	4	—	—	—	—	—	—	—
Wife	14	3	10	1	—	—	—	—	—
10 to 19 years	9	6	2	1	—	—	—	—	—
Husband	4	3	—	1	—	—	—	—	—
Wife	5	3	2	—	—	—	—	—	—
20 to 29 years	3	2	1	—	—	—	—	—	—
Husband	2	2	—	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
30 years and over	1	—	1	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	8.9	10.4	8.0	8.0	—	—	—	—	—

Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)	79
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date	24
Number of libels for divorce filed during the year 1924	49
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924	35
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924	38
Number of cases finally determined in 1924	45

¹ Twenty-nine libels were received from the Superior Court; sixteen from the Probate Court. One decree *nisi* set aside.

Table 54g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Hampden County—1924.**

LIBELS AND LIBELLANTS.

CAUSES.

	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- prison- ment.	Nul- lity of mar- riage.
Hampden County.	351¹	177	135	19	13	7	-	-	-
Husband	90	68	6	11	5	-	-	-	-
Wife	261	109	129	8	8	7	-	-	-
Granted	327	168	124	18	11	6	-	-	-
Husband	78	61	3	10	4	-	-	-	-
Wife	249	107	121	8	7	6	-	-	-
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	24	9	11	1	2	1	-	-	-
Husband	12	7	3	1	1	-	-	-	-
Wife	12	2	8	-	1	-	-	-	-
Contested	14	1	10	1	1	1	-	-	-
Husband	3	-	1	1	1	-	-	-	-
Wife	11	1	9	-	-	-	-	-	-
Not contested	337	176	125	18	12	6	-	-	-
Husband	87	68	5	10	4	-	-	-	-
Wife	250	108	120	8	8	6	-	-	-
DURATION OF MARRIAGE.									
Less than 6 months	3	-	3	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	3	-	3	-	-	-	-	-	-
6 to 11 months	4	-	4	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	4	-	4	-	-	-	-	-	-
1 to 4 years	79	23	45	3	5	3	-	-	-
Husband	17	11	2	1	3	-	-	-	-
Wife	62	12	43	2	2	3	-	-	-
5 to 9 years	108	68	34	5	1	-	-	-	-
Husband	31	23	3	4	1	-	-	-	-
Wife	77	45	31	1	-	-	-	-	-
10 to 19 years	109	58	37	8	3	3	-	-	-
Husband	31	25	1	5	-	-	-	-	-
Wife	78	33	36	3	3	3	-	-	-
20 to 29 years	42	24	11	3	4	-	-	-	-
Husband	10	8	-	1	1	-	-	-	-
Wife	32	16	11	2	3	-	-	-	-
30 years and over	5	4	1	-	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-	-
Wife	4	3	1	-	-	-	-	-	-
Unknown	1	-	-	-	-	1	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	1	-	-	-	-	-	-	-	-
Average number of years	10.6	19.1	8.9	12.2	11.7	7.4	-	-	-

Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)	563
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date	116
Number of libels for divorce filed during the year 1924	383
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924	314
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924	325
Number of cases finally determined in 1924	352

¹ Three hundred forty-five libels were received from the Superior Court; seven from the Probate Court. One libel transferred to Essex County.

Table 54h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Hampshire County**—1924.

LIBELS AND LIBELLANTS.	CAUSES.							
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.
Hampshire County.	35¹	13	13	5	4	—	—	—
Husband	13	7	1	4	1	—	—	—
Wife	22	6	12	1	3	—	—	—
Granted	32	13	11	5	3	—	—	—
Husband	12	7	—	4	1	—	—	—
Wife	20	6	11	1	2	—	—	—
Refused	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Dismissed	3	—	2	—	1	—	—	—
Husband	1	—	1	—	—	—	—	—
Wife	2	—	1	—	1	—	—	—
Contested	7	1	5	—	1	—	—	—
Husband	1	1	—	—	—	—	—	—
Wife	6	—	5	—	1	—	—	—
Not contested	28	12	8	5	3	—	—	—
Husband	12	6	1	4	1	—	—	—
Wife	16	6	7	1	2	—	—	—
DURATION OF MARRIAGE.								
Less than 6 months	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
6 to 11 months	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
1 to 4 years	9	2	5	2	—	—	—	—
Husband	3	2	—	1	—	—	—	—
Wife	6	—	5	1	—	—	—	—
5 to 9 years	7	2	2	2	1	—	—	—
Husband	2	—	—	2	—	—	—	—
Wife	5	2	2	—	1	—	—	—
10 to 19 years	12	7	3	—	2	—	—	—
Husband	4	4	—	—	—	—	—	—
Wife	8	3	3	—	2	—	—	—
20 to 29 years	7	2	3	1	1	—	—	—
Husband	4	1	1	1	1	—	—	—
Wife	3	1	2	—	—	—	—	—
30 years and over	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Average	11.5	12.8	11.1	8.6	12.7	—	—	—
Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)								46
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date								19
Number of libels for divorce filed during the year 1924								45
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924								36
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924								32
Number of cases finally determined in 1924								35

¹ Six libels were received from the Superior Court; twenty-nine from the Probate Court.

Table 54i

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Middlesex County —1924.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-tency.	Im-prison-ment.	Nul-lity of mar-riage.
Middlesex County.	803¹	328	304	68	40	60	1	2	-
Husband	233	134	51	44	3	-	1	-	-
Wife	570	194	253	24	37	60	-	2	-
Granted	687	301	238	54	35	56	1	2	-
Husband	182	119	27	34	1	-	1	-	-
Wife	505	182	211	20	34	56	-	2	-
Refused	16	4	11	-	1	-	-	-	-
Husband	8	3	4	-	1	-	-	-	-
Wife	8	1	7	-	-	-	-	-	-
Dismissed	100	23	55	14	4	4	-	-	-
Husband	43	12	20	10	1	-	-	-	-
Wife	57	11	35	4	3	4	-	-	-
Contested	191	43	93	24	14	16	1	-	-
Husband	57	20	20	14	2	-	1	-	-
Wife	134	23	73	10	12	16	-	-	-
Not contested	612	285	211	44	26	44	-	2	-
Husband	176	114	31	30	1	-	-	-	-
Wife	436	171	180	14	25	44	-	2	-
DURATION OF MARRIAGE.									
Less than 6 months	5	-	3	1	-	1	-	-	-
Husband	1	-	-	1	-	-	-	-	-
Wife	4	-	3	-	-	1	-	-	-
6 to 11 months	14	-	13	1	-	-	-	-	-
Husband	4	-	3	1	-	-	-	-	-
Wife	10	-	10	-	-	-	-	-	-
1 to 4 years	179	47	87	16	9	19	1	-	-
Husband	44	20	13	9	1	-	1	-	-
Wife	135	27	74	7	8	19	-	-	-
5 to 9 years	245	100	97	14	9	24	-	1	-
Husband	62	40	10	12	-	-	-	-	-
Wife	183	60	87	2	9	24	-	1	-
10 to 19 years	253	115	84	28	13	12	-	1	-
Husband	90	50	22	18	-	-	-	-	-
Wife	163	65	62	10	13	12	-	1	-
20 to 29 years	90	53	19	8	8	2	-	-	-
Husband	24	16	3	3	2	-	-	-	-
Wife	66	37	16	5	6	2	-	-	-
30 years and over	16	13	1	-	1	1	-	-	-
Husband	8	8	-	-	-	-	-	-	-
Wife	8	5	1	-	1	1	-	-	-
Unknown	1	-	-	-	-	1	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	1	-	-	-	-	1	-	-	-
Average number of years	10.8	13.1	8.7	10.6	12.4	8.1	4.6	11.0	-

Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)	1,248
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date	275
Number of libels for divorce filed during the year 1924	868
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924	631
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924	688
Number of cases finally determined in 1924	803

¹ Two hundred forty-eight libels were received from the Superior Court; five hundred fifty-five from the Probate Court.

Table 54j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Nantucket County—1924.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Im-po-tency.	Im-prison-ment.	Nul-lity of mar-riage.
Nantucket County.	3 ¹	2	1	—	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	2	1	1	—	—	—	—	—	—
Granted	3	2	1	—	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	2	1	1	—	—	—	—	—	—
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Contested	1	—	1	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
Not contested	2	2	—	—	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
DURATION OF MARRIAGE.									
Less than 6 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
6 to 11 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
1 to 4 years	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
5 to 9 years	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
10 to 19 years	2	1	1	—	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
20 to 29 years	1	1	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
30 years and over	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	20.3	21.0	19.0	—	—	—	—	—	—

Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees *nisi* had been entered or not)

2

Number of libels for divorce pending January 1, 1924, in which decrees *nisi* had been entered at that date

—

Number of libels for divorce filed during the year 1924

4

Number of libels for divorce in which decrees *nisi* were entered during the year 1924

3

Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924

4

Number of cases finally determined in 1924

3

¹ One libel was received from the Superior Court; two from the Probate Court.

Table 54k

LIBELS AND LIBELLANTS.	LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: Norfolk County—1924.								
	CAUSES.								
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-tency.	Im-prison-ment.	Nul-lity of mar-riage.
Norfolk County.	182 ¹	81	69	19	7	6	—	—	—
Husband	45	26	6	12	1	—	—	—	—
Wife	137	55	63	7	6	6	—	—	—
Granted	169	80	62	18	5	4	—	—	—
Husband	41	26	4	11	—	—	—	—	—
Wife	128	54	58	7	5	4	—	—	—
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	13	1	7	1	2	2	—	—	—
Husband	4	—	2	1	1	—	—	—	—
Wife	9	1	5	—	1	2	—	—	—
Contested	64	17	33	8	3	3	—	—	—
Husband	17	6	5	5	1	—	—	—	—
Wife	47	11	28	3	2	3	—	—	—
Not contested	118	64	36	11	4	3	—	—	—
Husband	28	20	1	7	—	—	—	—	—
Wife	90	44	35	4	4	3	—	—	—
DURATION OF MARRIAGE.									
Less than 6 months	2	—	2	—	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
6 to 11 months	2	—	2	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—	—
1 to 4 years	45	8	28	6	1	2	—	—	—
Husband	10	3	3	4	—	—	—	—	—
Wife	35	5	25	2	1	2	—	—	—
5 to 9 years	45	22	17	3	1	2	—	—	—
Husband	6	4	—	1	1	—	—	—	—
Wife	39	18	17	2	—	2	—	—	—
10 to 19 years	67	33	19	9	5	1	—	—	—
Husband	23	15	1	7	—	—	—	—	—
Wife	44	18	18	2	5	1	—	—	—
20 to 29 years	19	17	—	1	—	1	—	—	—
Husband	4	4	—	—	—	—	—	—	—
Wife	15	13	—	1	—	1	—	—	—
30 years and over	2	1	1	—	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	10.8	13.9	7.4	8.9	14.0	9.3	—	—	—
Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees nisi had been entered or not)									
Number of libels for divorce pending January 1, 1924, in which decrees nisi had been entered at that date									
Number of libels for divorce filed during the year 1924									
Number of libels for divorce in which decrees nisi were entered during the year 1924									
Number of cases in which nisi decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924									
Number of cases finally determined in 1924									

¹ Forty-five libels were received from the Superior Court; one hundred thirty-nine from the Probate Court. Two libels discontinued.

Table 541

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Plymouth County**—1924.

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Plymouth County.	172 ¹	87	65	6	9	3	—	—	2
Husband	48	40	5	3	—	—	—	—	—
Wife	124	47	60	3	9	3	—	—	2
Granted	152	80	59	5	6	2	—	—	—
Husband	42	38	2	2	—	—	—	—	—
Wife	110	42	57	3	6	2	—	—	—
Refused	1	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
Dismissed	19	6	6	1	3	1	—	—	2
Husband	6	2	3	1	—	—	—	—	—
Wife	13	4	3	—	3	1	—	—	2
Contested	38	13	18	2	4	1	—	—	—
Husband	9	6	2	1	—	—	—	—	—
Wife	29	7	16	1	4	1	—	—	—
Not contested	134	74	47	4	5	2	—	—	2
Husband	39	34	3	2	—	—	—	—	—
Wife	95	40	44	2	5	2	—	—	2
DURATION OF MARRIAGE.									
Less than 6 months	1	—	—	1	—	—	—	—	—
Husband	1	—	—	1	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
6 to 11 months	1	—	1	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
1 to 4 years	40	17	17	1	4	1	—	—	—
Husband	10	7	2	1	—	—	—	—	—
Wife	30	10	15	—	4	1	—	—	—
5 to 9 years	31	15	14	1	1	—	—	—	—
Husband	7	6	1	—	—	—	—	—	—
Wife	24	9	13	1	1	—	—	—	—
10 to 19 years	73	41	24	3	3	2	—	—	—
Husband	20	18	1	2	—	—	—	—	—
Wife	53	23	23	1	3	2	—	—	—
20 to 29 years	18	10	8	—	—	—	—	—	—
Husband	7	6	1	—	—	—	—	—	—
Wife	11	4	7	—	—	—	—	—	—
30 years and over	6	4	1	—	1	—	—	—	—
Husband	3	3	—	—	—	—	—	—	—
Wife	3	1	1	—	1	—	—	—	—
Unknown	2	—	—	—	—	—	—	—	2
Husband	—	—	—	—	—	—	—	—	—
Wife	2	—	—	—	—	—	—	—	2
Average number of years	11.9	13.2	10.8	8.5	9.8	9.0	—	—	—
Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)									
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date									
Number of libels for divorce filed during the year 1924									
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924									
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924									
Number of cases finally determined in 1924									

¹ Eighty-two libels were received from the Superior Court; ninety from the Probate Court.

Table 54m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Suffolk County—1924.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-tency.	Im-prison-ment.	Nul-lity of mar-riage.
Suffolk County.	1,228¹	507	496	100	52	41	4	2	26
Husband	406	230	77	73	15	—	1	—	10
Wife	822	277	419	27	37	41	3	2	16
Granted	1,102	476	444	85	46	25	3	2	21
Husband	337	209	45	62	13	—	1	—	7
Wife	765	267	399	23	33	25	2	2	14
Refused	1	1	—	—	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	125	30	52	15	6	16	1	—	5
Husband	68	20	32	11	2	—	—	—	3
Wife	57	10	20	4	4	16	1	—	2
Contested	254	55	137	33	14	9	1	—	5
Husband	90	26	31	24	6	—	—	—	3
Wife	164	29	106	9	8	9	1	—	2
Not contested	974	452	359	67	38	32	3	2	21
Husband	316	204	46	49	9	—	1	—	7
Wife	658	248	313	18	29	32	2	2	14
DURATION OF MARRIAGE.									
Less than 6 months	18	—	12	2	—	—	2	—	2
Husband	4	—	2	—	—	—	1	—	1
Wife	14	—	10	2	—	—	1	—	1
6 to 11 months	27	—	18	2	2	1	—	—	4
Husband	10	—	3	2	2	—	—	—	3
Wife	17	—	15	—	—	1	—	—	1
1 to 4 years	314	67	171	31	13	19	—	1	12
Husband	88	36	19	26	4	—	—	—	3
Wife	226	31	152	5	9	19	—	1	9
5 to 9 years	381	174	151	23	13	13	1	1	5
Husband	125	79	26	15	3	—	—	—	2
Wife	256	95	125	8	10	13	1	1	3
10 to 19 years	355	188	106	34	18	6	—	—	3
Husband	132	84	17	24	6	—	—	—	1
Wife	223	104	89	10	12	6	—	—	2
20 to 29 years	118	66	36	7	6	2	1	—	—
Husband	41	26	10	5	—	—	—	—	—
Wife	77	40	26	2	6	2	1	—	—
30 years and over	14	12	1	1	—	—	—	—	—
Husband	6	5	—	1	—	—	—	—	—
Wife	8	7	1	—	—	—	—	—	—
Unknown	1	—	1	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
Average number of years	9.8	12.3	7.9	9.3	10.3	7.2	7.2	5.0	4.2

Number of libels for divorce pending January 1, 1924 (including all cases, whether decrees <i>nisi</i> had been entered or not)	2,323
Number of libels for divorce pending January 1, 1924, in which decrees <i>nisi</i> had been entered at that date	548
Number of libels for divorce filed during the year 1924	1,540
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1924	1,095
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924	1,098
Number of cases finally determined in 1924	1,236

¹ Six hundred thirty-three libels were received from the Superior Court; six hundred three from the Probate Court. Two libels transferred to other counties. One libel discontinued. Two libels denied and continued on court docket. One libel denied, lack of jurisdiction. One petition to vacate decree absolute. One libellee deceased.

Table 54n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: Worcester County—1924.

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-tency.	Im-prison-ment.	Nul-lity of mar-riage.
Worcester County.	446¹	200	173	24	25	21	1	2	—
Husband	121	85	19	16	1	—	—	—	—
Wife	325	115	154	8	24	21	1	2	—
Granted	398	190	143	22	23	17	1	2	—
Husband	103	76	12	15	—	—	—	—	—
Wife	295	114	131	7	23	17	1	2	—
Refused	14	5	7	—	2	—	—	—	—
Husband	6	5	—	—	1	—	—	—	—
Wife	8	—	7	—	1	—	—	—	—
Dismissed	34	5	23	2	—	4	—	—	—
Husband	12	4	7	1	—	—	—	—	—
Wife	22	1	16	1	—	4	—	—	—
Contested	134	30	76	12	7	9	—	—	—
Husband	39	20	11	7	1	—	—	—	—
Wife	95	10	65	5	6	9	—	—	—
Not contested	312	170	97	12	18	12	1	2	—
Husband	82	65	8	9	—	—	—	—	—
Wife	230	105	89	3	18	12	1	2	—
DURATION OF MARRIAGE.									
Less than 6 months	4	—	2	—	1	1	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	4	—	2	—	1	1	—	—	—
6 to 11 months	7	—	5	—	—	1	1	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	7	—	5	—	—	1	1	—	—
1 to 4 years	77	25	30	6	5	11	—	—	—
Husband	13	9	1	3	—	—	—	—	—
Wife	64	16	29	3	5	11	—	—	—
5 to 9 years	148	64	62	8	7	6	—	1	—
Husband	47	33	7	6	1	—	—	—	—
Wife	101	31	55	2	6	6	—	1	—
10 to 19 years	144	78	51	7	6	2	—	—	—
Husband	40	29	6	5	—	—	—	—	—
Wife	104	49	45	2	6	2	—	—	—
20 to 29 years	53	26	18	2	6	—	—	1	—
Husband	15	11	3	1	—	—	—	—	—
Wife	38	15	15	1	6	—	—	1	—
30 years and over	13	7	5	1	—	—	—	—	—
Husband	6	3	2	1	—	—	—	—	—
Wife	7	4	3	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	11.9	14.1	10.4	10.2	11.4	5.1	1.0	17.0	—
Number of libels for divorce pending January 1, 1924 (including all leases, whether decrees nisi had been entered or not)									
Number of libels for divorce pending January 1, 1924, in which decrees nisi had been entered at that date									
Number of libels for divorce filed during the year 1924									
Number of libels for divorce in which decrees nisi were entered during the year 1924									
Number of cases in which nisi decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1924									
Number of cases finally determined in 1924									

¹ Eighty-nine libels were received from the Superior Court; three hundred fifty-seven from the Probate Court.

Table 55		DIVORCES: 1900 TO 1924.					
		YEARS.	Total number.	GRANTED TO HUSBAND.		GRANTED TO WIFE.	
				Number.	Per cent.	Number.	Per cent.
1900	.	.	1,258	376	29.9	882	70.1
1901	.	.	1,376	408	29.7	968	70.3
1902	.	.	1,480	469	31.7	1,010	68.3
1903	.	.	1,721	464	27.0	1,256	73.0
1904	.	.	1,698	471	27.7	1,227	72.3
1905	.	.	1,554	407	26.2	1,147	73.8
1906	.	.	1,752	486	27.7	1,266	72.3
1907	.	.	1,932	556	28.8	1,376	71.2
1908	.	.	1,766	497	28.1	1,269	71.9
1909	.	.	1,739	477	27.4	1,262	72.6
1910	.	.	1,929	517	26.8	1,412	73.2
1911	.	.	2,137	597	27.9	1,540	72.1
1912	.	.	1,927	557	28.9	1,370	71.1
1913	.	.	2,126	653	30.7	1,473	69.3
1914	.	.	2,200	591	26.9	1,609	73.1
1915	.	.	2,252	632	28.1	1,620	71.9
1916	.	.	2,301	650	28.2	1,651	71.8
1917	.	.	2,635	771	29.3	1,864	70.7
1918	.	.	2,351	704	29.9	1,647	70.1
1919	.	.	2,536	754	29.7	1,782	70.3
1920	.	.	3,647	1,061	29.1	2,585	70.9
1921	.	.	3,803	1,081	28.4	2,722	71.6
1922	.	.	3,277	869	26.5	2,408	73.5
1923	.	.	3,593	972	27.1	2,621	72.9
1924	.	.	3,845	1,074	27.9	2,771	72.1

Table 56										DIVORCES GRANTED: 1900 TO 1924.			Per cent increase in total population over preceding census.										
										PERIOD OF YEARS.										Total number.	INCREASE OVER PRECEDING PERIOD.		
																					Number.	Per cent.	
1900 to 1904										7,531	1,878	33.2		7.1									
1905 to 1909										8,743	1,212	16.1		12.1									
1910 to 1914										10,319	1,576	18.0		8.2									
1915 to 1919										12,075	1,756	17.0		3.9									
1920 to 1924										18,165	6,090	50.4		3.9									

Table 57	COMPARISON OF INCREASE IN DIVORCE WITH INCREASE IN POPULATION: 1900 TO 1920.								
	CENSUS YEARS.	DIVORCES.			POPULATION.			Popu- lation to one divorce.	Divorces per 100,000 popula- tion.
		Total num- ber.	INCREASE OVER PRECEDING CENSUS YEAR.		Total.	INCREASE OVER PRECEDING CENSUS YEAR.			
			Num- ber.	Per cent.		Num- ber.	Per cent.		
1900	1,258	304	31.9	2,805,346	305,163	12.2	2,230	44.8	
1905	1,554	296	23.5	3,003,680	198,334	7.1	1,933	51.7	
1910	1,929	375	24.1	3,366,416	362,736	12.1	1,745	57.3	
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0	
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7	

Table 58	DIVORCE RATES BASED ON TOTAL POPULATION AND ON MARRIED POPULATION: CENSUS YEARS, 1900 TO 1920.								
	POPULATION.		DIVORCE: ANNUAL AVERAGE. ¹		Married popu-lation to one divorce.	Divorces per 100,000 married popu-lation.			
			Total.	Married.			Number.	Per 100,000 popu-lation.	
	CENSUS YEARS.								
1900	.	.	.	2,805,346	1,053,898	1,292	47	816	123
1905	.	.	.	3,003,680	1,134,320	1,731	58	655	153
1910	.	.	.	3,366,416	1,300,271	1,900	56	684	146
1915	.	.	.	3,693,310	1,474,590	2,303	62	640	156
1920	.	.	.	3,852,356	1,534,584	3,123	81	491	204

¹ For the five-year period of which the census year is the median year.

Table 59

COUNTIES.	ANNUAL AVERAGE ¹ NUMBER OF DIVORCES IN THE STATE AND IN EACH COUNTY: CENSUS YEARS 1900 TO 1920.				
	NUMBER.				
	1920.	1915.	1910.	1905.	1900.
The State.	3,123	2,303	1,900	1,731	1,292
Barnstable	22	22	16	14	11
Berkshire	84	65	57	56	41
Bristol	262	184	140	139	99
Dukes	5	3	2	1	2
Essex	416	304	268	230	183
Franklin	39	28	27	26	20
Hampden	247	172	130	107	78
Hampshire	29	22	22	22	16
Middlesex	491	388	311	313	231
Nantucket	2	1	1	—	2
Norfolk	118	86	75	52	39
Plymouth	150	122	108	94	66
Suffolk	974	696	544	499	379
Worcester	284	209	200	176	140

¹ For the five-year period of which the census year is the median year.

Table 60

STATUTORY CAUSES.	DIVORCES GRANTED FOR SPECIFIED CAUSES FOR 25 YEARS: 1900 TO 1924.								
	TOTAL.			GRANTED TO HUSBAND.			GRANTED TO WIFE.		
	Num- ber.	Per cent.	Per cent distrib- ution.	Num- ber.	Per cent.	Per cent distrib- ution.	Num- ber.	Per cent.	Per cent distrib- ution.
All Causes.	56,835	100.00	100.00	16,094	28.3	100.00	40,741	71.7	100.00
Desertion	27,302	100.0	48.0	10,398	38.1	64.6	16,904	61.9	41.5
Adultery	6,784	100.0	11.9	3,878	57.2	24.1	2,906	42.8	7.1
Cruel and abusive treatment	15,368	100.0	27.0	827	5.4	5.1	14,541	94.6	35.7
Intoxication	5,028	100.0	8.9	764	15.2	4.7	4,264	84.8	10.5
Non-support	1,650	100.0	2.9	—	—	—	1,650	100.0	4.0
Nullity of marriage	434	100.0	.8	186	42.9	1.2	248	57.1	.3
Imprisonment	124	100.0	.2	—	—	—	124	100.0	.3
Impotency	145	100.0	.3	41	28.3	.3	104	71.7	.2

Table 61

YEARS DIVORCES WERE GRANTED.	STATUTORY CAUSES OF DIVORCE: 1900 TO 1924.								
	All causes.	Deser- tion.	Adul- tery.	Cruel and abusive treat- ment.	Intoxi- cation.	Non- sup- port.	Nul- lity of mar- riage.	Im- prison- ment.	Impo- tency.
1900	1,258	591	229	227	152	51	2	5	1
1901	1,376	649	256	225	181	50	11	2	2
1902	1,480	687	273	244	199	62	8	5	2
1903	1,721	768	299	343	220	68	9	5	9
1904	1,698	801	290	340	193	52	10	7	5
1905	1,554	718	245	327	194	49	13	6	2
1906	1,752	802	291	337	240	66	7	5	4
1907	1,932	859	303	395	297	54	15	4	5
1908	1,766	815	259	382	232	53	16	3	6
1909	1,739	782	246	426	212	49	8	8	8
1910	1,929	849	282	445	255	76	13	4	5
1911	2,137	964	323	478	282	74	8	3	5
1912	1,927	946	219	474	214	44	20	6	4
1913	2,126	1,002	259	501	260	79	17	4	4
1914	2,200	1,095	224	525	244	83	20	5	4
1915	2,252	1,124	235	571	214	72	21	4	11
1916	2,301	1,157	234	644	193	43	16	9	5
1917	2,635	1,345	268	687	236	68	21	5	5
1918	2,351	1,191	249	619	195	65	23	2	7
1919	2,536	1,328	228	748	158	45	21	3	5
1920	3,647	1,887	394	1,093	156	68	33	5	11
1921	3,803	1,970	356	1,242	117	71	32	4	11
1922	3,277	1,574	280	1,229	90	64	28	5	7
1923	3,593	1,622	271	1,442	123	87	30	9	9
1924	3,845	1,776	271	1,424	171	157	32	6	8

Table 62	YEARS. OF APPLICA- TION.	APPLICATIONS FOR DIVORCE: 1900 TO 1924.										
		Total.	GRANTED.		REFUSED.		DISMISSED.		CONTESTED.		NOT CONTESTED.	
			Num- ber.	Per- cent.	Num- ber.	Per- cent.	Num- ber.	Per- cent.	Num- ber.	Per- cent.	Num- ber.	Per- cent.
1900 to 1924.		70,051	56,835	81.1	648	.9	12,568	18.0	7,666	10.9	62,385	89.1
1900	.	1,413	1,258	89.0	10	.7	145	10.3	167	11.8	1,246	88.2
1901	.	1,637	1,376	84.1	9	.5	252	15.4	202	12.3	1,435	87.7
1902	.	1,863	1,480	79.4	12	.6	371	19.9	260	14.0	1,603	86.0
1903	.	2,233	1,721	77.1	33	1.5	479	21.5	338	15.1	1,895	84.9
1904	.	2,184	1,698	77.7	98	4.5	388	17.8	436	20.0	1,748	80.0
1905	.	1,822	1,554	85.3	30	1.6	238	13.1	292	16.0	1,530	84.0
1906	.	2,610	1,752	67.1	19	.7	839	32.1	153	6.0	2,457	94.1
1907	.	2,259	1,932	85.5	24	1.1	303	13.4	184	8.1	2,075	91.9
1908	.	2,135	1,766	82.7	12	.6	357	16.7	162	7.6	1,973	92.4
1909	.	2,366	1,739	73.5	37	1.6	590	24.9	248	10.5	2,118	89.5
1910	.	2,473	1,929	78.0	13	.5	531	21.5	238	9.6	2,235	90.4
1911	.	2,909	2,137	73.5	-	-	772	26.5	290	10.0	2,619	90.0
1912	.	2,532	1,927	76.1	12	.5	593	23.4	259	10.2	2,273	90.0
1913	.	2,640	2,126	80.5	30	1.1	484	18.3	237	9.0	2,403	91.0
1914	.	2,964	2,200	74.2	25	.8	739	24.9	267	9.0	2,697	91.0
1915	.	2,728	2,252	82.6	-	-	476	17.4	203	7.4	2,525	92.6
1916	.	2,789	2,301	82.5	23	.8	465	16.7	193	6.9	2,596	93.1
1917	.	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918	.	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919	.	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920	.	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921	.	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922	.	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2
1923	.	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,608	87.7
1924	.	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1

Table 63		DIVORCES GRANTED CLASSIFIED BY STATUTORY CAUSE AND PARTY TO WHICH GRANTED: 1924.					
		Total number.	CASES CONTESTED.		CASES NOT CONTESTED.		
			Number.	Per cent.	Number.	Per cent.	
All Causes.		3,845	654	17.0	3,191	83.0	
Husband		1,074	164	15.3	910	84.7	
Wife		2,771	490	17.6	2,281	82.3	
Desertion		1,776	147	8.3	1,629	91.7	
Husband		746	61	8.2	685	91.8	
Wife		1,030	86	8.3	944	91.7	
Cruel and abusive treatment		1,424	354	24.9	1,070	75.1	
Husband		115	43	37.4	72	62.6	
Wife		1,309	311	23.8	998	76.2	
Adultery		271	80	29.5	191	70.5	
Husband		176	52	29.5	124	70.5	
Wife		95	28	-1	67	-1	
Intoxication		171	35	20.5	136	79.5	
Husband		24	5	-1	19	-1	
Wife		147	30	20.4	117	79.6	
Non-support		157	32	20.4	125	79.6	
Husband		-	-	-	-	-	
Wife		157	32	20.4	125	79.6	
Impotency		8	2	-1	6	-1	
Husband		2	1	-1	1	-1	
Wife		6	1	-1	5	-1	
Imprisonment		6	-	-1	6	-1	
Husband		-	-	-	-	-	
Wife		6	-	-1	6	-1	
Nullity of marriage		32	4	-1	28	-1	
Husband		11	2	-1	9	-1	
Wife		21	2	-1	19	-1	

¹Per cent not shown where base is less than 100.

Table 64		LIBELS FOR DIVORCE GRANTED AND NOT GRANTED, CONTESTED AND NOT CONTESTED, CLASSIFIED BY PARTY TO WHICH GRANTED: 1924.							
		TOTAL.		GRANTED.		REFUSED.		DISMISSED.	
						Con- tested.	Not con- tested.	Con- tested.	Not con- tested.
		PARTY TO WHICH GRANTED.		Con- tested.	Not con- tested.	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.
Total.		895	3,399	654	3,191	23	9	218	199
Husband	.	284	993	164	910	10	5	110	78
Wife	.	611	2,406	490	2,281	13	4	108	121

Table 65	NUMBER OF YEARS LIBELLANTS WERE MARRIED AT TIME OF APPLICATION FOR DIVORCE: 1900 TO 1924.									
	YEARS OF APPLICATION.	Total. ¹	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1900	1,413	4	2	247	444	534	138	44	11.3	
1901	1,637	9	2	299	514	599	175	39	11.0	
1902	1,863	13	3	355	545	691	202	54	11.2	
1903	2,233	17	28	333	673	858	251	73	11.4	
1904	2,184	25	31	413	634	781	234	66	10.9	
1905	1,819	9	23	361	572	621	184	49	11.0	
1906	2,610	41	2	485	820	890	303	69	10.7	
1907	2,259	22	5	411	715	776	269	61	11.2	
1908	2,135	8	12	556	613	665	235	46	11.0	
1909	2,366	21	32	406	726	822	283	76	11.2	
1910	2,473	30	—	526	740	829	285	63	10.8	
1911	2,909	20	29	543	880	974	406	57	11.2	
1912	2,532	3	21	501	820	823	304	60	10.5	
1913	2,640	23	23	479	835	891	318	71	11.2	
1914	2,963	20	1	809	910	850	307	66	10.9	
1915	2,728	20	23	437	946	940	280	82	10.7	
1916	2,789	20	32	548	917	887	316	69	10.6	
1917	3,220	13	49	585	1,026	1,079	375	93	10.9	
1918	3,077	26	41	567	937	1,035	382	89	11.1	
1919	3,117	35	37	551	925	1,104	374	91	10.9	
1920	4,373	43	48	939	1,370	1,431	430	112	10.7	
1921	4,555	39	79	968	1,392	1,425	511	141	10.9	
1922	3,727	40	57	841	1,073	1,190	405	121	10.9	
1923	4,116	45	80	1,027	1,166	1,276	418	102	10.4	
1924	4,286	41	71	990	1,287	1,351	456	90	10.6	

¹ Exclusive of those for which duration of marriage was unknown.

PART II. D.

POPULATION STATISTICS

	PAGE
Introductory	161
Estimated population	161
Statistical table	162

Introductory.—All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The last census in this Commonwealth was taken by the United States as of Jan. 1, 1920.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

The unexpected result of the national census of 1920, in which the State of Massachusetts shows a gain in population of only 159,046 in the five-year period 1916 to 1920, has made the estimated population for the years 1916, 1917, and 1918 based on the censuses of the years 1910 and 1915 appear almost absurd. In fact, the 1918 statistics on births, marriages, divorces, and deaths were based on a higher estimated population (3,907,576) than the estimated population for 1919 (3,835,614) obtained from the censuses of 1915 and 1920.

Estimated Population.—The decennial census of the Commonwealth for 1915 shows that the total population of Massachusetts on April 1, 1915, was 3,693,310. This was an increase of 9.7 per cent over 1910, and of nearly 23 per cent over 1905. The estimated population as of July 1, 1919, was 3,835,614, a gain of 142,304, or 3.8 per cent over 1915, the lowest percentage of gain since the Civil War period of 1861 to 1865. The estimated population of the city of Boston for July 1, 1919, was 747,784, a gain of only 2,345 for the 51 months (April 1, 1915, to July 1, 1919).

The method of calculating estimates of population for the intercensal years is shown in the following example:—

Massachusetts had a population of 3,852,356 at the Federal census of 1920 (January 1), and of 3,693,310 at the State census of 1915 (April 1). The increase during the intercensal period (57 months) was 159,046, and the monthly increase, according to the arithmetical method of estimating population, was—

$$\frac{3,852,356-3,693,310}{57}=2,790$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for July 1, 1924, is estimated by adding to the population as it existed at the preceding census (Jan. 1, 1920), 2,790 for each month intervening between the date of enumeration and the date for which the estimate is desired (July 1, 1924). There being 54 months between these dates, the calculation would be—

$$3,852,356+(54\times2,790)=4,003,016.$$

The census population for each municipality in the Commonwealth for the years 1910, 1915 and 1920 is shown in the Annual Report on Births, Marriages, and Deaths, 1920, pages 216 to 221.

Table 66

MUNICIPALITIES.	CENSUS POPULATION OF MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1920: 1900 TO 1920.				
	Jan. 1, 1920.	April 1, 1915.	April 15, 1910.	May 1, 1905.	June 1, 1900.
The State.	3,852,356	3,693,310	3,366,416	3,003,680	2,805,846
CITIES OVER 100,000.					
Boston ¹	748,060	745,439	670,585	595,380	560,892
Worcester	179,754	162,697	145,986	128,135	118,421
Springfield	129,614	102,971	88,926	73,540	62,059
New Bedford	121,217	109,568	96,652	74,362	62,442
Fall River	120,485	124,791	119,295	105,762	104,863
Lowell	112,759	107,978	106,294	94,889	94,969
Cambridge	109,694	108,822	104,839	97,434	91,886
50,000 to 100,000.					
Lynn	99,148	95,803	89,336	77,042	68,513
Lawrence	94,270	90,259	85,892	70,050	62,559
Somerville	93,091	86,854	77,236	69,272	61,643
Brockton	66,254	62,288	56,878	47,794	40,063
Holyoke	60,203	60,816	57,730	49,934	45,712
Haverhill	53,884	49,450	44,115	37,830	37,175
25,000 to 50,000.					
Malden	49,103	48,907	44,404	38,037	33,664
Quincy	47,876	40,674	32,642	28,076	23,899
Newton	46,054	43,113	39,806	36,827	33,587
Chelsea	43,184	43,426	32,585	37,289	34,072
Salem	42,529	37,200	43,697	37,627	35,956
Pittsfield	41,763	39,607	32,121	25,001	21,766
Fitchburg	41,029	39,656	37,826	33,021	31,531
Everett	40,120	37,718	33,484	29,111	24,336
Medford	39,038	30,509	23,150	19,686	18,244
Brookline (town)	37,748	33,490	27,792	23,436	19,935
Taunton	37,137	36,161	34,259	30,967	31,036
Chicopee	36,214	30,138	25,401	20,191	19,167
Waltham	30,915	30,154	27,834	26,282	23,481
Revere	28,823	25,178	18,219	12,659	10,395
15,000 to 25,000.					
Gloucester	22,947	24,478	24,398	26,011	26,121
Beverly	22,561	22,959	18,650	15,223	13,884
North Adams	22,282	22,035	22,019	22,150	24,200
Northampton	21,951	21,654	19,431	19,957	18,643
Watertown (town)	21,457	16,515	12,875	11,258	9,706
Leominster	19,744	17,646	17,580	14,297	12,392
Attleboro	19,731	18,480	16,215	12,702	11,335
Peabody	19,552	18,625	15,721	13,098	11,523
Arlington (town)	18,665	14,889	11,187	9,668	8,603
Westfield	18,604	18,411	16,044	13,611	12,310
Melrose	18,204	16,880	15,715	14,295	12,962
Framingham (town)	17,033	15,860	12,948	11,548	11,302
Gardner	16,971	16,376	14,699	12,012	10,813
Woburn	16,574	16,410	15,308	14,402	14,254
Newburyport	15,618	15,311	14,949	14,675	14,478
Greenfield (town)	15,462	12,618	10,427	9,156	7,927
Winthrop (town)	15,455	12,758	10,132	7,034	6,058
Methuen (town)	15,189	14,007	11,448	8,676	7,512
Weymouth (town)	15,057	13,969	12,895	11,585	11,324
Marlborough	15,028	15,250	14,579	14,073	13,609

¹ Hyde Park (in Norfolk County), annexed to Boston (in Suffolk County) in 1911, contained 15,507 inhabitants in 1910, 14,510 in 1905, and 13,244 in 1900. No other counties have had their boundaries changed since 1874.

APPENDIX

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH

1. DETAILED INTERNATIONAL LIST
2. ABRIDGED INTERNATIONAL LIST

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.¹

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death: these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this the title "Other epidemic diseases" of the detailed list (title No. 25) includes only such epidemic maladies as are not classified separately in titles 1 to 24 of that list; but "Other epidemic diseases" of the abridged list includes titles 3, 4, 12, 13, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25 and 42 of the detailed list. These identical expressions, it will be noted, have two different and distinct meanings.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List:—

1. DETAILED INTERNATIONAL LIST.

I. EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES.	I. EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES— <i>Con.</i>
1. Typhoid and paratyphoid fever.* (a) Typhoid fever. (b) Paratyphoid fever.	13. Mumps.
2. Typhus fever.*	14. Asiatic cholera.*
3. Relapsing fever (<i>spirillum obermeieri</i>). ²	15. Cholera nostras.
4. Malta fever.	16. Dysentery. ⁴ (a) Amebic.
5. Malaria. ³	(b) Bacillary.
6. Smallpox.*	(c) Unspecified or due to other causes.
7. Measles.*	17. Plague.* (a) Bubonic.
8. Scarlet fever.*	(b) Pneumonic.
9. Whooping cough.*	(c) Septicemic.
10. Diphtheria.*	(d) Unspecified.
11. Influenza. (a) With pulmonary complications specified. (b) Without pulmonary complications specified.	18. Yellow fever.*
12. Miliary fever.	19. Spirochetal hemorrhagic jaundice.
	20. Leprosy.*
	21. Erysipelas.*

¹ This second decennial revision of the International Classification of Causes of Death was made at Paris July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and is used beginning with 1921. The causes of death as given in the third revision number 205, compared with 179 in the first, and 189 in the second classification.

² This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum* (*Spirochaeta*) *obermeieri*, before death.

³ Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *plasmodium malariae*, was found in the blood before death or an autopsy.

⁴ Not a reliable statement of cause of death unless the specific cause of infection has been identified.

DETAILED INTERNATIONAL LIST—*Continued.*I. EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—*Con.*

22. Acute poliomyelitis.*
23. Lethargic encephalitis.
24. Meningococcus meningitis.
25. Other epidemic and endemic diseases.
 - (a) Chicken-pox.
 - (b) German measles.
 - (c) Others under this title.
26. Glanders.¹
27. Anthrax.²
28. Rabies.³
29. Tetanus.⁴
30. Mycoses.⁵
31. Tuberculosis of the respiratory system.*
32. Tuberculosis of the meninges and central nervous system.⁶
33. Tuberculosis of the intestines and peritoneum.⁷
34. Tuberculosis of the vertebral column.*
35. Tuberculosis of the joints.*
36. Tuberculosis of other organs.⁸
 - (a) Tuberculosis of the skin and subcutaneous cellular tissue.
 - (b) Tuberculosis of the bones (vertebral column excepted.)
 - (c) Tuberculosis of the lymphatic system (mesenteric and retroperitoneal glands excepted.)
 - (d) Tuberculosis of the genito-urinary system.
 - (e) Tuberculosis of organs other than the above.
37. Disseminated tuberculosis.*
 - (a) Acute.
 - (b) Chronic.
38. Syphilis.⁹
39. Soft chancre.
40. Gonococcus infection.¹⁰
41. Purulent infection, septicemia.
42. Other infectious diseases.

II. GENERAL DISEASES NOT INCLUDED ABOVE.

43. Cancer and other malignant tumors of the buccal cavity.*
44. Cancer and other malignant tumors of the stomach and liver.¹¹
45. Cancer and other malignant tumors of the peritoneum, intestines and rectum.¹¹
46. Cancer and other malignant tumors of the female genital organs.¹¹
47. Cancer and other malignant tumors of the breast.*
48. Cancer and other malignant tumors of the skin.*

II. GENERAL DISEASES NOT INCLUDED ABOVE—*Con.*

49. Cancer and other malignant tumors of other or unspecified organs.¹¹
50. Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).¹²
51. Acute rheumatic fever.*
52. Chronic rheumatism, osteoarthritis, gout.
53. Scurvy.*
54. Pellagra.*
55. Beriberi.*
56. Rickets.*
57. Diabetes mellitus.*
58. Anemia chlorosis.¹³
 - (a) Pernicious anemia.
 - (b) Other anemias and chlorosis.
59. Diseases of the pituitary gland.
60. Diseases of the thyroid gland.
 - (a) Exophthalmic goiter.
 - (b) Other diseases of the thyroid gland.
61. Diseases of the parathyroid glands.
62. Diseases of the thymus gland.
63. Diseases of the adrenals (Addison's disease).*
64. Diseases of the spleen.
65. Leukemia and Hodgkin's disease.¹⁴
 - (a) Leukemia.
 - (b) Hodgkin's disease.
66. Alcoholism (acute or chronic).*
67. Chronic poisoning by mineral substances.
 - (a) Chronic lead poisoning.¹⁴
 - (b) Others under this title.¹⁵
68. Chronic poisoning by organic substances.¹⁶
69. Other general diseases.

III. DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE.

70. Encephalitis.
71. Meningitis (does not include meningitis specified as meningococcic, tuberculous, rheumatic, etc.).
 - (a) Simple meningitis.
 - (b) Non-epidemic cerebrospinal meningitis.
72. Tabes dorsalis (locomotor ataxia).*
73. Other diseases of the spinal cord.
74. Cerebral hemorrhage, apoplexy.
 - (a) Cerebral hemorrhage.
 - (b) Cerebral thrombosis and embolism.
75. Paralysis without specified cause.
 - (a) Hemiplegia.
 - (b) Others under this title.
76. General paralysis of the insane.*

¹ Not a reliable statement of cause of death, without autopsy, unless there is an accompanying record of the finding of the etiological factor; *i.e.*, the *bacillus malici*.

² Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis*.

³ Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

⁴ A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

⁵ A reliable statement of cause of death, without autopsy, *only* when lesion is accessible to direct examination, or the etiological factor has been identified in the discharges before death.

⁶ A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

⁷ An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

⁸ Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

⁹ Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

¹⁰ An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

¹¹ An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

¹² An unreliable statement of cause of death, without autopsy, unless an operation was performed.

¹³ Not a reliable statement of cause of death unless verified by confirmatory blood examination.

¹⁴ A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

¹⁵ A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

¹⁶ A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

DETAILED INTERNATIONAL LIST—*Continued.*III. DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—*Con.*

77. Other forms of mental alienation.
78. Epilepsy.¹
79. Convulsions (non-puerperal) five years and over.
80. Infantile convulsions (under five years of age).
81. Chorea.*
82. Neuralgia and neuritis.
83. Softening of the brain.
84. Other diseases of the nervous system.
85. Diseases of the eye and annexa.*
86. Diseases of the ear and of the mastoid process.*
 - (a) Diseases of the ear.*
 - (b) Diseases of the mastoid process.*

IV. DISEASES OF THE CIRCULATORY SYSTEM.

87. Pericarditis.²
88. Endocarditis and myocarditis (acute).*
89. Angina pectoris.*
90. Other diseases of the heart.*
91. Diseases of the arteries.
 - (a) Aneurysm.
 - (b) Arteriosclerosis.
 - (c) Other diseases of the arteries.
92. Embolism and thrombosis (not cerebral).*
93. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).³
94. Diseases of the lymphatic system (lymphangitis, etc.).*
95. Hemorrhage without specified cause.*
96. Other diseases of the circulatory system.*

V. DISEASES OF THE RESPIRATORY SYSTEM.

97. Diseases of the nasal fossae and their annexa.*
 - (a) Diseases of the nasal fossae.
 - (b) Others under this title.
98. Diseases of the larynx.*
99. Bronchitis.
 - (a) Acute.
 - (b) Chronic.*
 - (c) Not otherwise defined (under five years of age).
 - (b) Not otherwise defined (five years and over).
100. Bronchopneumonia (including capillary bronchitis).*
 - (a) Bronchopneumonia.*
 - (b) Capillary bronchitis.*
101. Pneumonia.
 - (a) Lobar.
 - (b) Not otherwise defined.
102. Pleurisy.*
103. Congestion and hemorrhagic infarct of the lung.⁴
104. Gangrene of the lung.*
105. Asthma.
106. Pulmonary emphysema.*
107. Other diseases of the respiratory system (tuberculosis excepted).
 - (a) Chronic interstitial pneumonia, including occupational diseases of the lung.
 - (b) Diseases of the mediastinum.
 - (c) Others under this title.*

VI. DISEASES OF THE DIGESTIVE SYSTEM.

108. Diseases of the mouth and annexa.*
109. Diseases of the pharynx and tonsils (including adenoid vegetations).*
 - (a) Adenoid vegetations.*
 - (b) Others under this title.*
110. Diseases of the esophagus.*
111. Ulcer of the stomach and duodenum.
 - (a) Ulcer of the stomach.
 - (b) Ulcer of the duodenum.
112. Other diseases of the stomach (cancer excepted).
113. Diarrhea and enteritis (under two years of age).*
114. Diarrhea and enteritis (two years and over).
115. Ankylostomiasis.⁵
116. Diseases due to other intestinal parasites.⁶
 - (a) Cestodes (hydatids of the liver excepted).
 - (b) Trematodes.
 - (c) Nematodes (other than ankylostoma).
 - (d) Coccidia.
 - (e) Other parasites specified.
 - (f) Parasites not specified.
117. Appendicitis and typhlitis.
118. Hernia, intestinal obstruction.
 - (a) Hernia.⁷
 - (b) Intestinal obstruction.⁸
119. Other diseases of the intestines.
120. Acute yellow atrophy of the liver.*
121. Hydatid tumor of the liver.
122. Cirrhosis of the liver.*
 - (a) Specified as alcoholic.
 - (b) Not specified as alcoholic.
123. Biliary calculi.*
124. Other diseases of the liver.
125. Diseases of the pancreas.
126. Peritonitis without specified cause.
127. Other diseases of the digestive system (cancer and tuberculosis excepted).

VII. NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA.

128. Acute nephritis (including unspecified under ten years of age).
129. Chronic nephritis (including unspecified ten years and over).*
130. Chyluria.*
131. Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted).
132. Calculi of the urinary passages.*
133. Diseases of the bladder.*
134. Diseases of the urethra, urinary abscess, etc.*
 - (a) Stricture of the urethra.
 - (b) Others under this title.
135. Diseases of the prostate.*
136. Non-venercal diseases of the male genital organs.*
137. Cysts and other benign tumors of the ovary.
138. Salpingitis and pelvic abscess.
139. Benign tumors of the uterus.*
140. Non-puerperal uterine hemorrhage.
141. Other diseases of the female genital organs.*
142. Non-puerperal diseases of the breast (cancer excepted).*

¹ An unreliable statement of cause of death without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

² An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

³ A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

⁴ Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

⁵ A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

⁶ A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

⁷ A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

⁸ An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

DETAILED INTERNATIONAL LIST—*Concluded.*

VIII. THE PUERPERAL STATE.

143. Accidents of pregnancy.*
 - (a) Abortion.
 - (b) Ectopic gestation.
 - (c) Others under this title.
144. Puerperal hemorrhage.*
145. Other accidents of labor.*
 - (a) Cesarean section.
 - (b) Other surgical operations and instrumental delivery.
 - (c) Others under this title.
146. Puerperal septicemia.*
147. Puerperal phlegmasia alba dolens, embolus, sudden death.*
148. Puerperal albuminuria and convulsions.*
149. Following childbirth (not otherwise defined).*
150. Puerperal diseases of the breast.*

IX. DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE.

151. Gangrene.¹
152. Furuncle.¹
153. Acute abscess.¹
154. Other diseases of the skin and annexa.*

X. DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION.

155. Diseases of the bones (tuberculosis excepted).*
156. Diseases of the joints (tuberculosis and rheumatism excepted).*
157. Amputations.
158. Other diseases of the organs of locomotion.

XI. MALFORMATIONS

159. Congenital malformations (stillbirths not included).*
- (a) Hydrocephalus.*
- (b) Congenital malformations of the heart.*
- (c) Others under this title.*

XII. EARLY INFANCY.

160. Congenital debility, icterus, and sclerema.
161. Premature birth; injury at birth.
 - (a) Premature birth.*
 - (b) Injury at birth.*
162. Other diseases peculiar to early infancy.
163. Lack of care.*

XIII. OLD AGE.

164. Senility.

XIV. EXTERNAL CAUSES.

165. Suicide by solid or liquid poisons (corrosive substances excepted).²
166. Suicide by corrosive substances.*
167. Suicide by poisonous gas.³
168. Suicide by hanging or strangulation.*

XIV. EXTERNAL CAUSES.—*Con.*

169. Suicide by drowning.*
170. Suicide by firearms.*
171. Suicide by cutting or piercing instruments.*
172. Suicide by jumping from high places.*
173. Suicide by crushing.*
174. Other suicides.*
175. Poisoning by food.⁴
176. Poisoning by venomous animals.*
177. Other acute accidental poisonings (gas excepted).
178. Conflagration.*
179. Accidental burns (conflagration excepted).*
180. Accidental mechanical suffocation.*
181. Accidental absorption of irrespirable or poisonous gas.*
182. Accidental drowning.*
183. Accidental traumatism by firearms (wounds of war excepted).⁵
184. Accidental traumatism by cutting or piercing instruments.⁵
185. Accidental traumatism by fall.*
186. Accidental traumatism in mines and quarries.*
 - (a) Mines.*
 - (b) Quarries.*
187. Accidental traumatism by machines.*
188. Accidental traumatism by other crushing (vehicles, railways, landslides, etc.).
 - (a) Railroad accidents.*
 - (b) Street car accidents.*
 - (c) Automobile accidents.*
 - (d) Aeroplane and balloon accidents.*
 - (e) Motorcycle accidents.*
 - (f) Injuries by other vehicles.*
 - (g) Landslide, other crushing.
189. Injuries by animals (not poisoning).*
190. Wounds of war.
191. Execution of civilians by belligerent armies.
192. Starvation (deprivation of food or water).*
193. Excessive cold.*
194. Excessive heat.*
195. Lightning.*
196. Other accidental electric shocks.*
197. Homicide by firearms.*
198. Homicide by cutting or piercing instruments.*
199. Homicide by other means.*
200. Infanticide (murder of infants less than one year of age).*
201. Fracture (cause not specified).
202. Other external violence (cause specified.)
203. Other external violence (cause not specified).

XV. ILL-DEFINED DISEASES.

204. Sudden death.
205. Cause of death not specified or ill-defined.
 - (a) Ill-defined.
 - (b) Not specified or unknown.

¹ A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site and nature of the original infection.

² A reliable statement of cause of death, without autopsy, if the character of the solid or liquid is specified.

³ A reliable statement of cause of death, without autopsy, if the character of the gas is specified.

⁴ An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.

⁵ An unreliable statement of cause of death without supporting data, such as site and extent of injury.


2. ABRIDGED INTERNATIONAL LIST.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appeared in parentheses.

Abridged
Int. List
Number.

CAUSE OF DEATH.

1. Typhoid fever (1).*
2. Typhus fever (2).*
3. Malaria (5).
4. Smallpox (6).*
5. Measles (7).*
6. Scarlet fever (8).*
7. Whooping cough (9).*
8. Diphtheria and croup (10).*
9. Influenza (11).
10. Asiatic cholera (14).*
11. Cholera nostras (15).
12. Other epidemic diseases (3, 4, 12, 13, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 42).
13. Tuberculosis of the lungs (31).
14. Tuberculous meningitis (32).
15. Other forms of tuberculosis (33, 34, 35, 36, 37).
16. Cancer and other malignant tumors (43, 44, 45, 46, 47, 48, 49).
17. Simple meningitis (71a).
18. Cerebral hemorrhage and softening (74, 83).
19. Organic diseases of the heart (90).*
20. Acute bronchitis (99a).
21. Chronic bronchitis (99b).*
22. Pneumonia (101).
23. Other diseases of the respiratory system (tuberculosis excepted) (97, 98, 99c, 99d, 100, 102, 103, 104, 105, 106, 107).
24. Diseases of the stomach (cancer excepted) (111a, 112).
25. Diarrhea and enteritis (under 2 years) (113).*
26. Appendicitis and typhlitis (117).
27. Hernia, intestinal obstruction (118).
28. Cirrhosis of the liver (122).*
29. Acute nephritis and Bright's disease (128, 129).
30. Noncancerous tumors and other diseases of the female genital organs (137, 138, 139, 140, 141, 142).
31. Puerperal septicemia (puerperal fever, peritonitis) (146).*
32. Other puerperal accidents of pregnancy and labor (143, 144, 145, 147, 148, 149, 150).*
33. Congenital debility and malformations (159, 160, 161).
34. Senility (164).
35. Violent deaths (suicide excepted) (175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203).
36. Suicide (165, 166, 167, 168, 169, 170, 171, 172, 173, 174).*
37. Other diseases (26, 27, 28, 29, 30, 38, 39, 40, 41, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71b, 72, 73, 75, 76, 77, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 89, 91, 92, 93, 94, 95, 96, 108, 109, 110, 111b, 114, 115, 116, 119, 120, 121, 123, 124, 125, 126, 127, 130, 131, 132, 133, 134, 135, 136, 151, 152, 153, 154, 155, 156, 157, 158, 162, 163).
38. Unknown or ill-defined diseases (204, 205).



BOSTON PUBLIC LIBRARY



3 9999 06351 648 6

no longer kept - 11/1/20

SEP 30 1926

554,37

